Master Painter Ultra Low VOC Low Gloss by Cloverdale Paint Inc. - Cloverdale Paint & Rodda Paint Co.

Health Product Declaration v2.1

CLASSIFICATION: 09 91 23.00 Finishes: Interior Painting

created via: HPDC Online Builder

PRODUCT DESCRIPTION: Rodda Paint's Master Painter line of professional interior paints are formulated with low-VOC resin technologies with a proven formulation trusted by painting contractors, maintenance painters and homeowners. Master Painter delivers good hide and coverage with minimal application spatter for easier tool clean-up and virtually no odors during application. The Master Painter series is available in a variety of designer sheens and easy to apply with a brush, roller or airless sprayer. Master Painter paints are washable for longer term service life and an excellent choice for new and repainting residential and commercial jobs, and also work well for regular higher-end maintenance applications. This HPD covers Master Painter Ultra Low VOC Low Gloss in white. Master Painter Low Gloss is listed under Master Painter Institute 'MPI Approved" categories. Product Code: 533601



Section 1: Summary

Basic Method / Product Threshold

COL	NTENT	INVEN	ITORY
COL	4 1 1 1 1		

Inventory Reporting Format	Threshold level	Residuals/Impurities	Are All Substances Above the Thres	hold Indicated:
Nested Materials Method	C 100 ppm	Considered	Characterized	
Basic Method	1 ,000 ppm	C Partially	Percent Weight and Role Provided?	
Threshold Disclosed Per Material Product	Per GHS SDS Per OSHA MSDS Other	Considered Not Considered Explanation(s) provided	Screened Using Priority Hazard Lists with Results Disclosed?	• Yes • No
		for Residuals/Impurities? • Yes • No	Identified Name and Identifier Provided?	C Yes C No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

MASTER PAINTER ULTRA LOW VOC LOW GLOSS [WATER BM-4 VINYL ACETATE POLYMER LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END LIMESTONE; CALCIUM CARBONATE LT-UNK STYRENE/ACRYLIC COPOLYMER LT-UNK ALUMINA TRIHYDRATE BM-2 | RES SILICA, AMORPHOUS LT-P1 | CAN UNDISCLOSED LT-UNK KAOLIN CLAY LT-UNK | CAN UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES LT-1 | CAN | MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK ETHYLHYDROXYETHYLCELLULOSE LT-UNK UNDISCLOSED NoGS UNDISCLOSED NoGS UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | MUL POLYETHYLENE GLYCOL LT-UNK |

Number of Greenscreen BM-4/BM3 contents....... 1 Contents highest concern GreenScreen Benchmark or List translator Score..... LT-1 Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight. Therefore, this HPD qualifies for the LEED v4 MR credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1). Substances not "Identified" are those considered proprietary to suppliers, and thus are "Undisclosed" on this HPD.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): <1.0 Regulatory (g/l): Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: Yes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Building Product VOC Emission Factors - 533601

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified? PREPARER: Self-Prepared SCREENING DATE: 2018-01-04 VERIFIER: PUBLISHED DATE: 2018-01-04 C Yes **VERIFICATION #:** EXPIRY DATE: 2021-01-04 No

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

MASTER PAINTER ULTRA LOW VOC LOW GLOSS

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosure letters, supplier SDS, and as predicted by process chemistry (Pharos CML).

OTHER PRODUCT NOTES: Percent by weight of substances reported as range in order to further protect the proprietary nature of this formulation.

WATER						
%: 50.0000 - 55.0000	GS: BM-4	RC: None	nano: No	ROLE: Diluent; Flow Aid		
HAZARDS:	AGENCY(IES) WITH V	WARNINGS:				
None Found	No warnings for	und on HPD Priority lists				
SUBSTANCE NOTES:						

VINYL ACETATE POLYMER				ID: Undisclos
%: 15.0000 - 20.0000	gs: LT-UNK	RC: None	nano: No	ROLE: Binder
HAZARDS:	AGENCY(IES) WITH WARNING	SS:		
None Found	No warnings found on	HPD Priority lists		

SUBSTANCE NOTES: Supplier has shared substance name and CASRN under the terms of a non-disclosure agreement with third-party consultant; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed.

TITANIUM DIOXIDE				ID: 13463-67-7
%: 10.0000 - 15.0000	GS: LT-1	RC: None	nano: No	ROLE: Pigment
HAZARDS:	AGENCY(IES) WITH WA	ARNINGS:		
CANCER	US CDC - Occup	ational Carcinogens	Occupational Carci	inogen
CANCER	CA EPA - Prop 6	5	Carcinogen - speci	fic to chemical form or exposure route
CANCER	IARC		Group 2B - Possibl occupational source	ly carcinogenic to humans - inhaled from

CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Substance bound in matrix of finished product. Identified on the US EPA Safer Chemical Ingredient List. Form-specific hazards: airborne particles of respirable size – occupational setting. Specific guidelines are being created to address known issues related to transparency and disclosure for several materials ("Special Conditions"), including those with Form-Specific Hazards such as Titanium Dioxide. This HPD will be updated as appropriate when these guidelines become available. The Material Health Harmonization Task Group convened by the USGBC states that pigmentary titanium dioxide was "determined to be Benchmark 2 using the full GS (GreenScreen) method" (http://ow.ly/Z5ken).

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

%: 5.0000 - 10.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Extender
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Prior	rity lists		

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List.

STYRENE/ACRYLIC COPOLYMER

ID: Undisclosed

%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Increased Opacity; Improved Scrub Resistance
HAZARDS:	AGENCY(IES) WITH V	VARNINGS:		
None Found	No warnings fou	ınd on HPD Prio	rity lists	

SUBSTANCE NOTES: Supplier has shared substance name and CASRN under the terms of a non-disclosure agreement with third-party consultant; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed.

ALUMINA TRIHYDRATE ID: 21645-51-2

%: 0.5000 - 1.0000	GS: BM-2	RC: None	nano: No	ROLE: Opacifying Agent
HAZARDS:	AGENCY(IES) WITH W	ARNINGS:		
RESPIRATORY	AOEC - Asthmaç	gens	Asthmag	gen (ARs) - sensitizer-induced - inhalable forms only

SUBSTANCE NOTES: Form-specific hazard not expected to apply once substance bound in matrix of finished product.

SILICA, AMORPHOUS

ID: **7631-86-9**

%: 0.5000 - 1.0000	GS: LT-P1	RC: None	nano: No	ROLE: Extender
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
CANCER	Japan - GHS		Carcinogenicity - Category	1A

UNDISCLOSED

%: 0.5000 - 1.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Coalescing Agent
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on H	PD Priority lists		

SUBSTANCE NOTES: Supplier has shared substance name and CASRN under the terms of a non-disclosure agreement with third-party consultant; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed.

KAOLIN CLAY				IC	: 1332-58-7
%: 0.1000 - 0.5000	GS: LT-UNK	RC: None	NANO: No	ROLE: Extender	
HAZARDS:	AGENCY(IES) WITH WARNING	98:			
CANCER	MAK		Carcinogen Group 38 sufficient for classific	3 - Evidence of carcinogenic effectation	ts but not

SUBSTANCE NOTES: Identified on US EPA Safer Chemical Ingredient List.

UNDISCLOSED

%: 0.1000 - 0.5000	GS: LT-UNK	RC: None	NANO: No	ROLE: Dispersant
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: Supplier has shared substance name and CASRN under the terms of a non-disclosure agreement with third-party consultant; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed.

UNDISCLOSED

%: 0.1000 - 0.5000	GS: LT-UNK	RC: None	NANO: No	ROLE: Rheology Modifier		
HAZARDS:	AGENCY(IES) WITH WARNINGS	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists					

SUBSTANCE NOTES: Supplier has shared substance name and CASRN under the terms of a non-disclosure agreement with third-party consultant; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed.

SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES

ID: **64742-65-0**

%: 0.1000 - 0.5000

GS: **LT-1**

RC: None

NANO: No

ROLE: Foam Control Agent

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
CANCER	EU - R-phrases	R45 - May cause cancer
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	Australia - GHS	H350 - May cause cancer

SUBSTANCE NOTES: Substance bound in matrix of finished product. According to Pharos CML: "The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract". We are working with our supplier to determine if this exception applies to this substance. As per supplier SDS, no component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen by IARC, OSHA, or NTP. Supplier SDS further states: "This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm."

UNDISCLOSED

%: 0.1000 - 0.5000	GS: LT-UNK	RC: None	nano: No	ROLE: Foam Control Agent
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: Supplier has shared substance name and CASRN under the terms of a non-disclosure agreement with third-party consultant; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed.

UNDISCLOSED

%: 0.1000 - 0.5000	GS: LT-UNK	RC: None	nano: No	ROLE: Defoaming Agent
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: Supplier has shared substance name and CASRN under the terms of a non-disclosure agreement with third-party consultant; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed.

ETHYLHYDROXYETHYLCELLULOSE

ID: 9004-58-4

%: 0.1000 - 0.5000	GS: LT-UNK	RC: None	nano: No	ROLE: Rheology Modifier		
HAZARDS:	AGENCY(IES) WITH WARNIN	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on	No warnings found on HPD Priority lists				

SUBSTANCE NOTES:

UNDISCLOSED

%: 0.1000 - 0.5000	GS: NoGS	RC: None	nano: No	ROLE: Rheology Modifier	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: Supplier has shared substance name and CASRN under the terms of a non-disclosure agreement with third-party consultant; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed.

UNDISCLOSED

%: 0.1000 - 0.2000	GS: NoGS	RC: None	nano: No	ROLE: Rheology Modifier	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: Supplier has shared substance name and CASRN under the terms of a non-disclosure agreement with third-party consultant; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed.

UNDISCLOSED

%: 0.1000 - 0.5000	gs: LT-UNK	RC: None	nano: No	ROLE: Binder Component	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List. Supplier has shared substance name and CASRN under the terms of a non-disclosure agreement with third-party consultant; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed.

UNDISCLOSED

%: 0.1000 - 0.5000	GS: LT-UNK	RC: None	nano: No	ROLE: Binder Component		
HAZARDS:	AGENCY(IES) WITH WARNINGS	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists					

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List. Supplier has shared substance name and CASRN under the terms of a non-disclosure agreement with third-party consultant; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed.

UNDISCLOSED

%: 0.1000 - 0.2000	GS: LT-P1	RC: None	nano: No	ROLE: Dispersant; Emulsifier
HAZARDS:	AGENCY(IES) WITH WARNINGS:			

SUBSTANCE NOTES: Substance bound in matrix of finished product. Supplier has shared substance name and CASRN under the terms of a non-disclosure agreement with third-party consultant; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed.

POLYETHYLENE GLYCOL						
%: 0.1000 - 0.5000	GS: LT-UNK	RC: None	nano: No	ROLE: Flow Additive		
HAZARDS:	AGENCY(IES) WITH WARNI	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found o	No warnings found on HPD Priority lists				
SUBSTANCE NOTES: Identified	d on the US EPA Safer Chemi	cal Ingredient List.				



This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Building Product VOC Emission Factors - 533601

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: Rivergate Manufacturing

08

CERTIFIER OR LAB: Berkeley

Analytical

Facility, Portland, Oregon

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Report number: 881-002-05A-Nov0716. Test method: ASTM D 5116-10 (Small Chamber). Test report available upon request.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Cloverdale Paint Inc. - Cloverdale Paint

& Rodda Paint Co.

ADDRESS: 6107 N Marine Drive Portland OR 97203, USA

WEBSITE: Information in Canada:

www.cloverdalepaint.com, and USA:

www.roddapaint.com

CONTACT NAME: Jeff McIntyre

TITLE: Business Development Manager

PHONE: **206.396.7074**

EMAIL: jmcintyre@roddapaint.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

GLO Global warming

PHY Physical Hazard (reactive)

CAN Cancer

MAM Mammalian/systemic/organ toxicity

REP Reproductive toxicity

DEV Developmental toxicity

MUL Multiple hazards

RES Respiratory sensitization

END Endocrine activity **NEU** Neurotoxicity **SKI** Skin sensitization/irritation/corrosivity

EYE Eye irritation/corrosivity **OZO** Ozone depletion **LAN** Land Toxicity **GEN** Gene mutation **PBT** Persistent Bioaccumulative Toxic **NF** Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

LT-1 List Translator Possible Benchmark 1

LT-1 List Translator Likely Benchmark 1

BM-2 Benchmark 2 (use but search for safer substitutes)

LT-UNK List Translator Benchmark Unknown (insufficient information

BM-1 Benchmark 1 (avoid - chemical of high concern) from List Translator lists to benchmark)

BM-U Benchmark Unspeci ed (insu cient data to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per produc

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.