

CLASSIFICATION: 09521: Acoustical Ceiling Wall Panels

PRODUCT DESCRIPTION: The TOPAKUSTIK® panel products are fabricated with various perforation or groove patterns and configurations. Paint color matching is available for any manufacturer's color specification. The application is done with the latest generation spray robotics, providing a guaranteed even application. The standard paint is water-based and low VOC classified.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Per OSHA MSDS
 Other

Residuals/Impurities

- Considered
 Partially Considered
 Not Considered

Explanation(s) provided
for Residuals/Impurities?
 Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No
% weight and role provided for all substances.

Screened Yes Ex/SC Yes No
All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No
One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

TOPAKUSTIK + TOPPERFO PAINT FINISH [CELLULOSE, MICROCRYSTALLINE NoGS POLYMERIC MDI (PMDI) LT-UNK | RES | MUL | CAN METHYLENE BISPHENYL DIISOCYANATE (PURE MDI) LT-UNK | RES | MUL | SKI | EYE | CAN UNDISCLOSED CHEMICAL #1 LT-P1 | CAN | PHY | END | MUL | MAM | GEN DIPHENYLMETHANE-2,4'- DIISOCYANATE (2,4'-MDI) LT-UNK | MUL | SKI | EYE | RES | CAN UNDISCLOSED CHEMICAL #2 BM-4 UNDISCLOSED CHEMICAL #3 LT-1 | CAN | END UNDISCLOSED CHEMICAL #4 LT-UNK UNDISCLOSED CHEMICAL #5 LT-UNK DIPHENYLMETHANE-2,2'-DIISOCYANATE (2,2'-MDI) LT-UNK | MUL | SKI | EYE | RES | CAN UNDISCLOSED CHEMICAL #6 LT-1 | CAN UNDISCLOSED CHEMICAL #7 LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Topakustik worked with an HPDC Approved Preparer to confirm that all residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 100 ppm threshold.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: No VOC Certification

LCA: Environmental Product Declaration (EPD) by SCS

LCA: Environmental Product Declaration (EPD) by SCS

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
 No

PREPARER: ToxServices LLC
VERIFIER: SCS Global Services
VERIFICATION #: qGE-7059

SCREENING DATE: 2019-07-15
PUBLISHED DATE: 2019-09-12
EXPIRY DATE: 2022-07-15



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

TOPAKUSTIK + TOPPERFO PAINT FINISH

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Topakustik worked with an HPDC Approved Preparer to confirm that all residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 100 ppm threshold.

OTHER PRODUCT NOTES:

CELLULOSE, MICROCRYSTALLINE

ID: 9004-34-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-07-15

#: 88.72 - 88.72 GS: NoGS RC: None NANO: No ROLE: Core structure and Fleece Component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

POLYMERIC MDI (PMDI)

ID: 9016-87-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-07-15

#: 4.88 - 7.32 GS: LT-UNK RC: None NANO: No ROLE: Core Structure Component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagen	Asthmagen (G) - generally accepted
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
RESPIRATORY	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES:

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-07-15**%: **2.44 - 4.88**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Core Structure Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagens (G) - generally accepted
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
RESPIRATORY	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
RESPIRATORY	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES:

UNDISCLOSED CHEMICAL #1ID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-07-15**%: **0.61 - 0.61**GS: **LT-P1**RC: **None**NANO: **No**ROLE: **Adhesive Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
GENE MUTATION	New Zealand - GHS	6.6A - Known or presumed human mutagens

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer. The HPDC Approved Preparer obtained full disclosure down to the 100 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance.

DIPHENYLMETHANE-2,4'- DIISOCYANATE (2,4'-MDI)

ID: 5873-54-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-07-15**

#: **0.48 - 0.97** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Core Structure Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
RESPIRATORY	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
RESPIRATORY	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage

SUBSTANCE NOTES:

UNDISCLOSED CHEMICAL #2

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-07-15**

#: **0.46 - 0.46** GS: **BM-4** RC: **None** NANO: **No** ROLE: **Fleece and Paint Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer. The HPDC Approved Preparer obtained full disclosure down to the 100 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance. The GreenScreen® Benchmark assessment score of BM-4 was provided through the HPD 2.1 Builder Tool.

UNDISCLOSED CHEMICAL #3

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-07-15**

#: **0.08 - 0.08** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Paint Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer. The HPDC Approved Preparer obtained full disclosure down to the 100 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance

UNDISCLOSED CHEMICAL #4

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-07-15**

#: **0.03 - 0.03**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Fleece Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer. The HPDC Approved Preparer obtained full disclosure down to the 100 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance.

UNDISCLOSED CHEMICAL #5

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-07-15**

#: **0.03 - 0.03**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Fleece Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer. The HPDC Approved Preparer obtained full disclosure down to the 100 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance.

DIPHENYLMETHANE-2,2'-DIISOCYANATE (2,2'-MDI)

ID: **2536-05-2**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-07-15**

#: **0.01 - 0.09**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Core Structure Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
RESPIRATORY	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
RESPIRATORY	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage

SUBSTANCE NOTES:

UNDISCLOSED CHEMICAL #6

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-07-15**

#: **0.01 - 0.01**

GS: **LT-1**

RC: **None**

NANO: **No**

ROLE: **Fleece Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer. The HPDC Approved Preparer obtained full disclosure down to the 100 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance.

UNDISCLOSED CHEMICAL #7

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-07-15**

#: **0.01 - 0.01**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Fleece Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer. The HPDC Approved Preparer obtained full disclosure down to the 100 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

No VOC Certification

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-**

EXPIRY DATE:

CERTIFIER OR LAB: **N/A**

APPLICABLE FACILITIES: **N/A**

07-12

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **CDPH Standard Method - Not Tested**

LCA

Environmental Product Declaration (EPD) by SCS

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2019-**

EXPIRY DATE: **2024-**

CERTIFIER OR LAB: **SCS**

APPLICABLE FACILITIES: **All Facilities**

05-28

05-27

Global Services

CERTIFICATE URL:

https://www.scs-certified.com/products/cert_pdfs/SCS-EPD-05540_NH-Akustik_NorthAmerica_052819.pdf

CERTIFICATION AND COMPLIANCE NOTES: **SCS-EPD-05540; PCR Guidance for Building-Related Products and Services Part A: Life Cycle Assessment Calculation Rules and Report Requirements. Version 3.2. UL Environment. Sept. 2018 PCR Guidance for Building-Related Products and Services Part B: Non Metal Ceiling Panel EPD Requirements. Version 1. UL Environment. October 2015.**

LCA

Environmental Product Declaration (EPD) by SCS

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2019-**

EXPIRY DATE: **2024-**

CERTIFIER OR LAB: **SCS**

APPLICABLE FACILITIES: **All Facilities.**

05-28

05-27

Global Services

CERTIFICATE URL:

https://www.scs-certified.com/products/cert_pdfs/SCS-EPD-05539_NH-Akustik_Europe_052819.pdf

CERTIFICATION AND COMPLIANCE NOTES: **SCS-EPD-05539; PCR Guidance for Building-Related Products and Services Part A: Life Cycle Assessment Calculation Rules and Report Requirements. Version 3.2. UL Environment. Sept. 2018 PCR Guidance for Building-Related Products and Services Part B: Non Metal Ceiling Panel EPD Requirements. Version 1. UL Environment. October 2015.**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Topakustik worked with an HPDC Approved Preparer to confirm that all residuals and impurities were considered

under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 100 ppm threshold. This product formulation additionally contains two copolymeric ingredients (present at 0.1% and 0.11%) that do not have identifying CAS#s, as confirmed by the polymeric ingredient suppliers, and therefore are unable to be screened using the HPD 2.1.1 Builder Tool.



MANUFACTURER INFORMATION

MANUFACTURER: **NH Akustik + Design AG**

ADDRESS: **NH Akustik + Design AG**

Obseestrasse 11

Lungern Lungern 6078, Switzerland

WEBSITE: <https://topakustik.ch/en/>

CONTACT NAME: **Beat Britschgi**

TITLE: **Senior Sales Manager**

PHONE: **+41 41 679 73 53**

EMAIL: beat.britschgi@topakustik.ch

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insufficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1

LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.