

CLASSIFICATION: 09 96 00 Finishes: High-Performance Coatings

PRODUCT DESCRIPTION: Diamon-Fusion is an optically clear, low-maintenance protective coating that transforms ordinary glass or other silica-based surfaces into a high-performing, water repellent surface. By filling in the microscopic peaks and valleys of the substrate, Diamon-Fusion creates an ultra-thin, invisible barrier that protects surfaces from stains, corrosion, and other environmental pollutants. Just like a non-stick cooking pan makes cleaning easier and less frequent, so too will Diamon-Fusion reduce cleaning time and the frequency of cleanings. This HPD covers Diamon-Fusion® Step 2 Hand Applied Product (HAB). Other CSI MasterFormat may include 09 01 90.53 Finishes: Maintenance Coatings.

Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

Residuals/Impurities
Considered in 1 of 1 Materials

Explanation(s) provided
for Residuals/Impurities?

- Yes
- No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No
% weight and role provided for all substances.

Screened Yes Ex/SC Yes No
All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No
One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

DIAMON-FUSION® STEP 2 HAND APPLIED PRODUCT | ETHANOL BM-2 |
CAN | PHY | END | REP | DEL **ISOPROPYL ALCOHOL BM-2** | PHY | EYE
UNDISCLOSED LT-P1 | MAM **UNDISCLOSED BM-2** | RES | SKI | MAM]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen
Benchmark or List translator Score ... LT-P1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1.1, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight. Substances not "Identified" are those considered proprietary to the manufacturer, and thus are "Undisclosed" on this HPD.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 790 Regulatory (g/l): 790
Does the product contain exempt VOCs: No
Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method – Not tested
VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2019-04-03

PUBLISHED DATE: 2019-04-04

EXPIRY DATE: 2022-04-03



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

DIAMON-FUSION® STEP 2 HAND APPLIED PRODUCT

#: 100.0000

MATERIAL THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were "Considered", as outlined in Emerging Best Practices. No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier SDS and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Percent by weight of substances provided as range in order to further protect the proprietary nature of this formulation.

ETHANOL

ID: 64-17-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-04-03

#: 80.0000 - 90.0000

GS: BM-2

RC: None

NANO: No

ROLE: Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels
CANCER	Japan - GHS	Carcinogenicity - Category 1A
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1A
DEVELOPMENTAL	CA EPA - Prop 65	Developmental - specific to chemical form or exposure route

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern). GreenScreen Benchmark® assessment score of BM-2 was provided by the HPD Builder Tool. The GreenScreen Assessment (NSF, 2014) was restricted to industrial and occupational uses, and excluded ethanol in alcoholic beverages. Hazards listed above may be specific to exposure route, and thus may not apply to this product when used as intended.

ISOPROPYL ALCOHOL

ID: 67-63-0

#: **5.0000 - 10.0000** GS: **BM-2** RC: **None** NANO: **No** ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern). GreenScreen Benchmark® assessment score of BM-2 was provided by the HPD Builder Tool.

UNDISCLOSED

#: **1.0000 - 10.0000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Hydrophobic Coating**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances

SUBSTANCE NOTES: This substance is held as proprietary by the manufacturer. Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide (Version 3.1).

UNDISCLOSED

#: **0.1000 - 0.3000** GS: **BM-2** RC: **None** NANO: **No** ROLE: **Reactant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rr) - irritant-induced
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances

SUBSTANCE NOTES: This substance is held as proprietary by the manufacturer. Percent by weight of substance reported as range in order to further protect the proprietary nature of this formulation. GreenScreen Benchmark® assessment score of BM-2 was provided by the HPD Builder Tool. Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide (Version 3.1).

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method – Not tested

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-**

EXPIRY DATE:

CERTIFIER OR LAB: **N/A**

APPLICABLE FACILITIES: **N/A**

02-20

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **CDPH Standard Method – Not tested**

VOC CONTENT

EPA Method 24 - Volatile Matter Content (EPA 24)

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-**

EXPIRY DATE:

CERTIFIER OR LAB: **N/A**

APPLICABLE FACILITIES: **All**

02-20

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **VOC Content calculated from formulation.**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

DIAMON-FUSION® STEP 1 HAND APPLIED PRODUCT

HPD URL: <https://hpcrepository.hpd-collaborative.org/>

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Required for application of Diamon-Fusion® 2-Step Hand Applied Coating System.

Section 5: General Notes

Similar to a non-stick cooking pan, Diamon-Fusion is an ultra-thin transparent barrier that adheres to the surface of the glass which repels dirt, water, and debris for an easy-to-clean solution. Protect the glass on commercial buildings from environmental damage, while reducing maintenance costs up to 50%. Diamon-Fusion keeps glass looking cleaner for longer and provides protection against wear and tear for entrance doors, guardrail systems, canopies, storefronts and much more. Additionally, treating shower glass with Diamon-Fusion eliminates the need for any harsh chemical cleaners, the glass stays cleaner for longer, and can easily be cleaned with water and a simple wipe down.



MANUFACTURER INFORMATION

MANUFACTURER: **Diamon-Fusion International**
 ADDRESS: **9361 Irvine Boulevard**
Irvine CA 92618, USA
 WEBSITE: **www.dfisolutions.com**

CONTACT NAME: **Syndi Sim**
 TITLE: **Vice President, Marketing**
 PHONE: **1.888.344.4334**
 EMAIL: **ssim@diamonfusion.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.