Base Coat BC Coatings Joint Compound by Panel Rev S.A.

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 29 00

PRODUCT DESCRIPTION: Joint compound, as defined by ASTM C474 and C475, is used along with joint tape to join sheets of drywall by creating a seamless finish. Joint compound is comprised of a blend of minerals. This HPD covers the Base coat joint compound line from Panel Rey S.A. These products are manufactured in the Panel Rey facilities located in Mexicali, Mexico; Monterrey, Mexico; and Mexico City, Mexico. Panel Rey's flexible cement BC Coatings is a specialized product made up by an intelligent mixture of grey or white Portland cement, polymer resins, waterproof material and reinforcing fibers whose function is to treat corners and moldings, fix the tapes on outdoors and work as the base coating for the exterior panel, whether it's gypsum or cement base in DEFS - '96 Direct applied Exterior Finish System that implies the use of a cementitious panel. It has also been designed to embed outdoor reinforcing mesh and attach semi-rigid plates in Insulation Systems and Outdoor Finishing (EIFS - '96 Exterior Insulating and Finishing System), that unlike the previous ones, imply the use of a plate of insulating material. Other uses may be given to it such as sticking insulating plates onto cinder block, brick, masonry, gypsum board panels, and can be worked to a custom finishing. Product Specifications-Penetration of water: negative; absorption of water (%): 12.6% maximum; transmission of vapor (MVP = g/hr-ft): 29 maximum; permeability (Perms = g/hr-ft -mmHg): 66.4 maximum; resistance to flexion = minimum diameter 2"'94 without cracking.



Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

C Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

C 1,000 ppm

Per GHS SDS Per OSHA MSDS

C Other

Residuals/Impurities

Residuals/Impurities Considered in 12 of 12 Materials

Explanation(s) provided for Residuals/Impurities? Yes No

All Substances Above the Threshold Indicated Are:

Characterized

C Yes Ex/SC O Yes C No

% weight and role provided for all substances.

Screened

C Yes Ex/SC C Yes € No

One or more substances not screened using Priority Hazard Lists with results disclosed and/ or one or more Special Condition did not follow guidance.

Identified

C Yes Ex/SC C Yes C No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

UNDISCLOSED [UNDISCLOSED LT-UNK] SILICA SAND [AMORPHOUS SILICA LT-P1 | CAN | WHITE OR GRAY CEMENT | MAGNESIUM OXIDE (PRIMARY CASRN IS 1309-48-4) LT-UNK | CAN ALUMINUM OXIDE BM-2 | RES FERRIC OXIDE BM-2 | CAN SODIUM OXIDE LT-UNK PHOSPHORUS PENTOXIDE LT-P1 | SKI SULFUR TRIOXIDE LT-P1 | MAM] UNDISCLOSED [UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | CAN UNDISCLOSED LT-UNK] UNDISCLOSED [UNDISCLOSED NoGS] UNDISCLOSED [UNDISCLOSED LT-UNK] UNDISCLOSED [UNDISCLOSED LT-UNK] UNDISCLOSED [UNDISCLOSED LT-P1 | EYE] UNDISCLOSED [UNDISCLOSED LT-UNK] UNDISCLOSED [UNDISCLOSED LT-UNK]

UNDISCLOSED [UNDISCLOSED Not Screened] UNDISCLOSED [

UNDISCLOSED LT-1 | PHY | GEN | CAN | MUL | DEL]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1, and discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the finished the product, along with the role and percent weight. Therefore, this HPD is consistent with the LEED v4 MR credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1).

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): Not Calculated Regulatory (g/l): Not Applicable

Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: VOC Emissions
VOC content: VOC Content

Other: Type III Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

PREPARER: Self-Prepared

C Yes
No

VERIFIER: VERIFICATION #: SCREENING DATE: 2019-02-22 PUBLISHED DATE: 2019-02-22 EXPIRY DATE: 2022-02-22



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

UNDISCLOSED

%: 45.0000 - 65.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

OTHER MATERIAL NOTES: Impurities are typically trace metals and naturally occurring minerals.

UNDISCLOSED

HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREEN	IING DATE: 2019-02	-22
%: 45.0000 - 65.0000	gs: LT-UNK	RC: UNK	nano: No	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: Impurities are typically trace metals and naturally occurring minerals.

SILICA SAND

%: 40.0000 - 60.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

AMORPHOUS SILICA ID: 7631-86-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-02-22		
%: 40.0000 - 60.0000	gs: LT-P1	RC: UNK	nano: No	ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	Japan - GHS	Carcinogenicity	Carcinogenicity - Category 1A		
CANCER	Australia - GHS	H350i - May ca	H350i - May cause cancer by inhalation		

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

WHITE OR GRAY CEMENT

%: 15.0000 - 50.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

OTHER MATERIAL NOTES:

MAGNESIUM OXIDE (PRIMARY CASRN IS 1309-48-4)

ID: 1193320-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2019-02-22		
%: 0.1500 - 0.5000	GS: LT-UNK	RC: UNK	NANO: No	ROLE: Additive	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	MAK	_	Carcinogen Group 4 - Non-genotoxic carcinogen with risk under MAK/BAT levels		

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

ALUMINUM OXIDE ID: 1344-28-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-22		
%: 0.1500 - 0.5000	GS: BM-2	RC: UNK	nano: No	ROLE: Additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

FERRIC OXIDE ID: 1309-37-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-22			
%: 0.1500 - 0.5000	GS: BM-2	RC: UNK	nano: No	ROLE: Additive	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	MAK	_	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

SODIUM OXIDE ID: 1313-59-3

HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREE	ENING DATE: 201	9-02-22
%: Impurity/Residual	GS: LT-UNK	RC: UNK	nano: No	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
	No hazards found			

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

PHOSPHORUS PENTOXIDE ID: 1314-56-3

HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREE	ENING DATE: 2019	9-02-22
%: Impurity/Residual	gs: LT-P1	RC: UNK	nano: No	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	IGS	
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage		

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

SULFUR TRIOXIDE ID: 7446-11-9

MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNII	NGS	
%: Impurity/Residual	GS: LT-P1	RC: UNK	nano: No	ROLE: Impurity/Residual
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-22		

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

UNDISCLOSED

%: 1.0000 - 20.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREEN	ING DATE: 2019-02-	·22
%: 1.0000 - 20.0000	GS: LT-UNK	RC: UNK	nano: No	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-22		
%: Impurity/Residual	gs: LT-P1	RC: UNK NANO: No ROLE: Impurity/Residual		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	Japan - GHS	Carcinogenicity - Category 1A		
CANCER	Australia - GHS	H350i - May cause cancer by inhalation		

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2019-02-22			
%: Impurity/Residual	gs: LT-UNK	RC: UNK	nano: No	ROLE: Impurity/Residual		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS			
	No hazards found					

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

UNDISCLOSED

%: 1.0000 - 1.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-22		
%: 1.0000 - 1.0000	GS: NoGS	RC: UNK	NANO: No	ROLE: Thickener
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

UNDISCLOSED

%: 0.5000 - 10.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

OTHER MATERIAL NOTES:

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-02-22		
%: 0.5000 - 10.0000	GS: LT-UNK	RC: UNK	nano: No	ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

UNDISCLOSED

%: 0.5000 - 5.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-22		
%: 0.5000 - 5.0000	GS: LT-UNK	RC: UNK	NANO: No	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

UNDISCLOSED

%: 0.1000 - 1.5000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

OTHER MATERIAL NOTES:

UNDISCLOSED

HAZARD SCREENING METHOD: P	naros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2019-	02-22
%: 0.1000 - 1.5000	GS: LT-P1	RC: UNK	nano: No	ROLE: Accelerator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Ca	uses serious eye	irritation

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

UNDISCLOSED

%: 0.0500 - 0.7500

PRODUCT THRESHOLD: 100 ppm

 ${\tt RESIDUALS~AND~IMPURITIES~CONSIDERED:~Yes}$

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-22		
%: 0.0500 - 0.7500	GS: LT-UNK	RC: UNK	NANO: No	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

UNDISCLOSED

%: 0.0500 - 0.7500

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

OTHER MATERIAL NOTES:

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2019-02-22		
%: 0.0500 - 0.7500	GS: LT-UNK	RC: UNK	nano: No	ROLE: Thickener	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

UNDISCLOSED

%: 0.0500 - 0.5000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-22		
%: 0.0500 - 0.5000	GS: Not Screened	RC: UNK	NANO: No	ROLE: Binder/Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	Hazard Screening not performed			

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

UNDISCLOSED

%: 0.0000 - 0.5000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

OTHER MATERIAL NOTES:

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-02-22		
%: 0.0000 - 0.5000	GS: LT-1	RC: UNK	NANO: No	ROLE: Defoamer	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H220 - Extremely flammable gas
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 1 - Substances known to be Carcinogenic to man
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1A - Known human Carcinogen based on human evidence
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B
GENE MUTATION	Australia - GHS	H340 - May cause genetic defects
CANCER	Australia - GHS	H350 - May cause cancer
DEVELOPMENTAL	Australia - GHS	H360Df - May damage the unborn child. Suspected of damaging fertility

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

VOC Emissions

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2019-

EXPIRY DATE:

CERTIFIER OR LAB: Panel Rev

APPLICABLE FACILITIES: VOC emissions are not

02-22

S.A.

facility specific. CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: This product has not been tested for VOC emissions.

VOC CONTENT

VOC Content

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2019-

EXPIRY DATE:

CERTIFIER OR LAB: Panel Rey

APPLICABLE FACILITIES: VOC content is not facility

02-22

S.A.

specific.

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: VOC content has not been calculated for this product.

OTHER

Type III Environmental Product Declaration

CERTIFYING PARTY: Third Party

ISSUE DATE: 2017-

EXPIRY DATE: 2022-

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: All Panel Rey facilities

11-08

11-08

Environment

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: This is a sector EPD for Drywall Finishing Joint Compound. It was performed on behalf of the Drywall finishing council and Panel Rey S.A. is a participating member. The content of the declaration included: Product definition and information about building physics, information about basic material and the material's origin, description of the product's manufacturing, , indication of product processing, information about the in-use conditions, life cycle assessment results, and testing results and verifications. This declaration refers to the functional unit as prescribed by the PCR. The functional unit is defined as "100 m2 of covered substrate considering an installation scenario as defined by a GA-214 Level 4 finish with the quantity adjusted for the measured shrinkage (testing per ASTM C474) for a service life of 75 years."



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/. All notes are in each material/substance.

MANUFACTURER INFORMATION

MANUFACTURER: Panel Rev S.A. ADDRESS: Serafin Peña 938 Sur

Nuevo Leon Monterrey 64000, Mexico

WEBSITE: www.panelrey.com

CONTACT NAME: Karla Daniela Macias Lujan

TITLE: Product Technology Specialist

PHONE: 018183053800

EMAIL: kmacias@gpromax.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer **DEV** Developmental toxicity **END** Endocrine activity **EYE** Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards **NEU** Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) **REP** Reproductive toxicity

RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.