Unimax Ready Mix Joint Compound by Panel Rey S.A.

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 29 00

PRODUCT DESCRIPTION: Joint compound, as defined by ASTM C474 and C475, is used along with joint tape to join sheets of drywall by creating a seamless finish. Joint compound is comprised of a blend of minerals. Ready-mixed compound is a pre-made form of joint compound that may be used for immediate application without any additional preparation. This HPD covers the Ready-mixed joint compound line from Panel Rey S.A. These products are manufactured in the Panel Rey facilities located in Mexicali, Mexico; Monterrey, Mexico; and Mexico City, Mexico. Panel Rey's Unimax is specially designed for professional installers who seek the best surface finishing. It provides a good performance in basic characteristics e.g. the capacity to be used with ease, ease of sanding, adequate times to work with it and to let it dry, as well as the absence of cracking in thicknesses below 3/8" (10 mm). This compound is manufactured from vinylic adhesives and may be applied manually or through mechanical equipment directly from the package. It complies with ASTM C-475 in accordance with ASTM C-474 procedures. Panel Rey's products do not contain asbestos. Unimax Ready Mix combines the characteristics of a multipurpose product with good adherence. Its properties make it ideal to treat joints and plastering/caulking jobs or filling in holes. It has additives for its protection against the growth of microorganisms during the time it is on shelves and after its application at the job site. Technical specifications: Type of load- limestone, density of paste g/cm3- 1.7, viscosity @ 25° C (c/P1000)- 112, %adherence to Panel Rey's tape- ≥90, cracking - no evidence of cracking, % of shrinkage- ≥35, open time of work (minutes)- ≥20, drying time (minutes) 15 - 40, waste due to sanding/10 cycles (g)- 0.8, pH of paste 7 - 8, and recommended application- application of joint sealant tape, plastering/caulking and finishes.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- C Material
- Product

Threshold level

C Per GHS SDS

O Other

C Per OSHA MSDS

C 1,000 ppm

Residuals/Impurities Residuals/Impurities Considered in 13 of 13 Materials

Explanation(s) provided for Residuals/Impurities?

All Substances Above the Threshold Indicated Are:

Characterized	○ Yes Ex/SC ⊙ Yes ○ No
% weight and role prov	vided for all substances.

Screened	○ Yes Ex/SC ⊙ Yes ○ No
All substances screene	ed using Priority Hazard Lists with
results disclosed.	

Identified O Yes Ex/SC O Yes O No One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

CALCIUM SULFATE [CALCIUM SULFATE (DIHYDRATE) LT-UNK] CALCIUM CARBONATE [CALCIUM CARBONATE LT-UNK AMORPHOUS S/L/CA LT-P1 | CAN CARBONIC ACID, MAGNESIUM SALT (1:1/ LT-UNK] WATER [WATER BM-4] UNDISCLOSED [UNDISCLOSED LT-P1 | CAN | PHY | END | MUL | MAM | GEN UNDISCLOSED BM-1 | CAN | PHY | EYE | END | GEN | REP UNDISCLOSED BM-4] PERLITE [PERLITE ORE NoGS] ATTAPULGITE [PALYGORSKITE FIBERS (> 5MM IN LENGTH) LT-1 | CAN] MICA [MICA-GROUP MINERALS LT-UNK /ROW LT-P1 | END LITHIUM SALT LT-1 | PBT | MUL | AQU | CAN | DEL | MAM | REP | END SODIUM FLUORIDE (NA(HF2)) LT-P1 | MAM | SKI TITANIUM LT-UNK] UNDISCLOSED [

Unimax Ready Mix Joint Compound hpdrepository.hpd-collaborative.org Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1, and discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the finished the product, along with the role and percent weight. Therefore, this HPD is consistent with the LEED v4 MR credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1).

UNDISCLOSED LT-UNK] UNDISCLOSED [UNDISCLOSED LT-P1 | AQU | SKI | EYE | END | MUL] UNDISCLOSED [UNDISCLOSED LT-UNK] CLAY [CLAY LT-UNK | CAN *MICA-GROUP MINERALS* LT-UNK *QUARTZ* LT-1 | CAN] UNDISCLOSED [UNDISCLOSED LT-1 | PHY | GEN | CAN | MUL | DEL] UNDISCLOSED [UNDISCLOSED LT-UNK]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): Greenguard Regulatory (g/l): Not Applicable Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Greenguard Gold VOC content: VOC Content Other: Type III Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified? O Yes O No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2019-02-19 PUBLISHED DATE: 2019-02-19 EXPIRY DATE: 2022-02-19 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

CALCIUM SULFATE

%: 55.0000 - 70.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

OTHER MATERIAL NOTES:

CALCIUM SULFATE (DIHYD	RATE)			ID: 10101-4	1-4
HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREEN	NING DATE: 2019-02	-19	
%: 55.0000 - 70.0000	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/ .

CALCIUM CARBONATE

%: 50.0000 - 70.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

CALCIUM CARBONATE				ID: 1317-65-3
HAZARD SCREENING METHOD: P	naros Chemical and Materials Library	HAZARD SCREEN	ING DATE: 2019-02-	-19
%: 50.0000 - 70.0000	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			
SUBSTANCE NOTES: Residual	s and impurities were screened using the tox	net database at: https://t	oxnet.nlm.nih.go	v/ .

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	ENING DATE: 2019	9-02-19
%: Impurity/Residual	GS: LT-P1	RC: UNK	NANO: NO	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	IGS	
CANCER	Japan - GHS	Carcir	nogenicity - Cate	egory 1A
CANCER	Australia - GHS	H350i	- May cause ca	ncer by inhalation

CARBONIC ACID, MAGNESIUM SALT (1:1) ID: 546-93-0				
HAZARD SCREENING METHOD: Phare	os Chemical and Materials Library	HAZARD SCRE	ENING DATE: 2019	9-02-19
%: Impurity/Residual	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
	No hazards found			

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/ .

WATER

%: 25.0000 - 40.0000

PRODUCT THRESHOLD: 100 ppm

AMORPHOUS SILICA

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

OTHER MATERIAL NOTES:

ID: 7631-86-9

HAZARD SCREENING METHOD: Pharos C	HAZARD SCREEN	ING DATE: 2019-02	-19	
%: 25.0000 - 40.0000	GS: BM-4	RC: UNK	NANO: NO	ROLE: Diluent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			
SUBSTANCE NOTES: Residuals and in	mpurities were screened using the toxnet da	atabase at: https:	://toxnet.nlm.nih.ç	gov/ .

UNDISCLOSED

WATER

%: 0.5000 - 10.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

OTHER MATERIAL NOTES:

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-19		
%: 0.5000 - 10.0000	GS: LT-P1	RC: UNK NANO: NO ROLE: Binder		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour		
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
CANCER	МАК	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances		
GENE MUTATION	New Zealand - GHS	6.6A - Known or presumed human mutagens		

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/ .

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

%: Impurity/Residual	GS: BM-1	RC: UNK NANO: NO ROLE: Impurity/Residual	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
CANCER	US EPA - IRIS Carcinogens	(1986) Group B2 - Probable human Carcinogen	
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans	
CANCER	IARC	Group 2B - Possibly carcinogenic to humans	
CANCER	CA EPA - Prop 65	Carcinogen	
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen	
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H224 - Extremely flammable liquid and vapour	
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation	
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor	
CANCER	МАК	Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels	
GENE MUTATION	New Zealand - GHS	6.6A - Known or presumed human mutagens	
CANCER	Japan - GHS	Carcinogenicity - Category 1B	
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1B	

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	NING DATE: 2019	9-02-19
%: Impurity/Residual	GS: BM-4	RC: UNK	NANO: NO	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
	No hazards found			

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/ .

PERLITE

%: 0.1000 - 10.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

PERLITE ORE				ID: 130 8
HAZARD SCREENING METHOD: Pharo	s Chemical and Materials Library	HAZARD SCRE	ENING DATE: 2019	-02-19
%: 0.1000 - 10.0000	GS: NoGS	RC: UNK	NANO: NO	ROLE: Lighten Weight

HAZARD TYPE

No hazards found

AGENCY AND LIST TITLES

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

ATTAPULGITE

%: 0.1000 - 7.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

WARNINGS

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

OTHER MATERIAL NOTES:

5MM IN LENGTH)			ID: 12174-11	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-19		
%: 0.1000 - 7.0000 GS: LT-1		NANO: NO	ROLE: Thickner	
AGENCY AND LIST TITLES	WARNINGS			
IARC	Group 2B -	Possibly carcinoge	enic to humans	
CA EPA - Prop 65	Carcinogen	1		
МАК	Carcinogen man	n Group 2 - Conside	red to be carcinogenic for	
	aros Chemical and Materials Library GS: LT-1 AGENCY AND LIST TITLES IARC CA EPA - Prop 65	aros Chemical and Materials Library HAZARD SCREE GS: LT-1 RC: UNK AGENCY AND LIST TITLES WARNINGS IARC Group 2B - CA EPA - Prop 65 Carcinoger MAK Carcinoger	Aros Chemical and Materials Library HAZARD SCREENING DATE: 2019-02 GS: LT-1 RC: UNK NANO: NO AGENCY AND LIST TITLES WARNINGS IARC Group 2B - Possibly carcinoge CA EPA - Prop 65 Carcinogen MAK Carcinogen Group 2 - Consider	

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

MICA

%: 0.1000 - 5.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/ .

OTHER MATERIAL NOTES:

MICA-GROUP MINERALS

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-02-19

ID: 12001-26-2

Unimax Ready Mix Joint Compound hpdrepository.hpd-collaborative.org

%: 0.1000 - 5.0000	GS: LT-UNK	RC: UNK	nano: No	ROLE: Anti-Cracking
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
	No hazards found			
SUBSTANCE NOTES: Residuals	and impurities were screened using the toxn	et database at	: https://toxnet	t.nlm.nih.gov/ .
IRON				ID: 7439-89-6
HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREE	ENING DATE: 2019	9-02-19
%: Impurity/Residual	GS: LT-P1	RC: UNK	NANO: NO	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Poten	tial Endocrine Di	isruptor
SUBSTANCE NOTES: Residuals	and impurities were screened using the toxn	et database at	: https://toxnet	t.nlm.nih.gov/ .

LITHIUM SALT				ID: 29457-72-5
HAZARD SCREENING METHOD: Pharos Ch	SCREENING METHOD: Pharos Chemical and Materials Library		ENING DATE: 2019	9-02-19
%: Impurity/Residual	GS: LT-1	RC: UNK	NANO: NO	ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
РВТ	UNEP Stockholm Conv - Persistent Organic Pollutants	Priority POP
РВТ	WA DoE - PBT	РВТ
РВТ	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
DEVELOPMENTAL	EU - GHS (H-Statements)	H360D - May damage the unborn child
DEVELOPMENTAL	EU - GHS (H-Statements)	H362 - May cause harm to breast-fed children
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
REPRODUCTIVE	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
REPRODUCTIVE	US EPA - PPT Chemical Action Plans	Reproductive effects
DEVELOPMENTAL	US EPA - PPT Chemical Action Plans	Developmental Effects
CANCER	МАК	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
DEVELOPMENTAL	МАК	Pregnancy Risk Group B
REPRODUCTIVE	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
DEVELOPMENTAL	Australia - GHS	H360D - May damage the unborn child
DEVELOPMENTAL	Australia - GHS	H362 - May cause harm to breast-fed children

ODIUM FLUORIDE (NA(HF	-//			ID: 13
AZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCRE	ENING DATE: 201	9-02-19
: Impurity/Residual	GS: LT-P1	RC: UNK	NANO: NO	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNII	NGS	
MAMMALIAN	EU - GHS (H-Statements)	H301	- Toxic if swallo	wed
SKIN IRRITATION	EU - GHS (H-Statements)	H314	- Causes severe	e skin burns and eye damage

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/ .							
TITANIUM					ID: 7440-32-6		
HAZARD SCREENING METHOD: Phar	ros Chemical and Materials Li	brary HAZARD SCRE	ENING DATE: 20	19-02-19			
%: Impurity/Residual	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Im	purity/Residual		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	IGS				
	No hazards found						
SUBSTANCE NOTES: Residuals a	and impurities were screened u	sing the toxnet database a	t: https://toxn	et.nlm.nih.go	v/ .		
UNDISCLOSED		%: 0.1000 - 3.5000					
PRODUCT THRESHOLD: 100 ppm		RESIDUALS AND IMPURITIES C	ONSIDERED: Y	es			
RESIDUALS AND IMPURITIES NOTES: https://toxnet.nlm.nih.gov/		were screened using t	he toxnet da	atabase at:			
OTHER MATERIAL NOTES:							
UNDISCLOSED							
HAZARD SCREENING METHOD: Phar	os Chemical and Materials Lil	brary HAZA	RD SCREENING D	ATE: 2019-02-	19		
%: 0.1000 - 3.5000	GS: LT-UNK	RC: U	JNK	iano: No	ROLE: Binder		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	IGS				
	No hazards found						
SUBSTANCE NOTES: Residuals a	and impurities were screened u	sing the toxnet database a	t: https://toxn	et.nlm.nih.go	v/ .		
UNDISCLOSED		%: 0.0500 - 10.0000					
PRODUCT THRESHOLD: 100 ppm		RESIDUALS AND IMPURITIES C	ONSIDERED: Y	es			
RESIDUALS AND IMPURITIES NOTES: https://toxnet.nlm.nih.gov/		were screened using t	he toxnet da	atabase at:			
OTHER MATERIAL NOTES:							

		0			-	-	-	
UN	D	S	C	LU	S	E	IJ	
	_		-		_	_	_	

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-19		
%: 0.0500 - 10.0000	0.0500 - 10.0000 GS: LT-P1			ROLE: Biocide
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very t	oxic to aquatic life	
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Cause	es skin irritation	
EYE IRRITATION	EU - GHS (H-Statements)	H318 - Cause	es serious eye dam	age
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Enc	locrine Disruptor	
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Haz	ard to Waters	
SKIN SENSITIZE	МАК	Sensitizing S	ubstance Sh - Dan	ger of skin sensitization

UNDISCLOSED

%: 0.0500 - 1.5000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

OTHER MATERIAL NOTES:

UNDISCLOSED							
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-02-19							
GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Thickner				
AGENCY AND LIST TITLES	WARNINGS						
No hazards found							
	GS: LT-UNK	GS: LT-UNK RC: UNK AGENCY AND LIST TITLES WARNINGS	GS: LT-UNK RC: UNK NANO: No AGENCY AND LIST TITLES WARNINGS				

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

CLAY

%: 0.0000 - 5.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-02-19			
%: 0.0000 - 5.0000	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Filler		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
CANCER	МАК	•	Carcinogen Group 3B - Evidence of carcinogenic eff but not sufficient for classification			

MICA-GROUP MINERALS ID: 12001-26-2 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-02-19 %: Impurity/Residual GS: LT-UNK NANO: No RoLE: Impurity/Residual HAZARD TYPE AGENCY AND LIST TITLES WARNINGS No hazards found VARNINGS

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

QUARTZ		ID: 1317-95-9
HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREENING DATE: 2019-02-19
%: Impurity/Residual	GS: LT-1	RC: UNK NANO: NO ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/ .

CLAY

%: 0.0000 - 0.5000

PRODUCT THRESHOLD: 100 ppm

 ${\tt Residuals} \text{ and impurities considered: } Yes$

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

OTHER MATERIAL NOTES:

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-19			
%: 0.0000 - 0.5000	GS: LT-1	RC: UNK NANO: NO RO	DLE: Defoamer		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H220 - Extremely flammable gas			
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects			
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer			
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 1 - Substances known to be Carcinogenic to man			
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man			
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances v regarded as if they are Mutagenic to			
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or R	eproductive Toxicant		
CANCER	EU - Annex VI CMRs	Carcinogen Category 1A - Known h based on human evidence	uman Carcinogen		
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B			
GENE MUTATION	Australia - GHS	H340 - May cause genetic defects			
CANCER	Australia - GHS	H350 - May cause cancer			
DEVELOPMENTAL	Australia - GHS	H360Df - May damage the unborn of damaging fertility	hild. Suspected of		

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/ .

UNDISCLOSED

%: 0.0000 - 0.1500

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/ .

LIN	פוח	CL	OSE	

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-19		
%: 0.0000 - 0.1500	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Greenguard Gold						
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Mexico City, Mexicali, and Monterrey CERTIFICATE URL:	ISSUE DATE: 2014- 11-25	EXPIRY DATE: 2019- 02-25	CERTIFIER OR LAB: UL				
CERTIFICATION AND COMPLIANCE NOTES: Certificate #: 58581-420							
VOC CONTENT	VOC Content						
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All facilities CERTIFICATE URL:	ISSUE DATE: 2019- 02-19	EXPIRY DATE:	CERTIFIER OR LAB: Panel Rey S.A.				
CERTIFICATION AND COMPLIANCE NOTES: This product is not applicable to the SCAQMD 1113							
OTHER	Type III Environmental Product Declaration						
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Panel Rey facilities CERTIFICATE URL:	ISSUE DATE: 2017- 11-08	EXPIRY DATE: 2022- 11-08	CERTIFIER OR LAB: UL Environment				

CERTIFICATION AND COMPLIANCE NOTES: This is a sector EPD for Drywall Finishing Joint Compound. It was performed on behalf of the Drywall finishing council and Panel Rey S.A. is a participating member. The content of the declaration included: Product definition and information about building physics, information about basic material and the material's origin, description of the product's manufacturing, , indication of product processing, information about the in-use conditions, life cycle assessment results, and testing results and verifications. This declaration refers to the functional unit as prescribed by the PCR. The functional unit is defined as "100 m2 of covered substrate considering an installation scenario as defined by a GA-214 Level 4 finish with the quantity adjusted for the measured shrinkage (testing per ASTM C474) for a service life of 75 years."

🕒 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/ .

MANUFACTURER INFORMATION

MANUFACTURER: Panel Rey S.A. Address: Serafin Peña 938 Sur Nuevo Leon Monterrey 64000, Mexico WEBSITE: www.panelrey.com CONTACT NAME: Karla Daniela Macias Lujan TITLE: Product Technology Specialist PHONE: (81) 8305 3800 EMAIL: kmacias@gpromax.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)