

CLASSIFICATION: 12 50 00 Furniture

PRODUCT DESCRIPTION: Simpla is a two-piece table with a lift-off top that is easy for one person to manage. Equally at home in modern buildings of steel and glass and in renovated historic buildings, Simpla is light enough to be reconfigured by just one person. Simpla has superb space-saving attributes that make it a dynamic, multi-purpose flexible solution for meeting, training, dining and studying.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?
 Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances except SC substances characterized according to SC guidance.

Screened Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.

Identified Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic) and Identifier except SC substances identified according to SC guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

SIMPLA TABLES | **STEEL** NoGS **ZINC** LT-P1 | AQU | PHY | END | MUL
SC:WOOD DUST Not Screened **CELLULOSE PULP** NoGS **COPPER** LT-UNK
CHROMIUM LT-P1 | RES | END | SKI **STARCH** LT-UNK **ETHYLENE VINYL ACETATE POLYMER (EVA)** LT-UNK **1,4-BUTANEDIOL** LT-UNK **ETHYLENE GLYCOL** BM-1 | DEL | END **LIMESTONE, CALCIUM CARBONATE** LT-UNK
TALC BM-1 | CAN **C18-C50 BRANCHED, CYCLIC AND LINEAR HYDROCARBONS - DISTILLATES** LT-UNK **NYLON 6** LT-UNK
ACRYLONITRILE-BUTADIENE-STYRENE COPOLYMER LT-UNK
MELAMINE-UREA-FORMALDEHYDE (MUF) LT-UNK **PHENOL FORMALDEHYDE** LT-P1 | RES **MELAMINE FORMALDEHYDE** LT-UNK
WATER BM-4 **ALUMINUM (PRIMARY CASRN IS 7429-90-5)** LT-P1 | RES | PHY | END **ETHYLENE-PROPYLENE COPOLYMER** LT-UNK **POLYVINYL ACETATE (PVA)** LT-UNK **IRON** LT-P1 | END **METHYLENE BISPHENYL DIISOCYANATE (PURE MDI)** LT-UNK | RES | MUL | SKI | EYE | CAN **ADIPIPIC ACID** LT-UNK | EYE **NICKEL** LT-1 | RES | CAN | SKI | MAM | MUL **SLACK WAX (PETROLEUM)** LT-1 | CAN | MUL]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: BiologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Inherently non-emitting source per LEED®

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

Yes

No

PREPARER: **Self-Prepared**

VERIFIER:

VERIFICATION #:

SCREENING DATE: **2019-05-08**

PUBLISHED DATE: **2019-06-20**

EXPIRY DATE: **2022-05-08**



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

SIMPLA TABLES

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities not considered. Only intentionally added ingredients are presented in this HPD.

OTHER PRODUCT NOTES:

STEEL

ID: 12597-69-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-05-08

#: 50.00 - 55.00

GS: NoGS

RC: UNK

NANO: No

ROLE: Base

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Due to the commodity nature of steel, most commercially available steel contains some amount of recycled content. The exact percentage will likely change due to market conditions. The percent range presented is used to account for variations in the available configurations offered to the customer.

ZINC

ID: 7440-66-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-05-08

#: 10.00 - 15.00

GS: LT-P1

RC: UNK

NANO: No

ROLE: Base

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

ACUTE AQUATIC

EU - GHS (H-Statements)

H400 - Very toxic to aquatic life

CHRON AQUATIC

EU - GHS (H-Statements)

H410 - Very toxic to aquatic life with long lasting effects

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H250 - Catches fire spontaneously if exposed to air

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H260 - In contact with water releases flammable gases which may ignite spontaneously

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES: Due to the commodity nature of zinc alloy, most commercially available zinc alloy contains some amount of recycled content. The exact percentage will likely change due to market conditions. The percent range presented is used to account for variations in the available configurations offered to the customer.

SC:WOOD DUST

ID: SC:Bio

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-05-08**

#: **5.00 - 15.00** GS: **Not Screened** RC: **PreC** NANO: **No** ROLE: **Tabletop**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23

Category: Tree-based materials

Identifier: Wood Dust

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

The percent range presented is used to account for variations in the available configurations offered to the customer.

CELLULOSE PULP

ID: 65996-61-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-05-08**

#: **5.00 - 10.00** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Tabletop**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent range presented is used to account for variations in the available configurations offered to the customer.

COPPER

ID: 7440-50-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-05-08**

#: **0.00 - 1.00** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Base**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Due to the commodity nature of zinc alloy, most commercially available zinc alloy contains some amount of recycled content. The exact percentage will likely change due to market conditions. The percent range presented is used to account for variations in the available configurations offered to the customer.

CHROMIUM

ID: 7440-47-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-05-08**

#: **0.00 - 1.00** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Finish**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagens (Rs) - sensitizer-induced
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: The percent range presented is used to account for variations in the available configurations offered to the customer.

STARCH

ID: **9005-25-8**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-05-08**

#: **0.00 - 1.00** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Tabletop**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is given to protect the proprietary nature of the formulation.

ETHYLENE VINYL ACETATE POLYMER (EVA)

ID: **24937-78-8**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-05-08**

#: **0.00 - 1.00** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Tabletop**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is given to protect the proprietary nature of the formulation.

1,4-BUTANEDIOL

ID: **110-63-4**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-05-08**

#: **0.00 - 1.00** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Base**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is given to protect the proprietary nature of the formulation and to account for variations in the available configurations offered to the customer.

ETHYLENE GLYCOL

ID: **107-21-1**

#: **0.00 - 1.00** GS: **BM-1** RC: **None** NANO: **No** ROLE: **Base**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: A range is given to protect the proprietary nature of the formulation and to account for variations in the available configurations offered to the customer.

LIMESTONE, CALCIUM CARBONATEID: **1317-65-3**

#: **0.00 - 1.00** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Base**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is given to protect the proprietary nature of the formulation and to account for variations in the available configurations offered to the customer.

TALCID: **14807-96-6**

#: **0.00 - 1.00** GS: **BM-1** RC: **None** NANO: **No** ROLE: **Base**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: The percent range presented is used to account for variations in the available configurations offered to the customer.

C18-C50 BRANCHED, CYCLIC AND LINEAR HYDROCARBONS - DISTILLATESID: **848301-69-9**

#: **0.00 - 1.00** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Base**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is given to protect the proprietary nature of the formulation and to account for variations in the available configurations offered to the customer.

NYLON 6

ID: 25038-54-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-05-08**

#: **0.00 - 5.00**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Base**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent range presented is used to account for variations in the available configurations offered to the customer.

ACRYLONITRILE-BUTADIENE-STYRENE COPOLYMER

ID: 9003-56-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-05-08**

#: **0.00 - 5.00**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Tabletop**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent range presented is used to account for variations in the available configurations offered to the customer.

MELAMINE-UREA-FORMALDEHYDE (MUF)

ID: 25036-13-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-05-08**

#: **0.00 - 5.00**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Tabletop**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent range presented is used to account for variations in the available configurations offered to the customer.

PHENOL FORMALDEHYDE

ID: 9003-35-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-05-08**

#: **0.00 - 5.00**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **Tabletop**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: The percent range presented is used to account for variations in the available configurations offered to the customer.

MELAMINE FORMALDEHYDE

ID: 9003-08-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-05-08**%: **0.00 - 5.00**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Tabletop**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent range presented is used to account for variations in the available configurations offered to the customer.

WATER

ID: 7732-18-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-05-08**%: **0.00 - 1.00**GS: **BM-4**RC: **None**NANO: **No**ROLE: **Tabletop**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is given to protect the proprietary nature of the formulation and to account for variations in the available configurations offered to the customer.

ALUMINUM (PRIMARY CASRN IS 7429-90-5)

ID: 477951-22-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-05-08**%: **0.00 - 1.00**GS: **LT-P1**RC: **UNK**NANO: **No**ROLE: **Base**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H228 - Flammable solid

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H250 - Catches fire spontaneously if exposed to air

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H261 - In contact with water releases flammable gases

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: Due to the commodity nature of aluminum alloy, most commercially available aluminum alloy contains some amount of recycled content. The exact percentage will likely change due to market conditions. The percent range presented is used to account for variations in the available configurations offered to the customer.

ETHYLENE-PROPYLENE COPOLYMER

ID: 9010-79-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-05-08**%: **0.00 - 1.00**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Base**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent range presented is used to account for variations in the available configurations offered to the customer.

POLYVINYL ACETATE (PVA)

ID: 9003-20-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-05-08		
%: 0.00 - 1.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Tabletop

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is given to protect the proprietary nature of the formulation.

IRON

ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-05-08		
%: 0.00 - 1.00	GS: LT-P1	RC: UNK	NANO: No	ROLE: Base

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Due to the commodity nature of zinc alloy, most commercially available zinc alloy contains some amount of recycled content. The exact percentage will likely change due to market conditions. The percent range presented is used to account for variations in the available configurations offered to the customer.

METHYLENE BISPHENYL DIISOCYANATE (PURE MDI)

ID: 101-68-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-05-08		
%: 0.00 - 1.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Base

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G) - generally accepted
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
RESPIRATORY	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
RESPIRATORY	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES: A range is given to protect the proprietary nature of the formulation and to account for variations in the available configurations offered to the customer.

ADIPIC ACID

ID: 124-04-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-05-08**

#: **0.00 - 1.00**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Base**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation

SUBSTANCE NOTES: A range is given to protect the proprietary nature of the formulation and to account for variations in the available configurations offered to the customer.

NICKEL

ID: 7440-02-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-05-08**

#: **0.00 - 1.00**

GS: **LT-1**

RC: **None**

NANO: **No**

ROLE: **Finish**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES: The percent range presented is used to account for variations in the available configurations offered to the customer.

SLACK WAX (PETROLEUM)

ID: 64742-61-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-05-08**

#: **0.00 - 1.00**

GS: **LT-1**

RC: **None**

NANO: **No**

ROLE: **Tabletop**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	Australia - GHS	H350 - May cause cancer

SUBSTANCE NOTES: A range is given to protect the proprietary nature of the formulation and to account for variations in the available configurations offered to the customer.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Inherently non- emitting source per LEED®

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-**

EXPIRY DATE:

CERTIFIER OR LAB: **N/A**

APPLICABLE FACILITIES: **All.**

05-08

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

This HPD considers the Simple table with the laminate tabletop option. The Simpla table is available in several different sizes colors and finishes. Most of these colors and finishes are presented in this HPD.



MANUFACTURER INFORMATION

MANUFACTURER: **HOWE**

ADDRESS: **Filosofgangen 18**

5000 Odense C, Denmark

WEBSITE: <https://www.howe.com/us>

CONTACT NAME: **Helle Rex**

TITLE: **Marketing & CSR Manager**

PHONE: **+45 63 41 64 00**

EMAIL: **hre@howe.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insufficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1

LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.