

# Type II 20oz and Type III 33oz Flexible Wall Protection by Versa Designed Surfaces

# Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 72 00

PRODUCT DESCRIPTION: Type II+ and Type III+ flexible wall protection with surface protection technology that provides a highly stain, chemical and abrasion resistant surface that will stand up to the most challenging environments.

## Section 1: Summary

## Basic Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

#### Threshold Disclosed Per

- Material  
 Product

#### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Per OSHA MSDS  
 Other

#### Residuals/Impurities

- Considered  
 Partially Considered  
 Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes  No

All Substances Above the Threshold Indicated Are:

**Characterized**  Yes Ex/SC  Yes  No

% weight and role provided for all substances.

**Screened**  Yes Ex/SC  Yes  No

All substances screened using Priority Hazard Lists with results disclosed.

**Identified**  Yes Ex/SC  Yes  No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

**TYPE II 20OZ AND TYPE III 33OZ FLEXIBLE WALL PROTECTION [ POLYVINYL CHLORIDE (PVC) LT-P1 | RES LIMESTONE, CALCIUM CARBONATE LT-UNK BIS(2-ETHYLHEXYL) TEREPHTHALATE BM-3dg POLYETHYLENE TEREPHTHALATE (PET) LT-UNK COTTON NoGS UNDISCLOSED LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | RES UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED BM-2 | PHY | EYE UNDISCLOSED NoGS UNDISCLOSED NoGS UNDISCLOSED NoGS ALUMINUM HYDROXIDE, DRIED (PRIMARY CASRN IS 21645-51-2) BM-2 | RES ]**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1  
Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

All substances at or above the threshold have been identified and screened by the Versa Designed Surfaces Technical Team. Percentages of substances which make up the product have been given as a range to account for variations in product constructions and to further protect proprietary formulation details.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) - Classroom & Office scenario

#### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes  
 No

PREPARER: Self-Prepared

VERIFIER:  
VERIFICATION #:

SCREENING DATE: 2019-12-13

PUBLISHED DATE: 2020-01-30

EXPIRY DATE: 2022-12-13



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-1-standard](http://www.hpd-collaborative.org/hpd-2-1-1-standard)

### TYPE II 20OZ AND TYPE III 33OZ FLEXIBLE WALL PROTECTION

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities have been considered for this product by the Versa Designed Surfaces Technical Team.

OTHER PRODUCT NOTES: NA

#### POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-12-13

#: 35.00 - 45.00

GS: LT-P1

RC: None

NANO: No

ROLE: Structure

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Substrate component.

#### LIMESTONE, CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-12-13

#: 22.00 - 32.00

GS: LT-UNK

RC: None

NANO: No

ROLE: Structure

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Substrate component.

#### BIS(2-ETHYLHEXYL) TEREPHTHALATE

ID: 6422-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-12-13

#: 12.00 - 22.00

GS: BM-3dg

RC: None

NANO: No

ROLE: Structure

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|------------------------|----------|
|-------------|------------------------|----------|

|            |  |  |
|------------|--|--|
| None found |  | No warnings found on HPD Priority Hazard Lists |
|------------|--|--|

SUBSTANCE NOTES: Substrate component.

## POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-12-13

|                  |            |          |          |               |
|------------------|------------|----------|----------|---------------|
| #: 10.00 - 14.00 | GS: LT-UNK | RC: None | NANO: No | ROLE: Backing |
|------------------|------------|----------|----------|---------------|

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|------------------------|----------|
|-------------|------------------------|----------|

|            |  |  |
|------------|--|--|
| None found |  | No warnings found on HPD Priority Hazard Lists |
|------------|--|--|

SUBSTANCE NOTES: This substance is a component of the woven backing.

## COTTON

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-12-13

|                |          |          |          |               |
|----------------|----------|----------|----------|---------------|
| #: 3.00 - 9.00 | GS: NoGS | RC: None | NANO: No | ROLE: Backing |
|----------------|----------|----------|----------|---------------|

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|------------------------|----------|
|-------------|------------------------|----------|

|            |  |  |
|------------|--|--|
| None found |  | No warnings found on HPD Priority Hazard Lists |
|------------|--|--|

SUBSTANCE NOTES: This substance is a component of the woven fabric backing.

## UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-12-13

|                |            |          |          |                 |
|----------------|------------|----------|----------|-----------------|
| #: 1.00 - 3.00 | GS: LT-UNK | RC: None | NANO: No | ROLE: Structure |
|----------------|------------|----------|----------|-----------------|

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|------------------------|----------|
|-------------|------------------------|----------|

|            |  |  |
|------------|--|--|
| None found |  | No warnings found on HPD Priority Hazard Lists |
|------------|--|--|

SUBSTANCE NOTES: This substance has been identified and screened by the Versa Designed Surfaces Technical Team. The name and CAS# are not made public due to the proprietary nature of the substance and associated supplier agreement.

## TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-12-13

|                 |          |          |          |                 |
|-----------------|----------|----------|----------|-----------------|
| #: 1.00 - 10.00 | GS: LT-1 | RC: None | NANO: No | ROLE: Structure |
|-----------------|----------|----------|----------|-----------------|

| HAZARD TYPE | AGENCY AND LIST TITLES                | WARNINGS   |
|-------------|---------------------------------------|--|
| CANCER      | US CDC - Occupational Carcinogens     | Occupational Carcinogen  |
| CANCER      | CA EPA - Prop 65                      | Carcinogen - specific to chemical form or exposure route   |
| CANCER      | IARC                                  | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources                       |
| ENDOCRINE   | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor  |
| CANCER      | MAK                                   | Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value |
| CANCER      | MAK                                   | Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels                     |

SUBSTANCE NOTES: Substrate component. Warnings associated with this substance are specific to it being unbound airborne particles of respirable size. It is present in the product only in non-respirable form bound within the polymer matrix.

### UNDISCLOSED

| HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b> |                        | HAZARD SCREENING DATE: <b>2019-12-13</b>       |                 |                        |
|---|------------------------|--|-----------------|------------------------|
| %: <b>0.50 - 1.50</b>   | GS: <b>LT-UNK</b>      | RC: <b>None</b>                                | NANO: <b>No</b> | ROLE: <b>Structure</b> |
| HAZARD TYPE   | AGENCY AND LIST TITLES | WARNINGS                                       |                 |                        |
| None found  |                        | No warnings found on HPD Priority Hazard Lists |                 |                        |

SUBSTANCE NOTES: This substance has been identified and screened by the Versa Designed Surfaces Technical Team. The name and CAS# are not made public due to the proprietary nature of the substance and associated supplier agreement.

### UNDISCLOSED

| HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b> |                        | HAZARD SCREENING DATE: <b>2019-12-13</b> |                 |                        |
|---|------------------------|--|-----------------|------------------------|
| %: <b>0.10 - 0.50</b>   | GS: <b>LT-P1</b>       | RC: <b>None</b>                          | NANO: <b>No</b> | ROLE: <b>Structure</b> |
| HAZARD TYPE   | AGENCY AND LIST TITLES | WARNINGS                                 |                 |                        |
| RESPIRATORY   | AOEC - Asthmagens      | Asthmagens (Rs) - sensitizer-induced     |                 |                        |

SUBSTANCE NOTES: This substance has been identified and screened by the Versa Designed Surfaces Technical Team. The name and CAS# are not made public due to the proprietary nature of the substance and associated supplier agreement.

### UNDISCLOSED

| HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b> |                   | HAZARD SCREENING DATE: <b>2019-12-13</b> |                 |                        |
|---|-------------------|--|-----------------|------------------------|
| %: <b>0.10 - 0.50</b>   | GS: <b>LT-UNK</b> | RC: <b>None</b>                          | NANO: <b>No</b> | ROLE: <b>Structure</b> |

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS                                       |
|-------------|------------------------|--|
| None found  |                        | No warnings found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: This substance has been identified and screened by the Versa Designed Surfaces Technical Team. The name and CAS# are not made public due to the proprietary nature of the substance and associated supplier agreement.

### UNDISCLOSED

|   |                   |  |                 |                        |
|---|-------------------|--|-----------------|------------------------|
| HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b> |                   | HAZARD SCREENING DATE: <b>2019-12-13</b> |                 |                        |
| %: <b>0.08 - 0.19</b>   | GS: <b>LT-UNK</b> | RC: <b>None</b>                          | NANO: <b>No</b> | ROLE: <b>Structure</b> |

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS                                       |
|-------------|------------------------|--|
| None found  |                        | No warnings found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: This substance has been identified and screened by the Versa Designed Surfaces Technical Team. Due to the proprietary nature of the substance the name and CAS# are not divulged publicly.

### UNDISCLOSED

|   |                 |  |                 |                        |
|---|-----------------|--|-----------------|------------------------|
| HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b> |                 | HAZARD SCREENING DATE: <b>2019-12-13</b> |                 |                        |
| %: <b>0.05 - 0.10</b>   | GS: <b>BM-2</b> | RC: <b>None</b>                          | NANO: <b>No</b> | ROLE: <b>Structure</b> |

| HAZARD TYPE                | AGENCY AND LIST TITLES  | WARNINGS                                  |
|----------------------------|-------------------------|---|
| PHYSICAL HAZARD (REACTIVE) | EU - GHS (H-Statements) | H225 - Highly flammable liquid and vapour |
| EYE IRRITATION             | EU - GHS (H-Statements) | H319 - Causes serious eye irritation      |

SUBSTANCE NOTES: This substance has been identified and screened by the Versa Designed Surfaces Technical Team. The name and CAS# are not made public due to the proprietary nature of the substance and associated supplier agreement.

### UNDISCLOSED

|   |                 |  |                 |                        |
|---|-----------------|--|-----------------|------------------------|
| HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b> |                 | HAZARD SCREENING DATE: <b>2019-12-13</b> |                 |                        |
| %: <b>0.02 - 0.10</b>   | GS: <b>NoGS</b> | RC: <b>None</b>                          | NANO: <b>No</b> | ROLE: <b>Structure</b> |

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS                                       |
|-------------|------------------------|--|
| None found  |                        | No warnings found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: This substance has been identified and screened by Versa Designed Surfaces Technical Team. Due to the proprietary nature of the ingredient the name and CAS# are not divulged publicly.

### UNDISCLOSED

|   |  |  |  |  |
|---|--|--|--|--|
| HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b> |  | HAZARD SCREENING DATE: <b>2019-12-13</b> |  |  |
|---|--|--|--|--|

#: **0.01 - 0.19**

GS: **NoGS**

RC: **None**

NANO: **No**

ROLE: **Structure**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance has been identified and screened by the Versa Designed Surfaces Technical Team. The name and CAS# are not made public due to the proprietary nature of the substance and associated supplier agreement

**UNDISCLOSED**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-12-13**

#: **0.01 - 0.10**

GS: **NoGS**

RC: **None**

NANO: **No**

ROLE: **Ink**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance has been identified and screened by the Versa Designed Surfaces Technical Team. The name and CAS# are not made public due to the proprietary nature of the substance and associated supplier agreement.

**ALUMINUM HYDROXIDE, DRIED (PRIMARY CASRN IS 21645-51-2)**

ID: **227961-51-5**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-12-13**

#: **Impurity/Residual**

GS: **BM-2**

RC: **None**

NANO: **No**

ROLE: **Impurity/Residual**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: This substance is a residual impurity found in Titanium Dioxide pigment. It is present at <0.2% in the finished product and is bound securely within the polymer matrix and is not in respirable form.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

### CDPH Standard Method V1.1 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2011-**

EXPIRY DATE:

CERTIFIER OR LAB: **Berkeley**

APPLICABLE FACILITIES: **Versa Designed Surfaces  
2073 McDonald Ave. New Albany, IN 47150**

**10-04**

**Analytical**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### COMMERCIAL GRADE HEAVY DUTY CLAY BASED STRIPPABLE WALLCOVERING AHESIVE

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

As recommended by installer.

### HEAVY DUTY COMMERCIAL GRADE STRIPPABLE VINYL WALLCOVERING ADHESIVE

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

As recommended by the installer.

## Section 5: General Notes

Meets criteria for low emission classification per CA01350 IAQ.



## MANUFACTURER INFORMATION

MANUFACTURER: **Versa Designed Surfaces**

ADDRESS: **2073 McDonald Ave.**

**New Albany IN 47150, USA**

WEBSITE: <https://versawallprotection.com/>

CONTACT NAME: **Keith Highfill**

TITLE: **Technical Manager**

PHONE: **502-614-1031**

EMAIL: [khighfill@versads.com](mailto:khighfill@versads.com)

## KEY

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**MAM** Mammalian/systemic/organ toxicity

**MUL** Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

**PHY** Physical Hazard (reactive)

**REP** Reproductive toxicity

**RES** Respiratory sensitization

**SKI** Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

**NF** Not found on Priority Hazard Lists

### GreenScreen (GS)

**BM-4** Benchmark 4 (prefer-safer chemical)

**BM-3** Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

**BM-1** Benchmark 1 (avoid - chemical of high concern)

**BM-U** Benchmark Unspecified (insufficient data to benchmark)

**LT-P1** List Translator Possible Benchmark 1

**LT-1** List Translator Likely Benchmark 1

**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

**NoGS** Unknown (no data on List Translator Lists)

### Recycled Types

**PreC** Preconsumer (Post-Industrial)

**PostC** Postconsumer

**Both** Both Preconsumer and Postconsumer

**Unk** Inclusion of recycled content is unknown

**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material

**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product

**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*