Engage Genesis 2000, 2000XL, 2000XP - Multilayer Modular Flooring by Metroflor Corporation

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 65 19

PRODUCT DESCRIPTION: Engage Genesis™ 2000 collections have a robust, 8.5mm gauge that consists of three primary layers: 2.0mm LVT top layer that matches the look of natural textures, while providing durability & comfort; 5.0mm ISOCORE Technology™ - extruded, closed-cell, vinyl structural core that's 100% waterproof, rigid, strong, and dimensionally stable; and a pre-attached 1.5mm underlayment that minimizes sound, provides warmth & comfort underfoot, and helps conceal minor subfloor imperfections. Genesis 2000 collections feature FX3 Surface Protectant, an advanced finish that provides the ultimate in abrasion resistance & stain repellency, and also inhibits the growth of odor and stain-causing mold & mildew. Genesis 2000 collections come with a lifetime residential / 15-year commercial limited warranty.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- **⊙** 100 ppm
- C 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- C Other

Residuals/Impurities

- C Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

• Yes • No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened

○ Yes Ex/SC ○ Yes ○ No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

O Yes Ex/SC O Yes O No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ENGAGE GENESIS 2000, 2000XL, 2000XP - MULTILAYER MODULAR FLOORING [CALCIUM CARBONATE BM-3 POLYVINYL CHLORIDE (PVC) LT-P1 | RES BIS(2-ETHYLHEXYL) TEREPHTHALATE (DOTP) BM-3 SODIUM BICARBONATE LT-P1 | END POLYETHYLENE LT-UNK CHLORINATED POLYVINYL CHLORIDE (CPVC) LT-UNK CALCIUM STEARATE LT-UNK RUTILE TITANIUM DIOXIDE LT-1 | CAN ZINC STEARATE LT-P1 BENZENE, ETHENYL-, POLYMER WITH 2-METHYL-1,3-BUTADIENE (THERMOPLASTIC RUBBER) LT-UNK POLYURETHANE FOAMS LT-UNK POLYPROPYLENE GLYCOL LT-UNK PETROLEUM RESINS (HYDROCARBON RESINS) LT-1 | CAN CARBON BLACK LT-1 | CAN METHYL METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE LT-UNK 1,6-HEXANEDIOL DIACRYLATE LT-P1 | SKI | EYE | MUL 1-BUTENE, HOMOPOLYMER (POLYBUTENE) LT-UNK HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL) LT-1 | CAN | MUL TRIMETHYLOLPROPANE TRIACRYLATE (TMPTA) LT-P1 | RES | CAN | SKI | EYE FUMED SILICA, CRYSTALLINE-FREE (SILICON DIOXIDE POWDER) LT-P1 | CAN DISILOXANE, 1,3-DIETHENYL-1,1,3,3-TETRAMETHYL-(DIVINYLTETRAMETHYLDISILOXANE) LT-UNK DIAMOND (DIAMOND POWDER) LT-UNK HYDROXYCYCLOHEXYL PHENYL KETONE LT-UNK

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory.

Engage Genesis 2000, 2000XL, 2000XP - Multilayer Modular Flooring hpdrepository.hpd-collaborative.org

VINYL CHLORIDE-VINYL ACETATE COPOLYMERS LT-UNK RED 221 (C.I.PIGMENT RED 221) LT-UNK]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: RFCI FloorScore

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

PREPARER: Self-Prepared

C Yes No

VERIFIER: VERIFICATION #: SCREENING DATE: 2019-06-07 PUBLISHED DATE: 2019-06-07

EXPIRY DATE: 2022-06-07



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

ENGAGE GENESIS 2000, 2000XL, 2000XP - MULTILAYER MODULAR FLOORING

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: While Engage Genesis™ 2000 collections do not meet the qualifications for "Residuals & Impurities - Considered" per HPDC's Emerging Best Practices, we have: 1) disclosed all known, intentionally-added ingredients; 2) tested these products to ensure they are free of red list heavy metals, phthalate-free, formaldehyde-free, comply with REACH SVHC, and meet VOC emissions/indoor air quality requirements per FloorScore® / California Section 01350.

OTHER PRODUCT NOTES: All known, intentionally-added ingredients of these products are disclosed in this HPD.

CALCIUM CARBONATE		ID: 471-34-1		
HAZARD SCREENING METHOD: F	Pharos Chemical and Materials Library	HAZARD SCREEN	ING DATE: 2019-06-	07
%: 48.06 - 48.46	GS: BM-3	RC: None	nano: No	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No v	varnings found on H	PD Priority Hazard Lists
SUBSTANCE NOTES:				

HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCREEN	IING DATE: 2019-06	-07
%: 38.27 - 38.51	gs: LT-P1	RC: None	nano: No	ROLE: Polymer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (F	Rs) - sensitizer-indu	ced

BIS(2-ETHYLHEXYL) TEREPHTHALATE (DOTP)

ID: 6422-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-06-07

%: 2.88 - 3.12	GS: BM-3	RC: None	NANO: No	ROLE: Plasticizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings found o	on HPD Priority Hazard Lists

SUBSTANCE NOTES: Also known as Dioctyl terephthalate, or DOTP, this plasticizer has undergone a full toxicological screening through GreenScreen and achieved a Benchmark (BM) 3 out of a possible 4, whereas phthalate plasticizers typically achieve a Benchmark 1.

SODIUM BICARBONATE ID: 144-55-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-06-07			
%: 2.58 - 2.58	GS: LT-P1	RC: None	nano: No	ROLE: Foaming Agent	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		ptor	

SUBSTANCE NOTES: Sodium bicarbonate is an odorless, white, crystalline powder and is considered a potential endocrine disruptor (in its unbound state). This substance, as used in these products, is bound within the products and is unable to be inhaled or ingested through normal product use. Thus, the potential hazards usually associated with this substance are not applicable to these products.

POLYETHYLENE

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-06-07

%: 1.55 - 1.55 GS: LT-UNK RC: None NANO: No ROLE: Polymer

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

CHLORINATED POLYVINYL CHLORIDE (CPVC)

ID: 68648-82-8

HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SCREEN	ING DATE: 2019-0	6-07
%: 1.40 - 1.40	GS: LT-UNK	RC: None	nano: No	ROLE: Polymer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No	warnings found or	n HPD Priority Hazard Lists

SUBSTANCE NOTES:

CALCIUM STEARATE ID: 1592-23-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-06-07

%: 1.21 - 1.21	gs: LT-UNK	RC: None	nano: No	ROLE: Stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No	warnings found	on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

HAZARD SCREENING METHOD:	HAZARD SCREENING DATE: 2019-06-07					
%: 1.17 - 1.17	GS: LT-1	RC: None NANO: No		GS: LT-1 RC: None NANO: No		ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
CANCER	US CDC - Occupational Carcinogens	Occupational	Carcinogen			
CANCER	CA EPA - Prop 65	Carcinogen -	specific to chemic	al form or exposure route		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled for occupational sources		ic to humans - inhaled from		
CANCER	MAK	•	aroup 3A - Evidenc	e of carcinogenic effects AK/BAT value		

SUBSTANCE NOTES: (Rutile) titanium dioxide is an odorless, white powder and considered a carcinogen (in its unbound state). This substance, as used in these products, is bound within the products and is unable to be inhaled or ingested through normal product

use. Thus, the hazards usually associated with this substance are not applicable to these products.

ZINC STEARATE ID: 557				
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-06-07				6-07
%: 0.60 - 0.60	GS: LT-P1	RC: None	nano: No	ROLE: Stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		N	lo warnings found	on HPD Priority Hazard Lists

BENZENE, ETHENYL-, POLYMER WITH 2-METHYL-1,3-BUTADIENE (THERMOPLASTIC RUBBER)

ID: **25038-32-8**

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2019-06-07
%: 0.40 - 0.40	GS: LT-UNK	RC: None NANO: No ROLE: Adhesive Component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

POLYURETHANE FOAMS ID: 9009-54-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-06-07			
%: 0.38 - 0.44	GS: LT-UNK	RC: None	nano: No	ROLE: Polymer		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No	warnings found or	n HPD Priority Hazard Lists		
SUBSTANCE NOTES:						

POLYPROPYLENE GLYCOL ID: 25322-69-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-06-07			
%: 0.30 - 0.30	gs: LT-UNK	RC: None	nano: No	ROLE: Polymer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No	warnings found o	n HPD Priority Hazard Lists	
SUBSTANCE NOTES:					

PETROLEUM RESINS (HYDROCARBON RESINS)

ID: 64742-16-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2019-06-07			
%: 0.16 - 0.16	GS: LT-1	RC: None	nano: No	ROLE: Adhesive Component		
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS			
CANCER	CA EPA - Prop 65	Ca	rcinogen			
CANCER	US CDC - Occupational Carcinogens	Oc	cupational Carcir	nogen		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources				

SUBSTANCE NOTES: Also known as hydrocarbon resins, petroleum resins are considered carcinogenic when ingested in their natural state, or when they are boiled and their fumes are inhaled. This substance, as used in these products, is bound within the products and is unable to be inhaled or ingested through normal product use. Thus, the hazards usually associated with this substance are not applicable to these products.

CARBON BLACK ID: 1333-86-4

HAZARD SCREENING METHOD: Pharos Chem	ical and Materials Library	HAZARD SCREENING	G DATE: 2019-06-	07
%: 0.08 - 0.08	GS: LT-1	RC: None	nano: No	ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen	
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route	
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources	
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	

SUBSTANCE NOTES: Carbon black (as airborne, unbound particles) is considered a carcinogen. This substance, as used in these products, is bound within the products and is unable to be inhaled or ingested through normal product use. Thus, the hazards usually associated with this substance are not applicable to these products.

METHYL METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE

ID: 25852-37-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-06-07			
%: 0.07 - 0.07	GS: LT-UNK	RC: None	NANO: No	ROLE: Modifier	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No w	arnings found on	HPD Priority Hazard Lists	

SUBSTANCE NOTES:

1.6-HEXANEDIOL DIACRYLATE	ID: 13048-33-4
1,0-11EAANEDIOE DIAOITIEATE	עו. 100 1 0-00- 1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2019-06-07		
%: 0.04 - 0.05 GS: LT-P1		RC: None	RC: None NANO: No ROLE: UV Acrylic Layer		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS		
SKIN IRRITATION	EU - GHS (H-Statements)	nts) H315 - Causes skin irritation		ition	
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergi		ergic skin reaction	
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation			
MULTIPLE	German FEA - Substances Hazardous to Waters	s to Class 2 - Hazard to Waters		ers	
SKIN SENSITIZE	MAK	Sens	tizing Substance S	h - Danger of skin sensitization	

SUBSTANCE NOTES: 1,6-hexanediol diacrylate (as a liquid) is considered a skin and eye irritant. This substance, as used in these products, is bound within the products and does not come into contact with the skin or eyes through normal product use. Thus, the hazards usually associated with this substance are not applicable to these products.

1-BUTENE, HOMOPOLYMER (POLYBUTENE)

ID: 9003-28-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-06-07

%: 0.03 - 0.03	gs: LT-UNK	RC: None	NANO: No	ROLE: Adhesive Component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	GS.	
None found			No warni	ings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL)

ID: 64742-54-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-06-07			
%: 0.02 - 0.02 GS: LT-1		RC: None NANO: No ROLE: Adhesive Component			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer			
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man			
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant			
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence			
CANCER	Australia - GHS	H350 - May cause cancer			

SUBSTANCE NOTES: Hydrotreated heavy paraffinic petroleum distillates (mineral oil) are considered carcinogenic when ingested in their natural state, or when boiled and their fumes are inhaled. This substance, as used in these products, is bound within the products and is unable to be inhaled or ingested through normal product use. Thus, the hazards usually associated with this substance are not applicable to these products.

TRIMETHYLOLPROPANE TRIACRYLATE (TMPTA)

ID: 15625-89-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-06-07			
%: 0.02 - 0.05 GS: LT-P1		RC: None NANO: No ROLE: UV Acrylic Layer			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
RESPIRATORY AOEC - Asthmagens CANCER IARC		Asthmagen (Rs) - sensitizer-induced Group 2b - Possibly carcinogenic to humans			
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction			
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation			
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization			

SUBSTANCE NOTES: Trimethylolpropane triacrylate (TMPTA) is considered a skin and eye irritant and a possible carcinogen (in its liquid state). This substance, as used in these products, is bound within the products and does not come into contact with the skin or eyes, nor can it be inhaled or ingested, through normal product use. Thus, the hazards usually associated with this substance are not applicable to these products.

FUMED SILICA, CRYSTALLINE-FREE (SILICON DIOXIDE POWDER)

ID: 112945-52-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-06-07		
%: 0.01 - 0.03 GS: LT-P1		RC: None NANO: No ROLE: UV Acrylic Layer		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	Japan - GHS	Carcinogenicity - Category 1A		
CANCER	Australia - GHS	H350i - May cause cancer by inhalation		

SUBSTANCE NOTES: Furned silica, crystalline-free (also known as silicon dioxide powder) is a transparent to gray, odorless, tasteless powder and is considered a carcinogen (in its unbound state). This substance, as used in these products, is bound within the products and is unable to be inhaled or ingested through normal product use. Thus, the hazards usually associated with this substance are not applicable to these products.

DISILOXANE, 1,3-DIETHENYL-1,1,3,3-TETRAMETHYL-(DIVINYLTETRAMETHYLDISILOXANE)

ID: 2627-95-4

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS	HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCRE	HAZARD SCREENING DATE: 2019-06-07			
	%: 0.01 - 0.02 GS: LT-UNK		RC: None	NANO: No	ROLE: UV Acrylic Layer		
	ZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found No warnings found on HPD Priority Haz	one found	No wa	rnings found	on HPD Priority Hazard Lists			

DIAMOND (DIAMOND POWDER)

SUBSTANCE NOTES:

ID: 7782-40-3

HAZARD SCREENING METHOD:	HAZARD SCREENING DATE: 2019-06-07			
%: 0.01 - 0.01	gs: LT-UNK	RC: None	nano: No	ROLE: UV Acrylic Layer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

HYDROXYCYCLOHEXYL PHENYL KETONE

ID: **947-19-3**

HAZARD SCREENING METHOD: Phare	os Chemical and Materials Library	HAZARD SCREE	NING DATE: 2019	-06-07
%: 0.01 - 0.01	GS: LT-UNK	RC: None	NANO: No	ROLE: UV Acrylic Layer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:			

VINYL CHLORIDE-VINYL ACETATE COPOLYMERS

ID: 9003-22-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-06-07			
%: 0.01 - 0.01	GS: LT-UNK	RC: None	nano: No	ROLE: Ink	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No wai	rnings found on HPD	Priority Hazard Lists	
SUBSTANCE NOTES:					

RED 221 (C.I.PIGMENT RED 221)					
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-06-07			
%: 0.01 - 0.01	GS: LT-UNK	RC: None	nano: No	role: Ink	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No wa	rnings found on HPD	Priority Hazard Lists	

SUBSTANCE NOTES:



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

ISSUE DATE:

2018-12-01

EXPIRY DATE:

2019-11-30

CERTIFIER OR LAB: **SCS Global**

Services

VOC EMISSIONS RFCI FloorScore

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: All CERTIFICATE URL:

https://www.scscertified.com/products/cert_pdfs/Metroflor_2018_SCS-

FS-01967_s2.pdf

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

Engage Genesis 2000 collections are floating multilayer modular flooring and thus no adhesives are required/recommended for their installation. For more information, please refer to the professional installation manual.

MANUFACTURER INFORMATION

MANUFACTURER: Metroflor Corporation

ADDRESS: 15 Oakwood Avenue Norwalk CT 06850, USA

WEBSITE: http://www.metroflorusa.com

CONTACT NAME: Arthur R. Clarke III
TITLE: Director of Sustainability

PHONE: (203) 299-3113

EMAIL: aclarke@metroflorcorp.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards
NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown

None Does not include recycled content

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

NoGS Unknown (no data on List Translator Lists)

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
 created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.