

CLASSIFICATION: 09 65 19

PRODUCT DESCRIPTION: Engage Inception™ is one of the latest lines of flooring from the pioneers at Metroflor. Engage Inception 60 features a high-density, 4.0mm Solid Polymer Core (SPC) that's rigid, strong, dimensionally stable, and dent-resistant. Engage Inception 60 also includes FX2 Surface Protectant for superior wear & stain resistance, a 6mil (0.15mm) wear layer that provides protection against scuffs and abrasions, DropLock 100™ system technology that facilitates a drop-and-lock connection to dramatically expedite installation speed, and a high-density, pre-attached 1.0mm underlayment that minimizes sound, provides warmth & comfort underfoot, and helps conceal minor subfloor imperfections. Engage Inception 60 comes with a 10-year residential / 5-year light commercial limited warranty.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Per OSHA MSDS
 Other

Residuals/Impurities

- Considered
 Partially Considered
 Not Considered

Explanation(s) provided
for Residuals/Impurities?
 Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No
% weight and role provided for all substances.

Screened Yes Ex/SC Yes No
All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No
All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

ENGAGE INCEPTION 60 - SPC FLOORING [**CALCIUM CARBONATE** **BM-3**
POLYVINYL CHLORIDE (PVC) **LT-P1** | **RES CHLORINATED**
POLYETHYLENE (CPE, TYRIN) **LT-UNK** **POLYETHYLENE** **LT-UNK** **METHYL**
METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE **LT-UNK**
CALCIUM STEARATE **LT-UNK** **ZINC STEARATE** **LT-P1** **RUTILE TITANIUM**
DIOXIDE **LT-1** | **CAN BIS(2-ETHYLHEXYL) TEREPHTHALATE (DOTP)** **BM-3**
CARBON BLACK **LT-1** | **CAN BENZENE, ETHENYL-, POLYMER WITH 2-**
METHYL-1,3-BUTADIENE (THERMOPLASTIC RUBBER) **LT-UNK**
PETROLEUM RESINS (HYDROCARBON RESINS) **LT-1** | **CAN**
POLYURETHANE FOAMS **LT-UNK** **1,6-HEXANEDIOL DIACRYLATE** **LT-P1** |
SKI | **EYE** | **MUL 1-BUTENE, HOMOPOLYMER (POLYBUTENE)** **LT-UNK**
TRIMETHYLOLPROPANE TRIACRYLATE (TMPTA) **LT-P1** | **RES** | **CAN** | **SKI** |
EYE HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES
(MINERAL OIL) **LT-1** | **CAN** | **MUL FUMED SILICA, CRYSTALLINE-FREE**
(SILICON DIOXIDE POWDER) **LT-P1** | **CAN DISILOXANE, 1,3-DIETHENYL-**
1,1,3,3-TETRAMETHYL- (DIVINYLTETRAMETHYLDISILOXANE) **LT-UNK**
DIAMOND (DIAMOND POWDER) **LT-UNK** **RED 221 (C.I.PIGMENT RED 221)**
LT-UNK **VINYL CHLORIDE-VINYL ACETATE COPOLYMERS** **LT-UNK**
HYDROXYCYCLOHEXYL PHENYL KETONE **LT-UNK** **LANTHANUM(3+)**
STEARATE **NoGS**]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen
Benchmark or List translator Score ... LT-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: RFCI FloorScore

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
- No

PREPARER: **Self-Prepared**

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2019-06-03

PUBLISHED DATE: 2019-06-03

EXPIRY DATE: 2022-06-03



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

ENGAGE INCEPTION 60 - SPC FLOORING

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: While Engage Inception™ 60 does not meet the qualifications for "Residuals & Impurities - Considered" per HPDC's Emerging Best Practices , we have: 1) disclosed all known, intentionally-added ingredients; 2) tested this product to ensure it is free of red list heavy metals, phthalate-free, formaldehyde-free, complies with REACH SVHC, and meets VOC emissions/indoor air quality requirements per FloorScore® / California Section 01350.

OTHER PRODUCT NOTES: All known, intentionally-added ingredients of Engage Inception 60 are disclosed in this HPD.

CALCIUM CARBONATE

ID: 471-34-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-06-03

#: 65.80 - 65.89

GS: BM-3

RC: None

NANO: No

ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-06-03

#: 21.42 - 21.61

GS: LT-P1

RC: None

NANO: No

ROLE: Polymer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES:

CHLORINATED POLYETHYLENE (CPE, TYRIN)

ID: 64754-90-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-06-03

#: 5.26 - 5.29

GS: LT-UNK

RC: None

NANO: No

ROLE: Polymer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:		

POLYETHYLENE

ID: 9002-88-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-06-03		
%: 1.40 - 1.40	GS: LT-UNK	RC: None	NANO: No	ROLE: Polymer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES:				

METHYL METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE

ID: 25852-37-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-06-03		
%: 1.34 - 1.36	GS: LT-UNK	RC: None	NANO: No	ROLE: Modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES:				

CALCIUM STEARATE

ID: 1592-23-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-06-03		
%: 1.01 - 1.02	GS: LT-UNK	RC: None	NANO: No	ROLE: Stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES:				

ZINC STEARATE

ID: 557-05-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-06-03		
%: 1.01 - 1.02	GS: LT-P1	RC: None	NANO: No	ROLE: Stabilizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

RUTILE TITANIUM DIOXIDE

ID: 1317-80-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-06-03**

#: **0.88 - 0.88** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SUBSTANCE NOTES: (Rutile) titanium dioxide is an odorless, white powder and considered a carcinogen (in its unbound state). This substance, as used in this product, is bound within the product and is unable to be inhaled or ingested through normal product use. Thus, the hazards usually associated with this substance are not applicable to this product.

BIS(2-ETHYLHEXYL) TEREPHTHALATE (DOTP)

ID: 6422-86-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-06-03**

#: **0.56 - 0.56** GS: **BM-3** RC: **None** NANO: **No** ROLE: **Plasticizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Also known as Dioctyl terephthalate, or DOTP, this plasticizer has undergone a full toxicological screening through GreenScreen and achieved a Benchmark (BM) 3 out of a possible 4, whereas phthalate plasticizers typically achieve a Benchmark 1.

CARBON BLACK

ID: 1333-86-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-06-03**

#: **0.32 - 0.32** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Carbon black (as airborne, unbound particles) is considered a carcinogen. This substance, as used in this product, is bound within the product and is unable to be inhaled or ingested through normal product use. Thus, the hazards usually associated with this substance are not applicable to this product.

BENZENE, ETHENYL-, POLYMER WITH 2-METHYL-1,3-BUTADIENE (THERMOPLASTIC RUBBER)

ID: 25038-32-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-06-03**

#: **0.26 - 0.26** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Adhesive Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

PETROLEUM RESINS (HYDROCARBON RESINS)

ID: 64742-16-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-06-03**

#: **0.10 - 0.10** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Adhesive Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

SUBSTANCE NOTES: Also known as hydrocarbon resins, petroleum resins are considered carcinogenic when ingested in their natural state, or when they are boiled and their fumes are inhaled. This substance, as used in this product, is bound within the product and is unable to be inhaled or ingested through normal product use. Thus, the hazards usually associated with this substance are not applicable to this product.

POLYURETHANE FOAMS

ID: 9009-54-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-06-03**

#: **0.05 - 0.11** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Polymer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

1,6-HEXANEDIOL DIACRYLATE

ID: 13048-33-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-06-03**

%: **0.04 - 0.05** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **UV Acrylic Layer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: 1,6-hexanediol diacrylate (as a liquid) is considered a skin and eye irritant. This substance, as used in this product, is bound within the product and does not come into contact with the skin or eyes through normal product use. Thus, the hazards usually associated with this substance are not applicable to this product.

1-BUTENE, HOMOPOLYMER (POLYBUTENE)

ID: 9003-28-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-06-03**

%: **0.02 - 0.02** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Adhesive Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

TRIMETHYLOLPROPANE TRIACRYLATE (TMPTA)

ID: 15625-89-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-06-03**

%: **0.02 - 0.05** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **UV Acrylic Layer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: Trimethylolpropane triacrylate (TMPTA) is considered a skin and eye irritant and a possible carcinogen (in its liquid state). This substance, as used in this product, is bound within the product and does not come into contact with the skin or eyes, nor can it be inhaled or ingested, through normal product use. Thus, the hazards usually associated with this substance are not applicable to this product.

HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL)

ID: 64742-54-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-06-03**

#: **0.02 - 0.02** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Adhesive Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	Australia - GHS	H350 - May cause cancer

SUBSTANCE NOTES: Hydrotreated heavy paraffinic petroleum distillates (mineral oil) are considered carcinogenic when ingested in their natural state, or when boiled and their fumes are inhaled. This substance, as used in this product, is bound within the product and is unable to be inhaled or ingested through normal product use. Thus, the hazards usually associated with this substance are not applicable to this product.

FUMED SILICA, CRYSTALLINE-FREE (SILICON DIOXIDE POWDER)

ID: 112945-52-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-06-03**

#: **0.01 - 0.03** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **UV Acrylic Layer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Fumed silica, crystalline-free (also known as silicon dioxide powder) is a transparent to gray, odorless, tasteless powder and is considered a carcinogen (in its unbound state). This substance, as used in this product, is bound within the product and is unable to be inhaled or ingested through normal product use. Thus, the hazards usually associated with this substance are not applicable to this product.

DISILOXANE, 1,3-DIETHENYL-1,1,3,3-TETRAMETHYL-(DIVINYLTETRAMETHYLDISILOXANE)

ID: 2627-95-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-06-03		
%: 0.01 - 0.02	GS: LT-UNK	RC: None	NANO: No	ROLE: UV Acrylic Layer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES:				

DIAMOND (DIAMOND POWDER)

ID: 7782-40-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-06-03		
%: 0.01 - 0.01	GS: LT-UNK	RC: None	NANO: No	ROLE: UV Acrylic Layer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES:				

RED 221 (C.I.PIGMENT RED 221)

ID: 61815-09-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-06-03		
%: 0.01 - 0.01	GS: LT-UNK	RC: None	NANO: No	ROLE: Ink
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES:				

VINYL CHLORIDE-VINYL ACETATE COPOLYMERS

ID: 9003-22-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-06-03		
---	--	--	--	--

#: **0.01 - 0.01**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Ink**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

HYDROXYCYCLOHEXYL PHENYL KETONE

ID: **947-19-3**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-06-03**

#: **0.01 - 0.01**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **UV Acrylic Layer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

LANTHANUM(3+) STEARATE

ID: **14741-67-4**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-06-03**

#: **0.01 - 0.01**

GS: **NoGS**

RC: **None**

NANO: **No**

ROLE: **Stabilizer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

RFCI FloorScore

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2018-**

EXPIRY DATE: **2019-**

CERTIFIER OR LAB: **SCS Global**

APPLICABLE FACILITIES: **All**

12-01

11-30

Services

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Engage Inception 60 is a floating multilayer modular flooring and thus no adhesives are required/recommended for its installation. For more information, please refer to the professional installation manual.



MANUFACTURER INFORMATION

MANUFACTURER: **Metroflor Corporation**

ADDRESS: **15 Oakwood Avenue**

Norwalk CT 06850, USA

WEBSITE: **http://www.metroflorusa.com**

CONTACT NAME: **Arthur R. Clarke III**

TITLE: **Director of Sustainability**

PHONE: **(203) 299-3113**

EMAIL: **aclarke@metroflorcorp.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insufficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1

LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.