

CLASSIFICATION: NA

PRODUCT DESCRIPTION: SILICONE UPHOLSTERY FABRIC DESIGNED FOR USE IN UPHOLSTERED SEATING (12 52 19), HEALTHCARE SEATING (12 52 70), COUCHES AND LOVE SEATS (12 58 13), RECLINING CHAIRS (12 58 16.13), UPHOLSTERED AUDIENCE SEATING (12 61 13), HOTEL AND MOTEL FURNITURE (12 54 13), RESTAURANT FURNITURE (12 54 83) AMONG OTHER APPLICATIONS.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?
 Yes No

Are All Substances Above the Threshold Indicated:

Characterized Yes No
Percent Weight and Role Provided?

Screened Yes No
Using Priority Hazard Lists with Results Disclosed?

Identified Yes No
Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

STA - KLEEN SILICONE | POLYETHYLENE TEREPHTHALATE (PET) LT-UNK SILICONE LT-UNK PIGMENTS LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-UNK

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

PPM calculated by weight

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC content: CAL 01350 VOC EMISSIONS

Formaldehyde emissions: CAL 01350 VOC EMISSIONS

Other: SVHCS - 174

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1 and Option 2

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-01-31

PUBLISHED DATE: 2018-04-23

EXPIRY DATE: 2021-01-31



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

STA - KLEEN SILICONE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: All raw materials are completely reacted or consumed in the processing required to produce this product thereby eliminating residuals.

OTHER PRODUCT NOTES: Applies to silicone products named Silex, and others as added.

POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

#: 38.0000 - 60.0000 GS: LT-UNK RC: UNK NANO: No ROLE: Base fabric

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: This is the backing fabric

SILICONE

ID: 67763-03-5

#: 36.0000 - 49.0000 GS: LT-UNK RC: UNK NANO: No ROLE: Primary resin in coatings

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Content information provided by manufacturing facility.

PIGMENTS

ID: 51274-00-1

#: 0.0000 - 4.0000 GS: LT-UNK RC: UNK NANO: No ROLE: colorant

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Various pigments combined in appropriate quantities to obtain the desired color. CAS number given is representative of the pigments used in this product as the exact formulation is considered proprietary by the manufacturer.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC CONTENT

CAL 01350 VOC EMISSIONS

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2018-**

EXPIRY DATE:

CERTIFIER OR LAB: **INTERTEK
TESTING SERVICES, LTD.,
SHANGHAI**

APPLICABLE FACILITIES: **ALL**

01-18

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **VOC Content: M (Commercially Acceptable)**

FORMALDEHYDE EMISSIONS

CAL 01350 VOC EMISSIONS

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2018-**

EXPIRY DATE:

CERTIFIER OR LAB: **INTERTEK
TESTING SERVICES, LTD.,
SHANGHAI**

APPLICABLE FACILITIES: **ALL**

01-18

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **Formaldehyde Emissions: ND (Not Detected)**

OTHER

SVHCS - 174

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2018-**

EXPIRY DATE:

CERTIFIER OR LAB: **INTERTEK
TESTING SERVICES, LTD.,
SHANGHAI**

APPLICABLE FACILITIES: **ALL**

01-17

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **SCHCS - 174: M (M = Commercially Acceptable)**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

STA-KLEEN® SILICONE CARE AND CLEANING GUIDE

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Sta-Kleen® Silicone Care and Cleaning Guide Day-to-Day Cleaning -- Remove ordinary dirt and smudges with mild soap and water. Dry with a soft, lint-free cloth or towel. The use of conditioners or protectants is not required nor recommended for use on Sta-Kleen Silicone upholstery - its cleanability is permanent, and won't wear out. **Disinfecting** -- A 5:1 ratio of water to bleach solution may be used as a disinfectant. Rinse the surface with clean water after disinfecting. Dry with a soft, lint-free cloth or towel. **Stain Removal** -- Upholstery protected with Sta-Kleen Silicone is resistant to most common stains. To keep your furniture looking new, stains such as ballpoint pen can be dry-erased with a clean, lint-free cloth. Gently rub the area until the stain has been removed. Wet or goeey stains such as food stains (e.g., ketchup) or topical stains (e.g., antiseptics, lotions and creams) should first be wiped off with a clean cloth or sponge, then follow the instructions above. **Stubborn Stains** -- If a ghost stain remains, apply a small amount of household rubbing alcohol (91% isopropyl alcohol) to a clean, lint-free cloth and rub the stain until it has been removed. Rinse with a clean, damp cloth and go! **Chemical Cleaners** - Sta-Kleen Silicone products are used in many commercial applications. The housekeeping crews often use strong chemicals for cleaning and disinfecting surfaces. It is imperative that when these chemical cleaners are used that they are rinsed off with a wet sponge or damp cloth. **Blue Jean Dye Resistance** - Sta-Kleen Silicone creates an invisible barrier to keep the indigo dye from transferring to the upholstery.

However, as there are many types of both natural and synthetic dyes used in coloring clothing, we cannot guarantee there will never be any dye transfer. In the unlikely event that any blue jean dye transfer occurs, follow the Stubborn Stains cleaning instructions above. **DISCLAIMER:** This guide addresses the care and cleaning of Sta-Kleen Silicone. The care and cleaning methods covered in the guide will provide the best protection for these products. However, not all stains can be removed, especially if the stains are not addressed immediately. This information does not relieve the user from the responsibility for the correct and safe use of the product and cleaning methods. The Mitchell Group is not responsible for any defect caused by the use of cleaning solutions not included in this guide. In addition, the product warranty will be voided if any other cleaning methods are used on this product.

Section 5: General Notes

The silicone product family will have multiple patterns. The initial pattern offering is Silex. All raw materials used in the production of these products were assumed to be fully utilized or consumed in the production of these products.



MANUFACTURER INFORMATION

MANUFACTURER: **The Mitchell Group**
ADDRESS: **7040 N. Austin Avenue**
Niles IL 60714, United States
WEBSITE: **www.MitchellFauxLeathers.com**

CONTACT NAME: **Jim Blesius**
TITLE: **Director of Marketing**
PHONE: **847-647-7300**
EMAIL: **jim@mitchellfauxleathers.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.