

CLASSIFICATION: 09 68 13 Carpeting - Tile Carpeting

PRODUCT DESCRIPTION: Randy is a collection of exclusive carpet tiles in 48 x 48 cm, introducing a random pattern ideal for monoethnic installation. Randy is also available as broadloom. The carpet tiles are designed in an attractive, flat-woven quality. They are produced from 100 % durable polyamide. These are therefore high-quality carpet tiles, which are particularly suitable for use in areas with high traffic.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?
 Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No
% weight and role provided for all substances.

Screened Yes Ex/SC Yes No
All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No
All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

RANDY TEXTILE [ALUMINA TRIHYDRATE BM-2 | RES NYLON 6,6 LT-UNK
STYRENE BUTADIENE RUBBER (SBR) LT-UNK POLYETHYLENE
TEREPHTHALATE (PET) (POST-CONSUMER RECYCLED) LT-UNK
POLYETHYLENE TEREPHTHALATE (PET) LT-UNK DOLOMITE NoGS
STYRENE ACRYLIC ACID COPOLYMER (PRIMARY CASRN IS 25085-34-1)
LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest concern GreenScreen Benchmark or List translator Score ... LT-UNK
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

No screening has been done except automatic screening by Pharos.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: Eurofins Indoor Air Comfort GOLD - certified product

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2019-06-18

PUBLISHED DATE: 2019-06-19

EXPIRY DATE: 2022-06-18



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

RANDY TEXTILE

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: All mentioned residuals and impurities has been uploaded automatically by and from Pharos

OTHER PRODUCT NOTES: No other product notes

ALUMINA TRIHYDRATE

ID: 21645-51-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-06-18

#: 26.00 - 28.00

GS: BM-2

RC: None

NANO: No

ROLE: Flame retardent

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Alumina trihydrate is a filler and flame retardent in one product. It is non toxic, non corrosive and environmental friendly.

NYLON 6,6

ID: 32131-17-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-06-18

#: 17.00 - 20.00

GS: LT-UNK

RC: None

NANO: No

ROLE: Pile Material

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This polyamide is the face fiber

STYRENE BUTADIENE RUBBER (SBR)

ID: 9003-55-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-06-18

#: 14.00 - 16.00

GS: LT-UNK

RC: None

NANO: No

ROLE: Adhesive for backing

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Styrene butadiene rubber is a synthetic rubber.

POLYETHYLENE TEREPHTHALATE (PET) (POST-CONSUMER RECYCLED)

ID: 25038-59-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-06-18		
%: 14.00 - 16.00	GS: LT-UNK	RC: Both	NANO: No	ROLE: Non woven textile backing
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: This material is a non woven textil backing made by 100% recycled material

POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-06-18		
%: 12.00 - 14.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Weft and Warp yarn
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: This material is used in the weaving proces as weft and warp yarn.

DOLOMITE

ID: 16389-88-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-06-18		
%: 6.00 - 8.00	GS: NoGS	RC: None	NANO: No	ROLE: Filling
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Dolomite is used as a filler in combination with alumia trihydrate

STYRENE ACRYLIC ACID COPOLYMER (PRIMARY CASRN IS 25085-34-1)

ID: 856646-65-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-06-18		
%: 6.00 - 8.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Adhesive for backing

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Styrene acrylic acid copolymer** is a synthetic SA latex used as adhesive for backing

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Eurofins Indoor Air Comfort GOLD - certified product

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2018-**

EXPIRY DATE:

CERTIFIER OR LAB: **Eurofins**

APPLICABLE FACILITIES: **Bentzon Carpets Aps**

05-28

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **Included in Indoor Air Comfort GOLD – Belgian regulation – French regulation – German regulation, AgBB and ABG – E1 classification – EMICODE – GUT – Several EU ecolabel criteria – Several Blue Angel criteria – Several Austrian ecolabel criteria – LEED outside North America – WELL Building – SKA Rating – Italian regulation on GPP (Green Public Procurement) – BVB (Sweden) – FEMB standard for sustainable office furniture – BREEAM International, NOR and NL – M1 – Danish Indoor Climate label – Singapore Green Label – GreenTag Australia**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Randy TexTile is a woven carpet tile with pile material of polyamide. The non woven backing is made of 100% recycled PET.



MANUFACTURER INFORMATION

MANUFACTURER: **Bentzon Carpets**
 ADDRESS: **Fabriksvej 15**
Middelfart Region Syddanmark 5500, Denmark
 WEBSITE: **www.bentzon.dk**

CONTACT NAME: **Ulrich Stenager Heiselberg**
 TITLE: **Export Manager**
 PHONE: **+45 64 40 20 00**
 EMAIL: **ush@bentzon.dk**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.