

CLASSIFICATION: 06 83 13 Resin Composite Paneling

PRODUCT DESCRIPTION: Striata Fusion is an interior architectural panel that offers unique beauty and demonstrated durability with a clear focus on sustainability. Using the Striata 100% Douglas Fir panel as a substrate, the exclusive TorZo® Surfaces acrylic infusion process transforms Striata's existing natural beauty with color into a surfacing material that is suitable for vertical, horizontal and specialty applications in any interior environment, including high traffic and demanding installations. With 8 distinctive color options, Striata Fusion offers the design professional an opportunity to select a tailored look that will complement both a natural and stylized interior design aesthetic. This HPD covers Striata Fusion 360 and Striata Fusion Surface panels in the following colors: Cocoa, Copper, Natural, Onyx, Amethyst, Ruby, Sapphire and Turquoise. Striata Fusion 360 panel dimensions are 36" x 96" x 5/8". Striata Fusion Surface dimensions are 36" x 96" x 1/4". Also includes CSI Classification 06 83 13 Resin Composite Paneling.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Per OSHA MSDS
 Other

Residuals/Impurities

- Considered
 Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes No

Are All Substances Above the Threshold Indicated:

Characterized Yes No

Percent Weight and Role Provided?

Screened Yes No

Using Priority Hazard Lists with Results Disclosed?

Identified Yes No

Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

STRIATA FUSION 360 [DOUGLAS FIR (DOUGLAS FIR) NoGS ACRYLIC RESIN NoGS UNDISCLOSED LT-UNK WATER BM-4 PHENOL FORMALDEHYDE (PHENOL FORMALDEHYDE) LT-P1 | RES UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | RES | SKI PARAFFIN (PARAFFIN) LT-UNK RESIDUAL MONOMER LT-UNK | SKI RESIDUAL MONOMER LT-UNK | SKI | EYE REACTION INITIATOR LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1.1, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight. Therefore, this HPD is consistent with the LEED v4 MR credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1). Substances not "Identified" are those considered proprietary, or are those without a registered identifier.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-10-08

PUBLISHED DATE:

EXPIRY DATE: 2021-10-08



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpdc-collaborative.org/hpd-2-1-standard

STRIATA FUSION 360

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were "Considered", based on HPDC Emerging Best Practices. No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS, based on information provided in supplier disclosure letters, supplier SDS, and as predicted by process chemistry (Pharos CML). However, since process chemistry has not yet been researched for the Acrylic Resin, all potential residuals of this substance have been disclosed based on manufacturer formulation.

OTHER PRODUCT NOTES: Substances used for pigmentation/coloration were each found to be below the threshold for reporting in this HPD (1000 ppm); however, all known pigment substances reviewed returned a GreenScreen score of LT-UNK.

DOUGLAS FIR (DOUGLAS FIR)

ID: Not registered

#: 57.5000 - 60.2000 GS: NoGS RC: None NANO: No ROLE: Panel Surface/Substrate

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Premium 100% Northwest Douglas Fir structural beams made from the responsibly harvested lumber of SFI certified forests (Certificate No. PwC-SFICoC-266; PwC-PEFC-266; Expires 2018-05-13).

ACRYLIC RESIN

ID: Undisclosed

#: 28.7000 - 29.8000 GS: NoGS RC: None NANO: No ROLE: Acrylic Resin

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: This ingredient is held as proprietary by the manufacturer; however, all known hazards have been disclosed. Listed as "inert" material by TOXNET (<http://chem.sis.nlm.nih.gov>). Not a dangerous substance according to CLP - GHS. This substance is not classified as dangerous according to Directive 67/548/EEC and CE 1272/2008. This material is not considered hazardous by the OSHA Hazard Communication Standard (29 1910.1200).

UNDISCLOSED

#: 3.4000 - 3.5000 GS: LT-UNK RC: None NANO: No ROLE: Binder: Resin

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
None Found	No warnings found on HPD Priority lists	*3rd Party Screened*

SUBSTANCE NOTES: Supplier has shared substance name and CASRN under the terms of a non-disclosure agreement; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed.

WATER

ID: 7732-18-5

%: **3.0000 - 3.3000** GS: **BM-4** RC: **None** NANO: **No** ROLE: **Solvent, Diluent**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
None Found	No warnings found on HPD Priority lists	

SUBSTANCE NOTES: Most water evaporates off during curing/drying process.

PHENOL FORMALDEHYDE (PHENOL FORMALDEHYDE)

ID: 9003-35-4

%: **0.4000 - 4.1000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Laminated Veneer Lumber: Adhesive**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES:

UNDISCLOSED

%: **0.3000 - 0.7000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Binder: Stabilizer**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
None Found	No warnings found on HPD Priority lists	

SUBSTANCE NOTES: Supplier has shared substance name and CASRN under the terms of a non-disclosure agreement; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed.

UNDISCLOSED

%: **0.1000 - 0.3000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Binder: Catalyst**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage

SUBSTANCE NOTES: Supplier has shared substance name and CASRN under the terms of a non-disclosure agreement; substance to remain

PARAFFIN (PARAFFIN)

ID: 8002-74-2

GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Laminated Veneer Lumber: Adhesive Modifier**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

RESIDUAL MONOMER

ID: **Undisclosed**

GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Impurity/Residual**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

SKIN SENSITIZE

EU - GHS (H-Statements)

H317 - May cause an allergic skin reaction

SKIN SENSITIZE

MAK

Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: Monomer that is expected to be completely converted in the production of the acrylic resin. This ingredient is held as proprietary by the manufacturer; however, all hazards are disclosed.

RESIDUAL MONOMER

ID: **Undisclosed**

GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Impurity/Residual**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

SKIN IRRITATION

EU - GHS (H-Statements)

H315 - Causes skin irritation

SKIN SENSITIZE

EU - GHS (H-Statements)

H317 - May cause an allergic skin reaction

EYE IRRITATION

EU - GHS (H-Statements)

H319 - Causes serious eye irritation

SKIN SENSITIZE

MAK

Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: Monomer that is expected to be completely converted in the production of the acrylic resin. This ingredient is held as proprietary by the manufacturer; however, all hazards are disclosed.

REACTION INITIATOR

ID: **Undisclosed**

GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Impurity/Residual**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Reaction initiator that is expected to be fully consumed during the production of the acrylic resin. This ingredient is held

as proprietary by the manufacturer; however, all hazards are disclosed.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2018-**

EXPIRY DATE:

CERTIFIER OR LAB: **Eurofins**

APPLICABLE FACILITIES: **Woodburn, OR 97071**

04-13

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **Test Report No.: U804083. Conclusion: PASS. Range of total VOCs after 14 days (336 hours): <0.5 mg/m³. Formaldehyde emissions after 14 days (336 hours): <2 ug/m³ (Classroom); <5 ug/m³ (Office).**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes



MANUFACTURER INFORMATION

MANUFACTURER: **TorZo Surfaces**

ADDRESS: **2475 Progress Way**

Woodburn OR 97071, USA

WEBSITE: **http://www.torzosurfaces.com**

CONTACT NAME: **Jeff Southwell**

TITLE: **President**

PHONE: **503.982.7455**

EMAIL: **jsouthwell@torzosurfaces.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insufficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1

LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.