

CLASSIFICATION: 09 65 00

PRODUCT DESCRIPTION: THE MIXED MATERIALS CONVERGE COLLECTION IS INSPIRED BY THE CLEAN LINES AND STRUCTURED ANGLES OF MODERN ARCHITECTURE AND IS MADE TO MIX WELL WITH OTHER SURFACES. WITH A LUMINOUS METALLIC BASE AND SOPHISTICATED WOOD VISUALS, THESE 5 MM THICK LVT TILE STYLES ARE CONSTRUCTED TO INTERCHANGE WITH CARPET TILES FOR UNIQUE INSTALLATIONS – WITH NO NEED FOR A TRANSITION STRIP. THESE PRODUCTS HAVE A UV URETHANE FINISH AND UTILIZE A DIRECT GLUE INSTALLATION.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes
- No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

LUXURY VINYL TILE & PLANK [POLYVINYL CHLORIDE LT-P1 | RES
FATTY ACID ETHYLHEXYL ESTERS (FATTY ACID ALKYL CHAIN
SATURATED, UNSATURATED OR EPOXIDIZED, WITH EVEN-NUMBERED,
LINEAR C-CHAIN, NUMBER OF C-ATOMS >=8) NoGS TITANIUM DIOXIDE
LT-1 | CAN | END POLYURETHANE LT-UNK CALCIUM CARBONATE BM-3
CALCIUM MAGNESIUM CARBONATE NoGS DI(2-ETHYLHEXYL)
TEREPHTHALATE BM-3dg PROPANOL, OXYBIS-, DIBENZOATE LT-P1 |
MUL FIBERGLASS LT-UNK | CAN]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen
Benchmark or List translator Score ... LT-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

All ingredients have been screened against HPD authoritative lists.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: FloorScore®
LCA: Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-05-11

PUBLISHED DATE: 2020-05-11

EXPIRY DATE: 2023-05-11



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

LUXURY VINYL TILE & PLANK

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present in the product at or above the reporting threshold.

OTHER PRODUCT NOTES:

POLYVINYL CHLORIDE

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-05-11

#: 46.00 - 46.00

GS: LT-P1

RC: None

NANO: No

ROLE: Polymer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES:

FATTY ACID ETHYLHEXYL ESTERS (FATTY ACID ALKYL CHAIN SATURATED, UNSATURATED OR EPOXIDIZED, WITH EVEN-NUMBERED, LINEAR C-CHAIN, NUMBER OF C-ATOMS >=8)

ID: 95370-96-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-05-11

#: 4.80 - 4.80

GS: NoGS

RC:

None

NANO:

No

ROLE: Stabilizer & Process Additive

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-05-11

#: 0.50 - 0.50

GS: LT-1

RC: None

NANO: No

ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Hazard in respirable form only; not available for exposure in finished product form.

POLYURETHANE

ID: 9009-54-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-05-11**

#: **0.30 - 0.30**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **UV Finish**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

CALCIUM CARBONATE

ID: 471-34-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-05-11**

#: **0.10 - 27.00**

GS: **BM-3**

RC: **None**

NANO: **No**

ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

CALCIUM MAGNESIUM CARBONATE

ID: 16389-88-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-05-11**

#: **0.10 - 27.00**

GS: **NoGS**

RC: **None**

NANO: **No**

ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

DI(2-ETHYLHEXYL) TEREPHTHALATE

ID: 6422-86-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-05-11**%: **0.10 - 20.50**GS: **BM-3dg**RC: **None**NANO: **No**ROLE: **Plasticizer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found**No warnings found on HPD Priority Hazard Lists**

SUBSTANCE NOTES:

PROPANOL, OXYBIS-, DIBENZOATE

ID: 27138-31-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-05-11**%: **0.10 - 20.50**GS: **LT-P1**RC: **None**NANO: **No**ROLE: **Binder**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

MULTIPLE**German FEA - Substances Hazardous to Waters****Class 2 - Hazard to Waters**

SUBSTANCE NOTES:

FIBERGLASS

ID: 65997-17-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-05-11**%: **0.00 - 1.20**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Reinforcement**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER**EU - GHS (H-Statements)****H351 - Suspected of causing cancer**SUBSTANCE NOTES: **There is no expected route of exposure in finished product form.**

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

FloorScore®

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2020-04-01**

EXPIRY DATE: **2020-12-31**

CERTIFIER OR LAB: **Scientific Certification Systems**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

<https://qmsview.shawinc.com/viewer/doc/7649>

CERTIFICATION AND COMPLIANCE NOTES:

LCA

Environmental Product Declaration

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2019-01-01**

EXPIRY DATE: **2024-01-01**

CERTIFIER OR LAB: **UL Environment**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

<https://pdmsview.shawinc.com/viewer/doc/4630>

CERTIFICATION AND COMPLIANCE NOTES: **This is an Industry-Wide Environmental Product Declaration.**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

SHAW 4151 ADHESIVE

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Shaw 4151 Spec Sheet: <https://qmsview.shawinc.com/viewer/doc/4808>

SHAW MM800 ADHESIVE

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Shaw MM800 Spec Sheet: <https://qmsview.shawinc.com/viewer/doc/3989>

Section 5: General Notes

This HPD covers the Mixed Materials Converge Collection. Additional Sustainability Information found at: <https://www.patcraft.com/html/sustainabilitylanding> Additional Installation and Accessory Information Found at: <https://www.patcraft.com/html/accessorieslanding>



MANUFACTURER INFORMATION

MANUFACTURER: **Patcraft**

ADDRESS: **230 Douthit Ferry Road
Cartersville GA 30120, United States**

WEBSITE: **https://www.patcraft.com/html/home**

CONTACT NAME: **Melea Wade**

TITLE: **Product Sustainability Manager**

PHONE: **706-532-2181**

EMAIL: **melea.wade@shawinc.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insufficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1

LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.