

CLASSIFICATION: CSI Masterformat 09 68 13

PRODUCT DESCRIPTION: THIS HPD REPRESENTS ALL CARPET TILE STYLES WITH ECOWORX® BACKING AND NYLON FACE FIBER RANGING FROM 14-60 OZ/SY, INCLUDING ECOSOLUTION Q®, SOLUTION Q®, AND SOLUTION Q EXTREME® with or without ES adhesive.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes
- No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No
% weight and role provided for all substances.

Screened Yes Ex/SC Yes No
All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No
One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ECOWORX® TILE WITH NYLON FIBER | CALCIUM CARBONATE LT-UNK
1-OCTENE, POLYMER WITH ETHENE LT-UNK ALUMINUM HYDROXIDE
BM-2 | RES ACETIC ACID ETHENYL ESTER, POLYMER WITH ETHENE LT-UNK
UNKN HYDROCARBONS, C6-20, POLYMERS, HYDROGENATED LT-UNK
CLAY LT-UNK | CAN POLYETHYLENE TEREPHTHALATE LT-UNK GLASS,
OXIDE, CHEMICALS LT-UNK | CAN UNDISCLOSED LT-UNK 1-HEXENE,
POLYMER WITH ETHENE LT-UNK 2-PROPENOIC ACID, BUTYL ESTER,
POLYMER WITH ETHYL 2-PROPENOATE, N-(HYDROXYMETHYL)-2-
PROPENAMIDE, 2-PROPENAMIDE AND 2-PROPENENITRILE LT-UNK 2-
PROPENOIC ACID, METHYL ESTER, POLYMER WITH ETHENE LT-UNK
UNDISCLOSED LT-1 | CAN | MUL UNDISCLOSED NoGS NYLON 6 LT-UNK
POLY[IMINO(1,6-DIOXO-1,6- HEXANEDIYL)IMINO-1,6-HEXANEDIYL] LT-
UNK ALCOHOLS, C11-14-ISO-, C13-RICH, ETHOXYLATED LT-UNK
POLYVINYL ALCOHOL LT-UNK QUARTZ LT-1 | CAN BENZENE, ETHENYL-,
POLYMER WITH 2-METHYL-1,3-BUTADIENE LT-UNK UNDISCLOSED LT-
UNK UNDISCLOSED LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

ALL INGREDIENTS HAVE BEEN SCREENED AGAINST HPD AUTHORITATIVE LISTS, BUT NOT ALL CAS #'S HAVE BEEN DISCLOSED TO PROTECT PROPRIETARY FORMULATIONS.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: Green Label Plus

Multi-attribute: Cradle to Cradle™ Certified V3.1 Silver

Multi-attribute: NSF-140 Gold

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

Yes

No

PREPARER: **Self-Prepared**

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2019-10-07

PUBLISHED DATE: 2019-10-07

EXPIRY DATE: 2022-10-07



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

ECOWORX® TILE WITH NYLON FIBER

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: All ingredients at or above 1000 ppm are included in this HPD. Any residuals and impurities below 1000 ppm are below the reporting threshold and are not considered. This is based on information provided to us by our raw material suppliers.

OTHER PRODUCT NOTES:

CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-10-07

%: 20.00 - 45.00

GS: LT-UNK

RC: PreC

NANO: No

ROLE: Backing

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Limestone

1-OCTENE, POLYMER WITH ETHENE

ID: 26221-73-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-10-07

%: 5.00 - 15.00

GS: LT-UNK

RC: None

NANO: No

ROLE: Backing

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

ALUMINUM HYDROXIDE

ID: 21645-51-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-10-07

%: 2.00 - 8.00

GS: BM-2

RC: None

NANO: No

ROLE: Backing

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES:

ACETIC ACID ETHENYL ESTER, POLYMER WITH ETHENE

ID: 24937-78-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-10-07**

?: **2.00 - 7.00**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Backing**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Vinyl Acetate / Ethylene Copolymer

HYDROCARBONS, C6-20, POLYMERS, HYDROGENATED

ID: 69430-35-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-10-07**

?: **1.00 - 6.00**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Backing**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

CLAY

ID: 1332-58-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-10-07**

?: **1.00 - 5.00**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Backing**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: No anticipated route of exposure in finished product

POLYETHYLENE TEREPHTHALATE

ID: 25038-59-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-10-07**

?: **1.00 - 5.00**

GS: **LT-UNK**

RC: **PostC**

NANO: **No**

ROLE: **Backing**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: PET		

GLASS, OXIDE, CHEMICALS

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-10-07		
%: 0.50 - 4.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Backing
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer		
SUBSTANCE NOTES:				

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-10-07		
%: 0.50 - 2.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Backing
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Latex Additive				

1-HEXENE, POLYMER WITH ETHENE

ID: 25213-02-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-10-07		
%: 0.10 - 1.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Backing
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES:				

2-PROPENOIC ACID, BUTYL ESTER, POLYMER WITH ETHYL 2-PROPENOATE, N-(HYDROXYMETHYL)-2-PROPENAMIDE, 2-PROPENAMIDE AND 2-PROPENITRILE

ID: 61467-52-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-10-07		
%: 0.10 - 1.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Backing

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Modified Acrylic Binder

2-PROPENOIC ACID, METHYL ESTER, POLYMER WITH ETHENE

ID: 25103-74-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-10-07**

#: **0.10 - 1.00** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Backing**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-10-07**

#: **0.10 - 1.00** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Backing**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

CANCER EU - GHS (H-Statements) H350 - May cause cancer

CANCER EU - REACH Annex XVII CMRs Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man

MULTIPLE ChemSec - SIN List CMR - Carcinogen, Mutagen &/or Reproductive Toxicant

CANCER EU - Annex VI CMRs Carcinogen Category 1B - Presumed Carcinogen based on animal evidence

CANCER GHS - Australia H350 - May cause cancer

SUBSTANCE NOTES: Paraffinnic Hydrocarbons; No anticipated route of exposure in finished product

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-10-07**

#: **0.00 - 0.13** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Topical**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **TOPICAL COPOLYMER**
Entered by third-party assessor based on full supplier disclosure

NYLON 6

ID: 25038-54-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-10-07**%: **0.00 - 50.00**GS: **LT-UNK**RC: **PreC**NANO: **No**ROLE: **Fiber**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found**No warnings found on HPD Priority Hazard Lists**SUBSTANCE NOTES: **EcoSolution Q® - 25% Pre-Consumer Recycled Content; Other Fibers - None****POLY[IMINO(1,6-DIOXO-1,6- HEXANEDIYL)IMINO-1,6-HEXANEDIYL]**

ID: 32131-17-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-10-07**%: **0.00 - 50.00**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Fiber**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found**No warnings found on HPD Priority Hazard Lists**SUBSTANCE NOTES: **Nylon 6,6****ALCOHOLS, C11-14-ISO-, C13-RICH, ETHOXYLATED**

ID: 78330-21-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-10-07**%: **0.00 - 1.00**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Backing**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found**No warnings found on HPD Priority Hazard Lists**SUBSTANCE NOTES: **Tridecyl Alcohol Ethoxylate****POLYVINYL ALCOHOL**

ID: 9002-89-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-10-07**%: **0.00 - 1.00**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Backing**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found**No warnings found on HPD Priority Hazard Lists**

SUBSTANCE NOTES:

QUARTZ

ID: 14808-60-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-10-07**

#: 0.00 - 1.00

GS: LT-1

RC: None

NANO: No

ROLE: Backing

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Australia	H350i - May cause cancer by inhalation
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]

SUBSTANCE NOTES: Residual Content in Limestone; No Anticipated Route of Exposure in Finished Product

BENZENE, ETHENYL-, POLYMER WITH 2-METHYL-1,3-BUTADIENE

ID: 25038-32-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-10-07**

#: 0.00 - 0.23

GS: LT-UNK

RC: None

NANO: No

ROLE: Adhesive

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Adhesive Elastomer

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-10-07**

#: 0.00 - 0.20

GS: LT-UNK

RC: None

NANO: No

ROLE: Adhesive

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: ADHESIVE PRIMARY TACKIFIER
Entered by third-party assessor based on full supplier disclosure

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-10-07**

#: **0.00 - 0.18**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Adhesive**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **ADHESIVE SECONDARY TACKIFIER**

Entered by third-party assessor based on full supplier disclosure

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Green Label Plus

CERTIFYING PARTY: **Carpet & Rug Institute**
ISSUE DATE: **2004-06-15** EXPIRY DATE: **2020-09-30** CERTIFIER OR LAB: **UL lab**
APPLICABLE FACILITIES: **Cartersville, GA; Adairsville, GA**
CERTIFICATE URL: <https://services.carpet-rug.org/api/GLPCertificate/9968>

CERTIFICATION AND COMPLIANCE NOTES: **GLP9968: 14X Pre-dyed Nylon with Amorphous Resin Backing**

MULTI-ATTRIBUTE

Cradle to Cradle™ Certified V3.1 Silver

CERTIFYING PARTY: **McDonough Braungart Design Chemistry (MBDC)**
ISSUE DATE: **0219-07-09** EXPIRY DATE: **2021-08-18** CERTIFIER OR LAB: **Cradle to Cradle™ Products Innovation Institute**
APPLICABLE FACILITIES: **Cartersville, GA; Adairsville, GA**
CERTIFICATE URL: <https://qmsview.shawinc.com/viewer/doc/4476>

CERTIFICATION AND COMPLIANCE NOTES: **Achieved V3.1 Silver Certification**

MULTI-ATTRIBUTE

NSF-140 Gold

CERTIFYING PARTY: **SCS Global Services**
ISSUE DATE: **2018-12-01** EXPIRY DATE: **2021-08-31** CERTIFIER OR LAB: **Scientific Certification Systems**
APPLICABLE FACILITIES: **Cartersville, GA; Adairsville, GA**
CERTIFICATE URL: <https://qmsview.shawinc.com/viewer/doc/4532>

CERTIFICATION AND COMPLIANCE NOTES: **NSF/ANSI 140 Carpet - Achieved Gold Level Certification (Platinum Available)**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

SHAW 5100 CARPET TILE ADHESIVE

HPD URL: **no hpd available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Shaw 5100 Carpet Tile Adhesive is approved for use with EcoWorx® Tile installations. Spec:

<https://qmsview.shawinc.com/viewer/doc/1494> Installation:

<http://www.phillyqueencommercial.com/Html/PerformanceInstallation> Cradle to Cradle™ Certified V3.1 Silver

<https://qmsview.shawinc.com/viewer/doc/4484> Green Label Plus Certified: GLP15400 <https://services.carpet-rug.org/api/GLPCertificate/15400>

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

LokDots® Carpet Tile Adhesive is approved for use with EcoWorx® Tile installations. Spec:

<https://qmsview.shawinc.com/viewer/doc/4870> Installation:

<http://www.phillyqueencommercial.com/Html/PerformanceInstallation> Cradle to Cradle™ Certified V3.1 Silver when used in conjunction with EcoWorx® Tile. Green Label Plus Certified: GLP91802 <https://services.carpet-rug.org/api/GLPCertificate/91802>

LOKWORX® CARPET TILE ADHESIVE

HPD URL: no hpd available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

LokWorx® Carpet Tile Adhesive is approved for use with EcoWorx® Tile installations. Spec:

<https://qmsview.shawinc.com/viewer/doc/5407> Installation:

<http://www.phillyqueencommercial.com/Html/PerformanceInstallation> Cradle to Cradle™ Certified V3.1 Silver when used in conjunction with EcoWorx® Tile. Green Label Plus Certified: GLP01642 <https://services.carpet-rug.org/api/GLPCertificate/01642>

Section 5: General Notes

<http://www.phillyqueencommercial.com/Html/EnvironmentalLanding>



MANUFACTURER INFORMATION

MANUFACTURER: **Philadelphia Commercial**
 ADDRESS: **P.O. Box 2128**
Dalton GA 30722, United States
 WEBSITE: <http://www.phillyqueencommercial.com/>

CONTACT NAME: **Candi Hampton**
 TITLE: **Product Sustainability Manager**
 PHONE: **706-532-2171**
 EMAIL: candi.hampton@shawinc.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.