

CLASSIFICATION: 08 10 00

PRODUCT DESCRIPTION: Vision lites or door windows can be added to any commercial steel or wood door to provide visibility and light into a room. Vision lites are constructed of cold rolled steel, stainless steel or galvanized steel and are either powder coat finished, or #4 stainless steel finished. Vision lites hold fire protective, fire resistive, or non-fire rated glazing in thicknesses from 1/4" - 1-11/16 inch. This HPD covers fire-rated and non-rated vision lites and Pak's (vision lites and glazing) manufactured by Activar Construction Products Group – Air Louvers. This HPD serves to disclose the chemical ingredients of our vision lites and the most common types of glazing used. For a HPD of a specific configuration not disclosed here, please contact Activar Construction Products Group - Air Louvers using the contact information listed at the end of this document.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

Residuals/Impurities
Considered in 1 of 8 Materials

Explanation(s) provided
for Residuals/Impurities?
 Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

STAINLESS STEEL [IRON LT-P1 | END CHROMIUM LT-P1 | RES | END | SKI
NICKEL LT-1 | RES | CAN | SKI | MAM | MUL MANGANESE LT-P1 | END |
MUL | REP SILICON LT-UNK MOLYBDENUM LT-UNK COBALT LT-1 | RES |
CAN | SKI | MUL | GEN | REP COPPER LT-UNK TUNGSTEN METAL LT-UNK
] TEMPERED GLASS [CONTINUOUS FILAMENT GLASS FIBER, NON-
RESPIRABLE LT-UNK] KERASHIELD SELECT FILMED [CONTINUOUS
FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK ACETIC ACID
ETHENYL ESTER, POLYMER WITH 1,1-BIS(ETHENYLOXY)BUTANE AND
ETHENOL LT-UNK POLYETHYLENE TEREPHTHALATE (PET) LT-UNK 2,2'-
ETHYLENEDIOXYDIETHYL BIS(2-ETHYLHEXANOATE) LT-UNK CALCIUM
CARBONATE BM-3] GLAZING TAPE (STANDARD) [METHYL
METHACRYLATE LT-P1 | RES | PHY | SKI | END POLYVINYL ACETATE
(PVA) LT-UNK 3,5-DIETHYL-1-PHENYL-2-PROPYL-1,2-DIHYDROPYRIDINE
(PRIMARY CASRN IS 34562-31-7) LT-UNK] WIRESHIELD GLASS [SILICA,
AMORPHOUS LT-P1 | CAN MAGNESIUM OXIDE LT-UNK | CAN CALCIUM
OXIDE LT-P1 SODIUM OXIDE LT-UNK POTASSIUM OXIDE (PRIMARY
CASRN IS 12136-45-7) LT-UNK ALUMINUM OXIDE BM-2 | RES IRON LT-P1
| END CARBON LT-UNK MANGANESE LT-P1 | END | MUL | REP FERRIC
OXIDE BM-2 | CAN CHROMIUM LT-P1 | RES | END | SKI] COLD ROLLED
STEEL [IRON LT-P1 | END MANGANESE LT-P1 | END | MUL | REP
CHROMIUM LT-P1 | RES | END | SKI NICKEL LT-1 | RES | CAN | SKI | MAM |
MUL CARBON LT-UNK MOLYBDENUM LT-UNK COPPER LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen
Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD is prepared using the Nested Materials Inventory with product threshold at 1,000 ppm. Activar Construction Products Group - Air Louvers vision lites are manufactured in steel, galvanized steel or stainless steel.

POWDER COAT [UNDISCLOSED NoGS UNDISCLOSED LT-UNK
UNDISCLOSED LT-1 | RES | GEN | MAM | SKI | EYE | MUL UNDISCLOSED
LT-1 | CAN | END UNDISCLOSED LT-UNK UNDISCLOSED BM-2 | CAN
CARBON BLACK LT-1 | CAN UNDISCLOSED LT-UNK] STEEL
GALVANNEAL [IRON LT-P1 | END 3003-H14 ALUMINUM LT-P1 | RES | PHY
| END NICKEL LT-1 | RES | CAN | SKI | MAM | MUL CARBON LT-UNK
MOLYBDENUM LT-UNK MANGANESE LT-P1 | END | MUL | REP TIN LT-
UNK CHROMIUM LT-P1 | RES | END | SKI COPPER LT-UNK SILICON LT-
UNK]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2019-11-08

PUBLISHED DATE: 2019-11-08

EXPIRY DATE: 2022-11-08



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

STAINLESS STEEL

%: 98.00 - 100.00

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Other trace elements (less than 0.1%) may also be present per the manufacturer. These trace elements generally originate in the raw material used.

OTHER MATERIAL NOTES: The ingredients listed are the elements used in alloying stainless steel. Stainless steel contains chromium metal in the zero valence state. As such per the manufacturer, chromium metal does not present any unusual health risk. All vision lites manufactured by Activar Construction Product Group - Air Louvers are #4 stainless steel finish.

IRON

ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-11-08

%: 45.00 - 90.00

GS: LT-P1

RC: Both

NANO: No

ROLE: Main element

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: Main ingredient in stainless steel.

CHROMIUM

ID: 7440-47-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-11-08

%: 10.00 - 30.00

GS: LT-P1

RC: UNK

NANO: No

ROLE: Alloying element

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SKIN SENSITIZE

MAK

Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: Ingredient used in manufacture of stainless steel.

NICKEL

ID: 7440-02-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-11-08**%: **0.00 - 40.00**GS: **LT-1**RC: **UNK**NANO: **No**ROLE: **Alloying element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES: **Ingredient used in manufacture of stainless steel.****MANGANESE**

ID: 7439-96-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-11-08**%: **0.00 - 15.00**GS: **LT-P1**RC: **UNK**NANO: **No**ROLE: **Alloying element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES: **Ingredient used in manufacture of stainless steel.****SILICON**

ID: 7440-21-3

?: **0.00 - 9.50**

GS: **LT-UNK**

RC: **UNK**

NANO: **No**

ROLE: **Alloying element**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Ingredient used in manufacture of stainless steel.**

MOLYBDENUM

ID: **7439-98-7**

?: **0.00 - 7.00**

GS: **LT-UNK**

RC: **UNK**

NANO: **No**

ROLE: **Alloying element**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Ingredient used in manufacture of stainless steel.**

COBALT

ID: **7440-48-4**

?: **0.00 - 5.00**

GS: **LT-1**

RC: **UNK**

NANO: **No**

ROLE: **Alloying element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G) - generally accepted
CANCER	IARC	Group 2a - Agent is probably Carcinogenic to humans
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
RESPIRATORY	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CANCER	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
GENE MUTATION	MAK	Germ Cell Mutagen 3a
CANCER	GHS - Australia	H350i - May cause cancer by inhalation
REPRODUCTIVE	GHS - Australia	H360F - May damage fertility

SUBSTANCE NOTES: Ingredient used in manufacture of stainless steel.

COPPER

ID: 7440-50-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-08**

#: **0.00 - 5.00**

GS: **LT-UNK**

RC: **UNK**

NANO: **No**

ROLE: **Alloying element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ingredient used in manufacture of stainless steel.

TUNGSTEN METAL

ID: 7440-33-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-08**

#: **0.00 - 4.00**

GS: **LT-UNK**

RC: **UNK**

NANO: **No**

ROLE: **Alloying element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ingredient used in manufacture of stainless steel.

TEMPERED GLASS

#: 98.00 - 100.00

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Information is not provided by the manufacturer.

OTHER MATERIAL NOTES: Tempered glass is a non-rated glazing used in doors where fire-rated glass is not required.

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-11-08

#: 99.00 - 100.00

GS: LT-UNK

RC: UNK

NANO: No

ROLE: Main element

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Information not provided by the manufacturer.

KERASHIELD SELECT FILMED

#: 98.00 - 100.00

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Information in residuals and impurities is not provided by manufacturer.

OTHER MATERIAL NOTES: Fire-rated and safety-rated glazing used in fire-rated door.

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-11-08

#: 96.00 - 98.70

GS: LT-UNK

RC: UNK

NANO: No

ROLE: Main element

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Glass is an inert material who substances do not post independent health hazards.

ACETIC ACID ETHENYL ESTER, POLYMER WITH 1,1-BIS(ETHENYLOXY)BUTANE AND ETHENOL

ID: 27360-07-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-11-08

#: 70.00 - 90.00

GS: LT-UNK

RC: UNK

NANO: No

ROLE: Ingredient

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES: Kerashield has a laminated film applied to it and this ingredient is the resin used to make the film.

POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2019-11-08
---	--

#: 1.00 - 1.30	GS: LT-UNK	RC: UNK	NANO: No	ROLE: Ingredient
-----------------------	-------------------	----------------	-----------------	-------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES: Ingredient in the film that is applied to the glazing.

2,2'-ETHYLENEDIOXYDIETHYL BIS(2-ETHYLHEXANOATE)

ID: 94-28-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2019-11-08
---	--

#: 0.00 - 1.00	GS: LT-UNK	RC: UNK	NANO: No	ROLE: Ingredient
-----------------------	-------------------	----------------	-----------------	-------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES: Plasticizer used in the laminating film.

CALCIUM CARBONATE

ID: 471-34-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2019-11-08
---	--

#: 0.00 - 1.00	GS: BM-3	RC: UNK	NANO: No	ROLE: Ingredient
-----------------------	-----------------	----------------	-----------------	-------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES: Filler ingredient used to manufacture the film.

GLAZING TAPE (STANDARD)

#: **98.00 - 100.00**

PRODUCT THRESHOLD: **1000 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **No**

RESIDUALS AND IMPURITIES NOTES: **Information not provided by manufacturer.**

OTHER MATERIAL NOTES: Standard glazing tape is applied to the glass on both sides before the vision lite, glass and tape are installed in the door.

METHYL METHACRYLATE

ID: 80-62-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-08**

#: **40.00 - 70.00**

GS: **LT-P1**

RC: **UNK**

NANO: **No**

ROLE: **Main element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: **Ingredient in the acrylic adhesive.**

POLYVINYL ACETATE (PVA)

ID: 9003-20-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-08**

#: **10.00 - 30.00**

GS: **LT-UNK**

RC: **UNK**

NANO: **No**

ROLE: **Ingredient**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Ingredient used in the glazing tape.**

3,5-DIETHYL-1-PHENYL-2-PROPYL-1,2-DIHYDROPYRIDINE (PRIMARY CASRN IS 34562-31-7)

ID: 852826-01-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-08**

#: **1.00 - 10.00**

GS: **LT-UNK**

RC: **UNK**

NANO: **No**

ROLE: **Ingredient**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Ingredient in the acrylic adhesive.**

WIRESHIELD GLASS

#: **80.00 - 90.00**

RESIDUALS AND IMPURITIES NOTES: Information on residuals or impurities is not provided by the manufacturer.

OTHER MATERIAL NOTES: Wireshield glazing is a common type of fire-rated safety-rated glass that is used in commercial buildings.

SILICA, AMORPHOUS

ID: 7631-86-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-08**

#: **68.00 - 74.00** GS: **LT-P1** RC: **UNK** NANO: **No** ROLE: **Main element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Soda lime glass with steel wire mesh in-bedded.

MAGNESIUM OXIDE

ID: 1309-48-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-08**

#: **5.00 - 6.00** GS: **LT-UNK** RC: **UNK** NANO: **No** ROLE: **Ingredient**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: No information provided by manufacturer.

CALCIUM OXIDE

ID: 1305-78-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-08**

#: **5.00 - 14.00** GS: **LT-P1** RC: **UNK** NANO: **No** ROLE: **Ingredient**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Information not provided by manufacturer.

SODIUM OXIDE

ID: 1313-59-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-08**

#: **5.00 - 10.00** GS: **LT-UNK** RC: **UNK** NANO: **No** ROLE: **Ingredient**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Information not provided by manufacturer.		

POTASSIUM OXIDE (PRIMARY CASRN IS 12136-45-7)

ID: 1884258-64-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-11-08		
%: 5.00 - 10.00	GS: LT-UNK	RC: UNK	NANO: No	ROLE: Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Information not provided by the manufacturer.				

ALUMINUM OXIDE

ID: 1344-28-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-11-08		
%: 3.00 - 3.00	GS: BM-2	RC: UNK	NANO: No	ROLE: Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
SUBSTANCE NOTES: Information not provided by manufacturer.				

IRON

ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-11-08		
%: 1.00 - 2.50	GS: LT-P1	RC: UNK	NANO: No	ROLE: Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
SUBSTANCE NOTES: Ingredient in the wire mesh in-bedded in the glass.				

CARBON

ID: 7440-44-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-11-08		
%: 1.00 - 1.00	GS: LT-UNK	RC: UNK	NANO: No	ROLE: Ingredient

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ingredient in the wire mesh in the wireshield glass.

MANGANESE

ID: 7439-96-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-11-08		
%: 1.00 - 1.00	GS: LT-P1	RC: UNK	NANO: No	ROLE: Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1B [H360]		

SUBSTANCE NOTES: Ingredient in the wire mesh in the wireshield glass.

FERRIC OXIDE

ID: 1309-37-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-11-08		
%: 0.50 - 1.00	GS: BM-2	RC: UNK	NANO: No	ROLE: Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		

SUBSTANCE NOTES: Ingredient in the wire mesh in the wireshield glass.

CHROMIUM

ID: 7440-47-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-11-08		
%: 0.50 - 1.00	GS: LT-P1	RC: UNK	NANO: No	ROLE: Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization		

SUBSTANCE NOTES: Ingredient in the wire mesh in the wireshield glass.

COLD ROLLED STEEL

%: 0.00 - 100.00

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities not considered. Only intentionally added ingredients are detailed in this HPD.

OTHER MATERIAL NOTES: Cold rolled steel is the standard material used to manufacture vision lites. Vision lites are also available in galvalneal steel and stainless steel.

IRON

ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-11-08

%: 96.00 - 99.00

GS: LT-P1

RC: Both

NANO: No

ROLE: Main element

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: Cold rolled steel formed into vision lites.

MANGANESE

ID: 7439-96-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-11-08

%: 0.00 - 2.00

GS: LT-P1

RC: UNK

NANO: No

ROLE: Alloying element

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

REPRODUCTIVE

GHS - Japan

Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES: Alloy included in steel.

CHROMIUM

ID: 7440-47-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-11-08

%: 0.00 - 1.00

GS: LT-P1

RC: UNK

NANO: No

ROLE: Alloying element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: Alloy used in steel.

NICKEL

ID: 7440-02-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-08**

#: **0.00 - 1.00** GS: **LT-1** RC: **UNK** NANO: **No** ROLE: **Alloying element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES: Alloy used in steel.

CARBON

ID: 7440-44-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-08**

#: **0.00 - 0.60** GS: **LT-UNK** RC: **UNK** NANO: **No** ROLE: **Alloying element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES: Alloy used in steel.

MOLYBDENUM

ID: 7439-98-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-08**

?: 0.00 - 0.60	GS: LT-UNK	RC: UNK	NANO: No	ROLE: Alloying element
-----------------------	-------------------	----------------	-----------------	-------------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES: Alloy used in steel.

COPPER

ID: 7440-50-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-08**

?: 0.00 - 0.60	GS: LT-UNK	RC: UNK	NANO: No	ROLE: Alloying element
-----------------------	-------------------	----------------	-----------------	-------------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES: Alloy used in steel.

POWDER COAT

?: **0.00 - 1.40**

PRODUCT THRESHOLD: **1000 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

RESIDUALS AND IMPURITIES NOTES: **Information not provided by the supplier.**

OTHER MATERIAL NOTES: **Mixture of polyester resins and pigments for coating vision lites. This is a dry powder electrostatically applied and then cured in the oven.**

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-08**

?: 50.00 - 59.00	GS: NoGS	RC: UNK	NANO: No	ROLE: Main element
-------------------------	-----------------	----------------	-----------------	---------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES: **The manufacturer does not provide specifics on these resins because its proprietary.**

UNDISCLOSEDHAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-11-08**%: **0.00 - 21.00**GS: **LT-UNK**RC: **UNK**NANO: **No**ROLE: **Ingredient**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **The manufacturer does not allow disclosure of the ingredients because the combination of ingredients is proprietary.****UNDISCLOSED**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-11-08**%: **0.00 - 5.50**GS: **LT-1**RC: **UNK**NANO: **No**ROLE: **Ingredient**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

GENE MUTATION

EU - SVHC Authorisation List

Mutagenic - Candidate list

MAMMALIAN

EU - GHS (H-Statements)

H301 - Toxic if swallowed

SKIN SENSITIZE

EU - GHS (H-Statements)

H317 - May cause an allergic skin reaction

EYE IRRITATION

EU - GHS (H-Statements)

H318 - Causes serious eye damage

MAMMALIAN

EU - GHS (H-Statements)

H331 - Toxic if inhaled

GENE MUTATION

EU - GHS (H-Statements)

H340 - May cause genetic defects

GENE MUTATION

EU - REACH Annex XVII CMRs

Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man

MULTIPLE

ChemSec - SIN List

CMR - Carcinogen, Mutagen &/or Reproductive Toxicant

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 3 - Severe Hazard to Waters

RESPIRATORY

MAK

Sensitizing Substance Sah - Danger of airway & skin sensitization

GENE MUTATION

GHS - Korea

Germ cell mutagenicity - Category 1 [H340 - May cause genetic defects]

GENE MUTATION

EU - Annex VI CMRs

Mutagen - Category 1B

GENE MUTATION

GHS - New Zealand

6.6A - Known or presumed human mutagens

GENE MUTATION

GHS - Japan

Germ cell mutagenicity - Category 1B [H340]

SUBSTANCE NOTES: **The manufacturer does not allow disclosure of the ingredients because the combination of ingredients is proprietary.****UNDISCLOSED**

#: **0.00 - 2.60** GS: **LT-1** RC: **UNK** NANO: **No** ROLE: **Ingredient**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: The manufacturer does not allow disclosure of the ingredients because the combination of ingredients is proprietary.

UNDISCLOSED

#: **0.00 - 2.30** GS: **LT-UNK** RC: **UNK** NANO: **No** ROLE: **Ingredient**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The manufacturer does not allow disclosure of the ingredients because the combination of ingredients is proprietary.

UNDISCLOSED

#: **0.00 - 1.30** GS: **BM-2** RC: **UNK** NANO: **No** ROLE: **Ingredient**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: The manufacturer does not allow disclosure of the ingredients because the combination of ingredients is proprietary.

CARBON BLACK

ID: **1333-86-4**

#: **0.00 - 0.72** GS: **LT-1** RC: **UNK** NANO: **No** ROLE: **Ingredient**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: The manufacturer does not allow disclosure of the ingredients because the combination of ingredients is proprietary.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-11-08		
%: 0.00 - 0.64	GS: LT-UNK	RC: UNK	NANO: No	ROLE: Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: The manufacturer does not allow disclosure of the ingredients because the combination of ingredients is proprietary.

STEEL GALVANNEAL

%: 0.00 - 100.00

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES CONSIDERED: No
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities not considered. Only intentionally added ingredients are detailed in this HPD.	
OTHER MATERIAL NOTES: Galvanneal steel is more corrosion resistant option and is an alternative to standard steel. All steel vision lites are then powder coated.	

IRON ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-11-08		
%: 90.00 - 99.00	GS: LT-P1	RC: PostC	NANO: No	ROLE: Main element
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		

SUBSTANCE NOTES: Ingredient of galvanneal steel.

3003-H14 ALUMINUM ID: 7429-90-5

%: **0.10 - 10.50**GS: **LT-P1**RC: **UNK**NANO: **No**ROLE: **Alloying element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H228 - Flammable solid
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: **Ingredient in galvanized steel.****NICKEL**ID: **7440-02-0**%: **0.10 - 9.70**GS: **LT-1**RC: **UNK**NANO: **No**ROLE: **Alloying element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES: **Ingredient in galvanized steel.**

CARBON

ID: 7440-44-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-11-08**%: **0.10 - 5.50**GS: **LT-UNK**RC: **UNK**NANO: **No**ROLE: **Alloying element**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Ingredient in galvanized steel.****MOLYBDENUM**

ID: 7439-98-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-11-08**%: **0.10 - 5.00**GS: **LT-UNK**RC: **UNK**NANO: **No**ROLE: **Alloying element**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Ingredient in galvanized steel.****MANGANESE**

ID: 7439-96-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-11-08**%: **0.10 - 4.50**GS: **LT-P1**RC: **UNK**NANO: **No**ROLE: **Alloying element**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

REPRODUCTIVE

GHS - Japan

Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES: **Ingredient used in manufacture of galvanized steel.****TIN**

ID: 7440-31-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-11-08**%: **0.10 - 3.50**GS: **LT-UNK**RC: **UNK**NANO: **No**ROLE: **Alloying element**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Ingredient used in manufacture of galvanized steel.**

CHROMIUM

ID: 7440-47-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-11-08**%: **0.10 - 3.00**GS: **LT-P1**RC: **UNK**NANO: **No**ROLE: **Alloying element**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY**AOEC - Asthmagens****Asthmagen (Rs) - sensitizer-induced****ENDOCRINE****TEDX - Potential Endocrine Disruptors****Potential Endocrine Disruptor****SKIN SENSITIZE****MAK****Sensitizing Substance Sh - Danger of skin sensitization**SUBSTANCE NOTES: **Ingredient used in manufacture of galvanneal steel.****COPPER**

ID: 7440-50-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-11-08**%: **0.10 - 3.00**GS: **LT-UNK**RC: **UNK**NANO: **No**ROLE: **Alloying element**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found**No warnings found on HPD Priority Hazard Lists**SUBSTANCE NOTES: **Ingredient used in manufacture of galvanneal steel.****SILICON**

ID: 7440-21-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-11-08**%: **0.10 - 2.00**GS: **LT-UNK**RC: **UNK**NANO: **No**ROLE: **Alloying element**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found**No warnings found on HPD Priority Hazard Lists**SUBSTANCE NOTES: **Ingredient used in manufacture of galvanneal steel.**

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method - Not tested

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-**

EXPIRY DATE: **2022-**

CERTIFIER OR LAB: **None**

APPLICABLE FACILITIES: **All**

11-08

11-08

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **No liquid paint product is used in the manufacture of vision lites. Finish is powder coat electrostatically applied and baked on for a durable long lasting finish.**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

SCREWS

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Depending on the vision lite model the appropriate screws will be included. For steel vision lites, steel screws are sent. For stainless steel vision lites stainless steel screws are included. Steel screws are powder coat painted to match vision lites.

Section 5: General Notes

This HPD covers all steel, galvanized, and stainless steel vision lites and PAK's manufactured by Activar Construction Products Group - Air Louvers. Included in this HPD are a few standard options for glazing both fire-rated and non-rated. Final assembly locations include: Minneapolis, MN and Commerce, CA. This product can be used to meet LEED v4 points for MR Credit: Building Product Disclosure and Optimization - Material Ingredients - Option 1. All ingredients have been screened against the Living Building Challenge Red List and is found to be Red List Free. Note: The undisclosed ingredients of the powder coat paint have also been screened and are confirmed Red List Free. Please contact us for more information if you are looking to meet LEED or LBC.



MANUFACTURER INFORMATION

MANUFACTURER: Activar Construction Products Group
ADDRESS: 4450 West 78th Street Circle
Minneapolis Minnesota 55435, United States
WEBSITE: www.activarcpg.com/

CONTACT NAME: Kathrine Barrett
TITLE: Market Analyst/Specifications Engineer
PHONE: 9528381912
EMAIL: khbarrett@activarpdt.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.