

CLASSIFICATION: 12 56 00 Institutional Furniture

PRODUCT DESCRIPTION: Symbiote's 4-Legged Table has 14" of height adjustability and carries a static load capacity of 1000 lbs. The table has the option of being on casters or glides and is available in a variety of sizes.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Per OSHA MSDS
 Other

Residuals/Impurities

Residuals/Impurities
Considered in 0 of 8 Materials

Explanation(s) provided
for Residuals/Impurities?
 Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances except SC substances characterized according to SC guidance.

Screened Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.

Identified Yes Ex/SC Yes No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

SIDE TUBE, FLT, 24" DEEP/WELDMENT, LEG FRAME, FLT, 72"/GUSSET, INNER, FLT/WELDMENT, INNER LEG, FLT [UNS G10080 CARBON OR STEEL ALLOY NoGS UNS G10100 CARBON OR STEEL ALLOY NoGS] ULTRA SURFACE, STANDARD LAMINATE, SQUARE EDGE, 24"DX 72"W [SC:WOOD Not Screened CELLULOSE NoGS POLYMETHYLENE POLYPHENYL ISOCYANATE LT-UNK | RES | MUL | CAN PHENOL, POLYMER WITH FORMALDEHYDE LT-P1 | RES UNDISCLOSED BM-3dg UNDISCLOSED LT-P1 | RES POLYVINYL ACETATE LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END 1,3,5-TRIAZINE-2,4,6-TRIAMINE, POLYMER WITH FORMALDEHYDE LT-UNK UREA, POLYMER WITH FORMALDEHYDE LT-P1 | RES PARAFFIN LT-UNK] GLIDE, VIBRATION DAMPING, 3" DIA., 1/2-13X 2" STUD [STEEL NoGS CARBON BLACK LT-1 | CAN POLYCHLOROPRENE LT-UNK] WELDMENT SIDE SUPPORT FLT TUBE [IRON LT-P1 | END] GLIDE, 1/2-13X2" MIN STEM LENGTH, 1-3/4" DIA, CHROME OR ZINC POLY BASE [UNS G10080 CARBON OR STEEL ALLOY NoGS] SCREW, 5/16-18 X 3/4" SK BH CS ZN/SCREW, #10-12 X 3/4" PH PH SMS BK [IRON LT-P1 | END] POWDER COAT FINISH SOFT WHITE HYBRID [TITANIUM DIOXIDE LT-1 | CAN | END] WELDMENT SIDE SUPPORT FLT BASE [IRON LT-P1 | END]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: BiologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

This HPD represents a representative configuration of 4-Legged Table.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method – Not tested

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

Yes

No

PREPARER: **Self-Prepared**

VERIFIER:

VERIFICATION #:

SCREENING DATE: **2019-11-15**

PUBLISHED DATE: **2019-11-27**

EXPIRY DATE: **2022-11-15**



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

SIDE TUBE, FLT, 24" DEEP/WELDMENT, LEG FRAME, FLT, 72"/GUSSET, INNER, FLT/WELDMENT, INNER LEG, FLT

#: 50.00 - 55.00

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES
CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities not considered. Only intentionally added ingredients are presented.

OTHER MATERIAL NOTES:

UNS G10080 CARBON OR STEEL ALLOY

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-11-15

#: 0.00 - 100.00

GS: NoGS

RC: UNK

NANO: No

ROLE: Components

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is an alternate to UNS G10100 Steel.

Due to the commodity nature of steel, most commercially available steel contains some amount of recycled content. The exact percentage will likely change due to market conditions.

UNS G10100 CARBON OR STEEL ALLOY

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-11-15

#: 0.00 - 100.00

GS: NoGS

RC: UNK

NANO: No

ROLE: Components

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is an alternate to UNS G10080 Steel.

Due to the commodity nature of steel, most commercially available steel contains some amount of recycled content. The exact percentage will likely change due to market conditions.

ULTRA SURFACE, STANDARD LAMINATE, SQUARE EDGE, 24"DX 72"W

#: 40.00 - 45.00

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities not considered. Only intentionally added ingredients are presented.

OTHER MATERIAL NOTES:

SC:WOOD

ID: **SC:Bio**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-15**

%: **75.00 - 85.00** GS: **Not Screened** RC: **None** NANO: **No** ROLE: **Core**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23

Category: Tree-based materials

Identifier: Wood

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

The percent range presented is used to keep the proprietary nature of the formulation.

CELLULOSE

ID: **9004-34-6**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-15**

%: **5.00 - 10.00** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Tabletop**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent range presented is used to keep the proprietary nature of the formulation.

POLYMETHYLENE POLYPHENYL ISOCYANATE

ID: **9016-87-9**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-15**

%: **1.00 - 10.00** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Core**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G) - generally accepted
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
RESPIRATORY	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES: The percent range presented is used to keep the proprietary nature of the formulation.

PHENOL, POLYMER WITH FORMALDEHYDE

ID: 9003-35-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-11-15		
%: 1.00 - 5.00	GS: LT-P1	RC: None	NANO: No	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		

SUBSTANCE NOTES: The percent range presented is used to keep the proprietary nature of the formulation.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-11-15		
%: 0.10 - 5.00	GS: BM-3dg	RC: None	NANO: No	ROLE: Edgeband
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: The percent range presented is used to keep the proprietary nature of the formulation. Chemical name and CAS number withheld due to being proprietary information of the supplier.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-11-15		
%: 0.10 - 5.00	GS: LT-P1	RC: None	NANO: No	ROLE: Edgeband
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		

SUBSTANCE NOTES: The percent range presented is used to keep the proprietary nature of the formulation. Chemical name and CAS number withheld due to being proprietary information of the supplier.

POLYVINYL ACETATE

ID: 9003-20-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-15**

#: **0.10 - 1.00** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Adhesive**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent range presented is used to keep the proprietary nature of the formulation.

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-15**

#: **0.10 - 1.00** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Tabletop**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

CANCER

MAK

Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

CANCER

MAK

Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: The percent range presented is used to keep the proprietary nature of the formulation.

1,3,5-TRIAZINE-2,4,6-TRIAMINE, POLYMER WITH FORMALDEHYDE

ID: 9003-08-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-15**

#: **0.10 - 1.00** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Binder**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent range presented is used to keep the proprietary nature of the formulation.

UREA, POLYMER WITH FORMALDEHYDE

ID: 9011-05-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-15**

#: **0.10 - 1.00**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **Binder**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: **The percent range presented is used to keep the proprietary nature of the formulation.**

PARAFFIN

ID: **8002-74-2**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-15**

#: **0.00 - 1.00**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Tabletop**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **The percent range presented is used to keep the proprietary nature of the formulation.**

GLIDE, VIBRATION DAMPING, 3" DIA., 1/2-13X 2" STUD

#: **0.00 - 5.00**

PRODUCT THRESHOLD: **1000 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **No**

RESIDUALS AND IMPURITIES NOTES: **Residuals and Impurities not considered. Only intentionally added ingredients are presented.**

OTHER MATERIAL NOTES:

STEEL

ID: 12597-69-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-11-15**%: **85.00 - 90.00**GS: **NoGS**RC: **UNK**NANO: **No**ROLE: **Component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Due to the commodity nature of steel, most commercially available steel contains some amount of recycled content. The exact percentage will likely change due to market conditions.

CARBON BLACK

ID: 1333-86-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-11-15**%: **1.00 - 15.00**GS: **LT-1**RC: **None**NANO: **No**ROLE: **Colorant**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

CANCER

MAK

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: The percent range presented is used to keep the proprietary nature of the formulation.

POLYCHLOROPRENE

ID: 9010-98-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-11-15**%: **1.00 - 15.00**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent range presented is used to keep the proprietary nature of the formulation.

WELDMENT SIDE SUPPORT FLT TUBE%: **0.00 - 5.00**PRODUCT THRESHOLD: **1000 ppm**RESIDUALS AND IMPURITIES CONSIDERED: **No**

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities not considered. Only intentionally added ingredients are presented.

OTHER MATERIAL NOTES:

IRON

ID: 7439-89-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-15**

#: **95.00 - 100.00**

GS: **LT-P1**

RC: **UNK**

NANO: **No**

ROLE: **Alloy Ingredient**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: Due to the commodity nature of steel, most commercially available steel contains some amount of recycled content. The exact percentage will likely change due to market conditions.

GLIDE, 1/2-13X2" MIN STEM LENGTH, 1-3/4" DIA, CHROME OR ZINC POLY BASE

#: **0.00 - 1.00**

PRODUCT THRESHOLD: **1000 ppm**

RESIDUALS AND IMPURITIES CONSIDERED:

No

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities not considered. Only intentionally added ingredients are presented.

OTHER MATERIAL NOTES:

UNS G10080 CARBON OR STEEL ALLOY

ID: **Not registered**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-15**

#: **90.00 - 95.00**

GS: **NoGS**

RC: **UNK**

NANO: **No**

ROLE: **Component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Due to the commodity nature of steel, most commercially available steel contains some amount of recycled content. The exact percentage will likely change due to market conditions.

SCREW, 5/16-18 X 3/4" SK BH CS ZN/SCREW, #10-12 X 3/4" PH PH SMS BK

#: **0.00 - 1.00**

PRODUCT THRESHOLD: **1000 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **No**

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities not considered. Only intentionally added ingredients are presented.

OTHER MATERIAL NOTES:

IRON

ID: 7439-89-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-15**

#: **95.00 - 100.00**

GS: **LT-P1**

RC: **UNK**

NANO: **No**

ROLE: **Alloy Ingredient**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Due to the commodity nature of steel, most commercially available steel contains some amount of recycled content. The exact percentage will likely change due to market conditions.

POWDER COAT FINISH SOFT WHITE HYBRID

#: **0.00 - 1.00**

PRODUCT THRESHOLD: **1000 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **No**

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities not considered. Only intentionally added ingredients are presented.

OTHER MATERIAL NOTES:

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-15**

#: **25.00 - 30.00**

GS: **LT-1**

RC: **None**

NANO: **No**

ROLE: **Finishes**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: The percent range presented is used to keep the proprietary nature of the formulation.

WELDMENT SIDE SUPPORT FLT BASE

#: **0.00 - 1.00**

PRODUCT THRESHOLD: **1000 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **No**

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities not considered. Only intentionally added ingredients are presented.

OTHER MATERIAL NOTES:

IRON

ID: 7439-89-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-15**

#: **95.00 - 100.00**

GS: **LT-P1**

RC: **UNK**

NANO: **No**

ROLE: **Alloy Ingredient**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: **Due to the commodity nature of steel, most commercially available steel contains some amount of recycled content. The exact percentage will likely change due to market conditions.**

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method – Not tested

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-**

EXPIRY DATE:

CERTIFIER OR LAB: **N/A**

APPLICABLE FACILITIES: **N/A**

11-27

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

This HPD represents a representative configuration of 4-Legged Table.



MANUFACTURER INFORMATION

MANUFACTURER: **Symbiote**
 ADDRESS: **300 N. Centennial Street**
Zeeland MI 49464, USA
 WEBSITE: <https://www.symbiote.com>

CONTACT NAME: **Lance Myers**
 TITLE: **Design Engineer**
 PHONE: **616-772-1790 x 122**
 EMAIL: lm Myers@symbiote.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.