

CLASSIFICATION: 12 51 00.00 FURNISHINGS: OFFICE FURNITURE

PRODUCT DESCRIPTION: VOTED THE BEST OFFICE ACCESSORY OF THE DECADE (BEST IN 10) AT INTERIOR DESIGN MAGAZINE'S 2015 BEST OF YEAR AWARDS, THE QUICKSTAND HEIGHT-ADJUSTABLE WORKSTATION RAISES THE BAR FOR EASE OF USE AND STABILITY AMONG SIT/STAND PRODUCTS. QUICKSTAND SEAMLESSLY TRANSFORMS ANY FIXED-HEIGHT DESK INTO AN ACTIVE ONE, PROMOTING COLLABORATION AND WELL-BEING IN THE WORKPLACE. WITH WEIGHTLESS OPERATION AND A PLUG-AND-PLAY CABLE MANAGEMENT SYSTEM, QUICKSTAND NEATLY ATTACHES TO THE BACK OF ANY WORK SURFACE, PLACING THE SCREEN AND KEYBOARD IN AN ERGONOMICALLY CORRECT POSITION FOR THE USER.

Section 1: Summary

CONTENT INVENTORY

| | | | | |
|--|--|---|-----------------------|----------------------------------|
| Threshold per material | Residuals and impurities considered in 4 of 12 materials | Characterized..... | <input type="radio"/> | <input checked="" type="radio"/> |
| <input checked="" type="radio"/> 100 ppm | <input checked="" type="radio"/> see Section 2: | Are the Percent Weight and Role provided for all substances? | Yes | No |
| <input checked="" type="radio"/> 1,000 ppm | Material Notes | Screened..... | <input type="radio"/> | <input checked="" type="radio"/> |
| <input type="radio"/> Per GHS SDS | <input checked="" type="radio"/> see Section 5: | Are all substances screened using Priority Hazard Lists with results disclosed? | Yes | No |
| <input type="radio"/> Per OSHA MSDS | General Notes | Identified..... | <input type="radio"/> | <input checked="" type="radio"/> |
| <input type="radio"/> Other | | Are all substances disclosed by Name (Specific or Generic) and Identifier? | Yes | No |

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

STEEL 6061 ALUMINUM ALUMINUM A380 UNDISCLOSED [ACRYLONITRILE-BUTADIENE-STYRENE COPOLYMER LT-UNK 1,2-BIS(OCTADECANAMIDO)ETHANE LT-UNK] IMC PALM SUPPORT BLACK [POLYURETHANE FOAMS LT-UNK CARBON BLACK LT-1 | CAN UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | MUL] PHENOLIC BOARD [KRAFT PAPER UNK PHENOL FORMALDEHYDE POLYMER HEXAMETHYLENETETRAMINE CROSS-LINKED UNK] UNDISCLOSED [1,3,5-TRIOXANE, POLYMER WITH 1,3-DIOXOLANE LT-UNK TITANIUM DIOXIDE LT-1 | CAN COBALT OXIDE LT-1 | MAM | SKI | AQU | RES | CAN | MUL | GEN IRON OXIDE LT-UNK] UNDISCLOSED [POLYETHYLENE LT-UNK 1,1'-AZOBIS(FORMAMIDE) LT-1 | RES CARBON BLACK LT-1 | CAN] ZINC PLATING UNDISCLOSED [NYLON 6 LT-UNK] UNDISCLOSED [NYLON 6,6 LT-UNK] COPPER

Number of Greenscreen BM-4/BM3 contents..... 0
Contents highest concern GreenScreen Benchmark or List translator Score..... LT-1
Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE

VOC emissions: Indoor Advantage Gold_Monitor Arm
Multi-attribute: Level_Quickstand

See Section 3 for additional listings.

| | | | |
|--|-----------------|----------------------------------|--|
| <input checked="" type="radio"/> Self-Published* | VERIFIER: | SCREENING DATE: February 7, 2017 | EXPIRY DATE*: February 7, 2020 |
| <input type="radio"/> Third Party Verified | VERIFICATION #: | RELEASE DATE: February 7, 2017 | * or within 3 months of significant change in product contents |
| *See HPDC website for details | | | |



Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

STEEL

%: 60.1600 - 60.1600

HPD URL:

Inventory Threshold: 100 ppm

Residuals Considered: No

Material Notes: Following grades of steel are used: AISI 1020, AISI Type A2 Tool Steel, SPCC, SGCC, C1045, SUS301, SK7 and etc.

6061 ALUMINUM

%: 20.4400 - 20.4400

HPD URL:

Inventory Threshold: 100 ppm

Residuals Considered: Yes

Material Notes: This is Aluminum alloy used for main post of this product. The surface has been treated for powder coating, so there is no residuals.

ALUMINUM A380

%: 8.1100 - 8.1100

HPD URL:

Inventory Threshold: 100 ppm

Residuals Considered: Yes

Material Notes: This is aluminum die cast for base and keyboard platform bracket. The surface has been treated for powder coating, so there is no residuals from this material.

UNDISCLOSED

%: 6.2400 - 6.2400

HPD URL:

Inventory Threshold: 100 ppm

Residuals Considered: No

Material Notes: The material is ABS. Residuals of this material are not considered due to limited information from the material supplier.

ACRYLONITRILE-BUTADIENE-STYRENE COPOLYMER

ID: 9003-56-9

%: 98.3000 - 99.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: base resin

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: main composition of the polymer

1,2-BIS(OCTADECANAMIDO)ETHANE

ID: 110-30-5

%: 1.5000 - 2.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Additive

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Additive

IMC PALM SUPPORT BLACK %: 1.4900 - 1.4900 HPD URL:

Inventory Threshold: 100 ppm

Residuals Considered: Yes

POLYURETHANE FOAMS

ID: 9009-54-5

%: 95.5000 - 99.0000 GS: LT-UNK RC: None NANO: NO ROLE: Main composition and Surface coating

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Main composition and Surface coating

CARBON BLACK

ID: 1333-86-4

%: 0.8000 - 1.3000 GS: LT-1 RC: None NANO: NO ROLE: Pigment

HAZARDS:

AGENCY(IES) WITH WARNINGS:

| | | |
|--------|-----------------------------------|--|
| CANCER | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CANCER | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| CANCER | IARC | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources |
| CANCER | MAK | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification |

SUBSTANCE NOTES: Pigment

UNDISCLOSED

%: 0.1000 - 0.3000 GS: LT-UNK RC: None NANO: NO ROLE: Stabilizer

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Stabilizer

UNDISCLOSED

%: 0.1000 - 0.2000 GS: LT-UNK RC: None NANO: NO ROLE: Catalyst

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Catalyst

UNDISCLOSED

%: 0.1000 - 0.2000 GS: LT-UNK RC: None NANO: NO ROLE: Catalyst

HAZARDS:

None Found

AGENCY(IES) WITH WARNINGS:

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Catalyst

UNDISCLOSED

%: 0.0100 - 0.0100 GS: LT-P1 RC: None NANO: NO ROLE: Stabilizer

HAZARDS:

MULTIPLE

German FEA - Substances Hazardous to Waters Class 2 - Hazard to Waters

AGENCY(IES) WITH WARNINGS:

SUBSTANCE NOTES: Stabilizer

PHENOLIC BOARD %: 1.3700 - 1.3700 HPD URL:

Inventory Threshold: 100 ppm Residuals Considered: No

Material Notes: Thermosetting HPL

KRAFT PAPER

ID:

%: 60.0000 - 70.0000 GS: UNK RC: None NANO: NO ROLE: Base material

HAZARDS:

None Found

AGENCY(IES) WITH WARNINGS:

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Base material

PHENOL FORMALDEHYDE POLYMER HEXAMETHYLENETETRAMINE CROSS-LINKED ID: 68585-23-9

%: 30.0000 - 40.0000 GS: UNK RC: None NANO: NO ROLE: Binding resin

HAZARDS:

None Found

AGENCY(IES) WITH WARNINGS:

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Binding resin

UNDISCLOSED

%: 0.8800 - 0.8800

HPD URL:

Inventory Threshold: 100 ppm

Residuals Considered: No

Material Notes: This material is POM. Residuals are not considered due to limited information disclosure from the material supplier.

1,3,5-TRIOXANE, POLYMER WITH 1,3-DIOXOLANE

ID: 24969-26-4

%: 95.0000 - 99.5000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Base Resin

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Base Resin

TITANIUM DIOXIDE

ID: 13463-67-7

%: 2.0000 - 5.0000

GS: LT-1

RC: None

NANO: NO

ROLE: Pigment

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

CANCER

MAK

Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SUBSTANCE NOTES: Pigment

COBALT OXIDE

ID: 1307-96-6

%: 0.1000 - 0.1000

GS: LT-1

RC: None

NANO: NO

ROLE: Pigment

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

MAMMALIAN

EU - R-phrases

R22 - Harmful if Swallowed

SKIN SENSITIZE

EU - R-phrases

R43 - May cause sensitization by skin contact

ACUTE AQUATIC

EU - R-phrases

R50 - Very Toxic to Aquatic Organisms

RESPIRATORY

AOEC - Asthmagens

Asthmagen (G) - generally accepted

CANCER

CA EPA - Prop 65

Carcinogen

CHRON AQUATIC

EU - GHS (H-Statements)

H410 - Very toxic to aquatic life with long lasting effects

| | | |
|----------------|---|---|
| ACUTE AQUATIC | EU - GHS (H-Statements) | H400 - Very toxic to aquatic life M = 10 |
| MULTIPLE | German FEA - Substances Hazardous to Waters | Class 3 - Severe Hazard to Waters |
| CANCER | MAK | Carcinogen Group 2 - Considered to be carcinogenic for man |
| RESPIRATORY | MAK | Sensitizing Substance Sah - Danger of airway & skin sensitization |
| GENE MUTATION | MAK | Germ Cell Mutagen 3a |
| SKIN SENSITIZE | EU - GHS (H-Statements) | H317 - May cause an allergic skin reaction |

SUBSTANCE NOTES: Pigment

IRON OXIDE

ID: 1332-37-2

| | | | | |
|--------------------|------------|----------|----------|---------------|
| %: 0.0500 - 0.0500 | GS: LT-UNK | RC: None | NANO: NO | ROLE: Pigment |
|--------------------|------------|----------|----------|---------------|

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Pigment

UNDISCLOSED

%: 0.5100 - 0.5100 HPD URL:

Inventory Threshold: 1000 ppm Residuals Considered: No

Material Notes: Pad on the keyboard

POLYETHYLENE

ID: 9002-88-4

| | | | | |
|----------------------|------------|----------|----------|------------------|
| %: 80.0000 - 80.0000 | GS: LT-UNK | RC: None | NANO: NO | ROLE: base resin |
|----------------------|------------|----------|----------|------------------|

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Base resin

1,1'-AZOBIS(FORMAMIDE)

ID: 123-77-3

| | | | | |
|----------------------|----------|----------|----------|---------------------|
| %: 10.0000 - 10.0000 | GS: LT-1 | RC: None | NANO: NO | ROLE: Foaming agent |
|----------------------|----------|----------|----------|---------------------|

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY

EU - R-phrases

R42 - May cause sensitization by inhalation

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Foaming agent

CARBON BLACK

ID: 1333-86-4

%: 2.0000 - 2.0000

GS: LT-1

RC: None

NANO: NO

ROLE: Pigment

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

CANCER

MAK

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Pigment

ZINC PLATING

%: 0.1300 - 0.1300 HPD URL:

Inventory Threshold: 100 ppm Residuals Considered: No

Material Notes: RoHS compliant Zinc plating

UNDISCLOSED

%: 0.0700 - 0.0700 HPD URL:

Inventory Threshold: 100 ppm Residuals Considered: No

Material Notes: Woven Nylon for cable jacket

NYLON 6

ID: 25038-54-4

%: 100.0000 - 100.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: base resin

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Base resin for the cable jacket

UNDISCLOSED

%: 0.0300 - 0.0300 HPD URL:

Inventory Threshold: 1000 ppm Residuals Considered: No

Material Notes: Washer and Spring holder

NYLON 6,6

ID: 32131-17-2

%: 97.0000 - 99.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Base resin

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Base resin

COPPER%: **0.0100 - 0.0100** HPD URL:

Inventory Threshold: 100 ppm Residuals Considered: Yes

Material Notes: Rope End Clamp

**Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Piscataway, NJ

CERTIFICATE URL:

http://www.humanscale.com/UserFiles/File/SCS_QuickStand_QuickStandLite_2016-17.pdf

CERTIFICATION AND COMPLIANCE NOTES:

Indoor Advantage Gold_Monitor Arm

| ISSUE DATE: | EXPIRY DATE: | CERTIFIER OR LAB: |
|-------------|--------------|-------------------|
| 2016-11-01 | 2017-10-31 | Global Services |

MULTI-ATTRIBUTE

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Piscataway, NJ

CERTIFICATE URL:

http://www.humanscale.com/UserFiles/File/level_quickstand_2015-18.pdf

CERTIFICATION AND COMPLIANCE NOTES:

Level_Quickstand

| ISSUE DATE: | EXPIRY DATE: | CERTIFIER OR LAB: |
|-------------|--------------|---------------------|
| 2015-11-01 | 2018-10-31 | SCS Global Services |

**Section 4: Accessories**

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

**Section 5: General Notes**

This HPD only covers QuickStand without Monitor Cable Set. Cable HPD information will be updated soon.



MANUFACTURER INFORMATION

MANUFACTURER: Humanscale

CONTACT NAME: Luke Zhou

ADDRESS: 220 Circle Drive N.
Piscataway, New Jersey 08854
USA

TITLE: Lead Sustainable Materials Specialist

PHONE: 7325372944 x 1276

WEBSITE: <https://www.humanscale.com/products/quickstand-configurator.cfm>

EMAIL: lzhou@humanscale.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

GLO Global warming

PHY Physical Hazard (reactive)

CAN Cancer

MAM Mammalian/systemic/organ toxicity

REP Reproductive toxicity

DEV Developmental toxicity

MUL Multiple hazards

RES Respiratory sensitization

END Endocrine activity

NEU Neurotoxicity

SKI Skin sensitization/irritation/corrosivity

EYE Eye irritation/corrosivity

OZO Ozone depletion

LAN Land Toxicity

GEN Gene mutation

PBT Persistent Bioaccumulative Toxic

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

LT-P1 List Translator Possible Benchmark 1

BM-3 Benchmark 3 (use but still opportunity for improvement) **BM-2** Benchmark 2 (use but search for safer substitutes)

LT-1 List Translator Likely Benchmark 1

BM-1 Benchmark 1 (avoid - chemical of high concern)

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

BM-U Benchmark Unspecified (insufficient data to benchmark)

UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party)

Independent Lab Manufacturer's self-declaration using results from an independent lab

Second Party Verification by trade association or other interested party

Third Party Verification by independent certifier

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.