

CLASSIFICATION: 057000

PRODUCT DESCRIPTION: Laminated decorative aluminum sheet. Aluminum sheet typically between gauges of .025"-.125" of AA3003/3105 alloy clad with thin decorative layer for use in non-load bearing decorative applications such as ceilings, wall panels, acoustic panels, kiosks, interior architectural shapes, signage, displays, etc.

## Section 1: Summary

## Nested Method / Material Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

#### Threshold Disclosed Per

- Material  
 Product

#### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Per OSHA MSDS  
 Other

#### Residuals/Impurities

Residuals/Impurities  
Considered in 3 of 3 Materials

Explanation(s) provided  
for Residuals/Impurities?

- Yes  No

All Substances Above the Threshold Indicated Are:

**Characterized**  Yes Ex/SC  Yes  No  
% weight and role provided for all substances.

**Screened**  Yes Ex/SC  Yes  No  
All substances screened using Priority Hazard Lists with  
results disclosed.

**Identified**  Yes Ex/SC  Yes  No  
All substances disclosed by Name (Specific or Generic) and  
Identifier.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL** | **SUBSTANCE** | *RESIDUAL OR IMPURITY*

**GREENSCREEN SCORE** | **HAZARD TYPE**

**ALUMINUM COMPOSITE MATERIAL (ACM)** [ **POLYETHYLENE TEREPHTHALATE GLYCOL (PETG)** NoGS **ALUMINUM** NoGS ]  
**DECORATIVE FILM LAYER** [ **POLYVINYL CHLORIDE (PVC)** LT-P1 | RES ]  
**PUR ADHESIVE LAYER** [ **POLYURETHANE** LT-P1 ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen  
Benchmark or List translator Score ... LT-P1  
Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: VOC Emissions Free  
VOC content: VOC Free  
Recycled content: Recycled Aluminum  
Formaldehyde content: Formaldehyde Free

#### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes  
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-02-11

PUBLISHED DATE: 2020-02-11

EXPIRY DATE: 2023-02-11



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-1-standard](http://www.hpd-collaborative.org/hpd-2-1-1-standard)

### ALUMINUM COMPOSITE MATERIAL (ACM)

#: 95.00 - 99.00

MATERIAL THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: ACM product does not generally contain impurities or residuals. Manufacturing scrap is reclaimed and reextruded

OTHER MATERIAL NOTES: .3mm Aluminum sheet thermally bonded to each side of PETG core standard

### POLYETHYLENE TEREPHTHALATE GLYCOL (PETG)

ID: 25640-14-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-02-11

#: 50.00 - 70.00

GS: NoGS

RC: PreC

NANO: No

ROLE: Separator Layer in Panel Construction

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: PETG core thickness dependent on overall panel thickness

### ALUMINUM

ID: 91728-14-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-02-11

#: 1.00 - 7.00

GS: NoGS

RC: Both

NANO: No

ROLE: Stiffener in substrate layer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Aluminum AA3003/3105 is highly recycled and recyclable alloy.

### DECORATIVE FILM LAYER

#: 0.01 - 4.50

MATERIAL THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Dry decorative film residual side trim returned to recycle stream to be rerolled

OTHER MATERIAL NOTES: Dry printed film 5mil total thickness - semi rigid non-plasticized

**POLYVINYL CHLORIDE (PVC)**

ID: 9002-86-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-02-11**

#: **1.00 - 5.00**

GS: **LT-P1**

RC: **Both**

NANO: **No**

ROLE: **Decorative print layer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**RESPIRATORY**

**AOEC - Asthmagens**

**Asthmagen (Rs) - sensitizer-induced**

SUBSTANCE NOTES: **5 mil Printed Decorative Layer**

**PUR ADHESIVE LAYER**

#: **0.01 - 0.02**

MATERIAL THRESHOLD: **1000 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

RESIDUALS AND IMPURITIES NOTES: **Though applied at very low temp. minor isocyanate venting required during lamination**

OTHER MATERIAL NOTES: **100% Solid PU adhesive - No Voc**

**POLYURETHANE**

ID: 64440-88-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-02-11**

#: **0.01 - 0.02**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **Bonding agent**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**None found**

**No warnings found on HPD Priority Hazard Lists**

SUBSTANCE NOTES: **Low temp thermally setting PUR adhesive**

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

#### VOC Emissions Free

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **0008-**

EXPIRY DATE:

CERTIFIER OR LAB: **None**

APPLICABLE FACILITIES: **All**

**03-09**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **UltraGrain does not use any VOC containing or emitting components.**

### VOC CONTENT

#### VOC Free

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **0008-**

EXPIRY DATE:

CERTIFIER OR LAB: **None**

APPLICABLE FACILITIES: **All**

**12-12**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **UltraGrain does not contain or use any VOC containing compounds in either the manufacturing process or product.**

### RECYCLED CONTENT

#### Recycled Aluminum

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **0008-**

EXPIRY DATE:

CERTIFIER OR LAB: **None**

APPLICABLE FACILITIES: **All**

**12-20**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **UltraGrain is based on AA3003/3105 recycled alloy aluminum with general total recycled content of 80+% with 55-60% post consumer content. Varies by lot/mill.**

### FORMALDEHYDE CONTENT

#### Formaldehyde Free

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **0003-**

EXPIRY DATE:

CERTIFIER OR LAB: **None**

APPLICABLE FACILITIES: **All**

**12-09**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **UltraGrain does not contain natural forming or added formaldehyde.**

### OTHER

#### Rainforest Alliance / IUCN Listed Species Free

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **0006-**

EXPIRY DATE:

CERTIFIER OR LAB: **None**

APPLICABLE FACILITIES: **All**

**04-10**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **UltraGrain does not contain any Rainforest Alliance or IUCN listed woods. The print layer mimics the look and feel of these species without deforestation and associated wastes involved with real wood veneers.**

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or*

*fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

UltraGrain Aluminum Series laminates are designed to work as a greener alternative to using real wood veneer and other natural materials that require disruption to earth and environment. UltraGrain is pre-decorated aluminum replicating the look and feel of real wood veneer and other natural materials without the problems associated with deforestation, quarry waste, exotic wood rainforest loss etc.



## MANUFACTURER INFORMATION

MANUFACTURER: **Deco Technologies Inc.**  
 ADDRESS: **1700 Northridge Drive**  
**Walker MI 49544, USA**  
 WEBSITE: **decotechnologiesinc.com**

CONTACT NAME: **Shannon Near**  
 TITLE: **Product Development**  
 PHONE: **001-866-757-9845**  
 EMAIL: **info@decotechnologiesinc.com**

## KEY

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet  
**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

<b>AQU</b> Aquatic toxicity	<b>GLO</b> Global warming	<b>PHY</b> Physical Hazard (reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive toxicity
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple hazards	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>OZO</b> Ozone depletion	<b>LAN</b> Land Toxicity
<b>GEN</b> Gene mutation	<b>PBT</b> Persistent Bioaccumulative Toxic	<b>NF</b> Not found on Priority Hazard Lists

### GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible Benchmark 1
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator Likely Benchmark 1
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> Unknown (no data on List Translator Lists)
<b>BM-U</b> Benchmark Unspecified (insufficient data to benchmark)	

### Recycled Types

**PreC** Preconsumer (Post-Industrial)  
**PostC** Postconsumer  
**Both** Both Preconsumer and Postconsumer  
**Unk** Inclusion of recycled content is unknown  
**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*