Fire Rated Foam by Inpro

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 07 95 13

PRODUCT DESCRIPTION: Provides a 2-hour or 3-hour fire rating in accordance with UL-2079 Floor to Floor or Wall to Wall Floor to Wall or Wall to Corner 990 System +- 25% movement rating 995 System +- 50% movement rating

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- C Basic Method
- **Threshold Disclosed Per**
- C Material
- Product

Threshold level
 100 ppm

C 1,000 ppm

C Other

C Per GHS SDS

C Per OSHA MSDS

Residuals/Impurities

Residuals/Impurities Considered in 1 of 1 Materials

Explanation(s) provided for Residuals/Impurities?

All Substances Above the Threshold Indicated Are:

 Characterized
 O Yes Ex/SC • Yes O No

 % weight and role provided for all substances.

Screened O Yes Ex/SC O Yes O No All substances screened using Priority Hazard Lists with results disclosed.

Identified O Yes Ex/SC O Yes O No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

FIRE RATED ROAM [UNDISCLOSED LT-UNK UNDISCLOSED BM-2 UNDISCLOSED BM-3 UNDISCLOSED NoGS UNDISCLOSED LT-UNK | CAN UNDISCLOSED BM-1 | CAN UNDISCLOSED LT-UNK]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 1 Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1 Nanomaterial ... No INVENTORY AND SCREENING NOTES: None

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: Inherently non- emitting source per LEED®

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes

No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-04-21 PUBLISHED DATE: 2020-04-22 EXPIRY DATE: 2023-04-21 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

IRE RATED ROAM					
RODUCT THRESHOLD: 100	UCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes				
ESIDUALS AND IMPURITIES N	OTES: Residuals and Impurities were	e considered in this m	aterial		
THER MATERIAL NOTES:					
UNDISCLOSED					
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZ	ARD SCREENI	NG DATE: 2020-	04-21
%: 40.00	GS: LT-UNK	RC:	None	NANO: NO	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warning	gs found on HP	PD Priority Hazard List
SUBSTANCE NOTES: Propri	etary according to supplier request				
UNDISCLOSED					
UNDISCLOSED	Dhaves Chemical and Materials Library			2020 04 2	4
	Pharos Chemical and Materials Library	HAZARD S	CREENING DA	TE: 2020-04-2	1
	Pharos Chemical and Materials Library GS: BM-2	HAZARD S RC: NON		te: 2020-04-2 Nano: No	1 ROLE: Filler
HAZARD SCREENING METHOD:					
HAZARD SCREENING METHOD: %: 10.00 - 60.00	GS: BM-2	RC: Non	9 1	NANO: No	
HAZARD SCREENING METHOD: %: 10.00 - 60.00 HAZARD TYPE None found	GS: BM-2	RC: Non	9 1	NANO: No	ROLE: Filler
HAZARD SCREENING METHOD: %: 10.00 - 60.00 HAZARD TYPE None found	GS: BM-2 AGENCY AND LIST TITLES	RC: Non	9 1	NANO: No	ROLE: Filler
HAZARD SCREENING METHOD: %: 10.00 - 60.00 HAZARD TYPE None found	GS: BM-2 AGENCY AND LIST TITLES	RC: Non	9 1	NANO: No	ROLE: Filler
HAZARD SCREENING METHOD: %: 10.00 - 60.00 HAZARD TYPE None found SUBSTANCE NOTES: Proprie	GS: BM-2 AGENCY AND LIST TITLES	RC: Non	e r	NANO: No gs found on HP	ROLE: Filler
HAZARD SCREENING METHOD: %: 10.00 - 60.00 HAZARD TYPE None found SUBSTANCE NOTES: Proprie	GS: BM-2 AGENCY AND LIST TITLES etary according to supplier request	RC: NON	e r	gs found on HP	ROLE: Filler
HAZARD SCREENING METHOD: %: 10.00 - 60.00 HAZARD TYPE None found SUBSTANCE NOTES: Proprie UNDISCLOSED HAZARD SCREENING METHOD:	GS: BM-2 AGENCY AND LIST TITLES etary according to supplier request Pharos Chemical and Materials Library	RC: NON WARNINGS HAZARD SCREENI	No warning	gs found on HP	ROLE: Filler

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-21			
%: 5.00 - 45.00	GS: NoGS	RC: None	NANO: No	ROLE: Defoamer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No	warnings found on	HPD Priority Hazard Lists	

SUBSTANCE NOTES: Proprietary according to supplier request

UNDISCLOSED

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS	HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-04-21			
	%: 5.00 - 40.00	GS: LT-UNK	RC: None	NANO: NO	ROLE: Dispersant		
CANCER MAK Carcinogen Group 4 - Non-genotoxic carcinogen wit	HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
risk under MAK/BAT levels	CANCER	МАК	-	Carcinogen Group 4 - Non-genotoxic carcinogen with lov risk under MAK/BAT levels			

SUBSTANCE NOTES: Proprietary according to supplier request

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-04-21		
%: 5.00 - 20.00	GS: BM-1	RC: None	NANO: No	ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	US CDC - Occupational Carcinogens	Occupational	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure ro		al form or exposure route	
CANCER	IARC	Group 2B - Po occupational		ic to humans - inhaled from	
CANCER	МАК	-	roup 3B - Evidence ent for classification	e of carcinogenic effects on	

SUBSTANCE NOTES: Proprietary according to supplier request

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

%: 5.00 - 20.00	GS: LT-UNK	RC: None	NANO: NO	ROLE: Polyurethane Foam
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	5	
None found			No warnin	gs found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Propri	etary according to supplier request			

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Inherently non- er	Inherently non- emitting source per LEED®			
CERTIFYING PARTY: Self-declared Applicable facilities: All CERTIFICATE URL:	ISSUE DATE: 2020- 04-21	EXPIRY DATE:	CERTIFIER OR LAB: NA		
CERTIFICATION AND COMPLIANCE NOTES:					

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available. No accessories are required for this product.

Section 5: General Notes

No general notes for this product

MANUFACTURER INFORMATION

MANUFACTURER: Inpro ADDRESS: s80 w18766 Apollo Dr Muskego Wisconsin 53150, United States WEBSITE: www.inprocorp.com CONTACT NAME: Laura Loucks TITLE: Sustainability Specialist PHONE: 262-222-5556 EMAIL: laloucks@inprocorp.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)