G2 BioBlend 170 Flush Mount Corner Guard in Designer White by Inpro

CLASSIFICATION: 10 26 00

PRODUCT DESCRIPTION: Offer minimum design interruption by creating a smooth transition from wall to corner. Achieve a finished look for less than ceiling height installations with available closure caps. Non-PVC cover is manufactured with G2 BioBlend Inpro's exclusive reformulated PETG made with a corn-based biopolymer.

Section 1: Summary

CONTENT INVENTORY

Inventory Reporting Format Nested Materials Method C Basic Method

Threshold Disclosed Per

Material C Product 🖸 100 ppm C 1.000 ppm C Per GHS SDS C Per OSHA MSDS C Other

Threshold level

Residuals/Impurities Residuals/Impurities Considered in 4 of 4 Materials

ation(s) provid for Residuals/Impurities? • Yes • No

Nested Method / Material Threshold

All Substances Above the Threshold Indicated Are:

Characterized	○ Yes Ex/SC ⊙ Yes ○ No
% weight and role provided for all substances.	
Screened	O Yes Ex/SC O Yes O No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

Number of Greenscreen BM-4/BM3 contents ... 0 Contents highest concern GreenScree

Benchmark or List translator Score ... BM-1

INVENTORY AND SCREENING NOTES:

Nanomaterial ... No

None

○ Yes Ex/SC ○ Yes ⊙ No One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

GREENSCREEN SCORE | HAZARD TYPE ALUMINUM [ALUMINUM LT-PI | RES | PHY | END HEAVY NORMAL PARAFFINS (PETROLEUM) LT-UNK SILCON LT-UNK IRON LT-PI | END ZINC LT-PI | AQU | PHY | END | MUL MAGNESIUM LT-UNK | PHY COPPER LT-UNK MANGANESE LT-PI | END | MUL | REP TIN LT-UNK BISMUTH LT-UNK] G2 BIOBLEND RESIN [POLVETHYLENE TEREPHTHALATE GLYCOL (PETG) NGGS UNDISCLOSED NGGS UNDISCLOSED NGGS] FIRE RETARDANT [UNDISCLOSED NGGS UNDISCLOSED BM-1] G2 DESIGNER WHITE PIGMENT [POLVETHYLENE TEREPHTHALATE GLYCOL (PETG) NGGS UNDISCLOSED LT-I | CAN | END UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-PI | MUL UNDISCLOSED LT-UNK]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: Greenguard Gold Multi-attribute: Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified? C Yes • No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #:

SCREENING DATE: 2017-08-29 PUBLISHED DATE: 2019-07-22 EXPIRY DATE: 2020-08-29

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

ALUMINUM		%: 78.48					
MATERIAL THRESHOLD: 100 ppm		RESIDUALS AND	MPURITIES CONS	dered: Yes			
RESIDUALS AND IMPURITIES NOTES: Residuals and im	purities were considered in this	s material					
OTHER MATERIAL NOTES: None							
ALUMINUM							ID: 7429-90-5
HAZARD SCREENING METHOD: Pharos Chemical and Ma	terials Library		HAZARD SCREENIN	IG DATE: 2017-0	8-29		
%: 99.40 - 99.40	GS: LT-P1		RC: None	NANO:	١o	ROLE: Aluminum Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES			WARNINGS			
RESPIRATORY	AOEC - Asthmagens			Asthmagen (R	s) - sensitizer-in	duced	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)			H228 - Flamma	able solid		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)			H250 - Catche	s fire spontaned	ously if exposed to air	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)			H261 - In conta	act with water re	eleases flammable gases	
ENDOCRINE	TEDX - Potential Endocrine Disruptors			Potential Endo	crine Disruptor		
SUBSTANCE NOTES: None							
1							
HEAVY NORMAL PARAFFINS (PETROLEUM)							ID: 64771-72-8
HAZARD SCREENING METHOD: Pharos Chemical and Ma	terials Library		HAZARD SC	REENING DATE: 2	017-08-29		
%: 1.00 - 1.00	gs: LT-UNK		RC: None	NA	ano: No	ROLE: Aluminum ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES			WARNINGS			
None found						No warnings found on HPD	Priority Hazard Lists
SUBSTANCE NOTES: None							
SILICON							ID: 7440-21-3
HAZARD SCREENING METHOD: Pharos Chemical and Ma	terials Library		HAZARD SC	REENING DATE: 2	017-08-29		
%: 1.00 - 1.00	GS: LT-UNK		RC: None	NA	ano: No	ROLE: Aluminum Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES			WARNINGS			
None found						No warnings found on HPD	Priority Hazard Lists
SUBSTANCE NOTES: None							
Obbitance Roles. Note							
IDON							- 7400 00 0
IRON HAZARD SCREENING METHOD: Pharos Chemical and Ma	toriala Libran:			NINO DATE 001	7-09-00		ID: 7439-89-6
HAZARD SCREENING METHOD: Pharos Chemical and Ma	GS: LT-P1		HAZARD SCREE	NING DATE: 2017		DOLE Aliminum Incredient	
			RC: NOTE		. 110	ROLE: Aluminum Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES			WARNINGS			
ENDOCRINE	TEDX - Potential Endocrine Disruptors			Potential Endo	crine Disruptor		
SUBSTANCE NOTES: None							

ZINC

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

ID: 7440-66-6

%: 1.00 - 1.00	GS: LT-P1	RC: None	NANO: NO	ROLE: Aluminum Ingredient		
%: 1.00 - 1.00	GS: LI-FI	RC: NOTE	NANO: NO	ROLE: Aluminum ingredient		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
ACUTE AQUATIC	EU - GHS (H-Statements)	EU - GHS (H-Statements)		life		
CHRON AQUATIC	EU - GHS (H-Statements)	EU - GHS (H-Statements) H410 - Ve		H410 - Very toxic to aquatic life with long lasting effects		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H250 - Catches fire spontane	eously if exposed to air		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H260 - In contact with water releases flammable gases which may ignite spontaneously			
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor			
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters			

HAZARD SCREENING DATE: 2017-08-29

SUBSTANCE NOTES: None

MAGNESIUM		ID: 7439-95-4
HAZARD SCREENING METHOD: Pharos Chemical an	d Materials Library	HAZARD SCREENING DATE: 2017-08-29
%: 1.00 - 1.00	GS: LT-UNK	RC: None NANO: NO ROLE: Aluminum Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously

SUBSTANCE NOTES: None

COPPER				ID: 7440-50-8	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DA	HAZARD SCREENING DATE: 2017-08-29		
%: 0.30 - 0.30	GS: LT-UNK	RC: None	NANO: NO	ROLE: Aluminum Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found				No warnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: None

MANGANESE ID: 7439-96-5 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2017-08-29 %: 0.20 - 0.20 GS: LT-P1 RC: None NANO: NO ROLE: Aluminum Ingredient HAZARD TYPE AGENCY AND LIST TITLES WARNINGS ENDOCRINE **TEDX - Potential Endocrine Disruptors** Potential Endocrine Disruptor German FEA - Substances Hazardous to Waters MULTIPLE Class 2 - Hazard to Waters REPRODUCTIVE Japan - GHS Toxic to reproduction - Category 1B

SUBSTANCE NOTES: None

TIN					ID: 7440-31-5
HAZARD SCREENING METHOD: Pharos Chemical and N	Aterials Library	HAZARD SCREENING I	DATE: 2017-08-29		
%: 0.10	GS: LT-UNK	RC: None	NANO: NO	ROLE: Aluminum ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found				No warnings found on HPD Priori	ty Hazard Lists

SUBSTANCE NOTES: None

BISMUTH					ID: 7440-69-9
HAZARD SCREENING METHOD: Pharos Chemical an	nd Materials Library	HAZARD	SCREENING DATE: 2017-08-	29	
%: 0.10	GS: LT-UNK	RC: NO	NANO: NO	ROLE: Aluminum Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	IGS		
None found				No warnings found on HPD Priority	Hazard Lists
SUBSTANCE NOTES: None					
G2 BIOBLEND RESIN		%: 17.53			
MATERIAL THRESHOLD: 100 ppm		RESIDUALS AND IMPURITIES CONSIDERED	: Yes		
RESIDUALS AND IMPURITIES NOTES: Residuals and	nd impurities were considered in this	smaterial			
OTHER MATERIAL NOTES: None					
POLYETHYLENE TEREPHTHALATE GLYCO	DL (PETG)			11	D: 25640-14-6
HAZARD SCREENING METHOD: Pharos Chemical an	nd Materials Library	HAZARD SCREENING D/	ATE: 2017-08-29		
%: 72.00 - 72.00	GS: NoGS	RC: None	NANO: NO	ROLE: Resin Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	IGS		
None found				No warnings found on HPD Priority	Hazard Lists
SUBSTANCE NOTES: None					
UNDISCLOSED					
HAZARD SCREENING METHOD: Pharos Chemical an	nd Materials Library	HAZARD SCREENING DA	ATE: 2017-08-29		
%: 14.90 - 14.90	gs: NoGS	RC: None	NANO: NO	ROLE: Resin Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNII	IGS		
None found				No warnings found on HPD Priority	Hazard Lists
SUBSTANCE NOTES: None					
_					
UNDISCLOSED					
UNDISCLOSED HAZARD SCREENING METHOD: Pharos Chemical an	nd Materials Library	HAZARD SCREENING D/	ATE: 2017-08-29		
	nd Materials Library GS: NoGS	HAZARD SCREENING D/ RC: None	ate: 2017-08-29 Nano: No	ROLE: Resin Ingredient	
HAZARD SCREENING METHOD: Pharos Chemical and			NANO: NO	ROLE: Resin Ingredient	
HAZARD SCREENING METHOD: Pharos Chemical an %: 13.00 - 13.00	GS: NoGS	RC: None	NANO: NO	ROLE: Resin Ingredient No warnings found on HPD Priority	Hazard Lists
HAZARD SCREENING METHOD: Pharos Chemical an %: 13.00 - 13.00 HAZARD TYPE	GS: NoGS	RC: None	NANO: NO		Hazard Lists
HAZARD SCREENING METHOD: Pharos Chemical an %: 13.00 - 13.00 HAZARD TYPE None found	GS: NoGS	RC: None	NANO: NO		Hazard Lists
HAZARD SCREENING METHOD: Pharos Chemical an %: 13.00 - 13.00 HAZARD TYPE None found	GS: NoGS	RC: None	NANO: NO		Hazard Lists
HAZARD SCREENING METHOD: Pharos Chemical an %: 13.00 - 13.00 HAZARD TYPE None found SUBSTANCE NOTES: Resin ingredient.	GS: NoGS	RC: None WARNI	NANO: No		Hazard Lists
HAZARD SCREENING METHOD: Pharos Chemical an %: 13.00 - 13.00 HAZARD TYPE None found SUBSTANCE NOTES: Resin ingredient.	GS: NOGS	RC: None WARNIN %: 2.18 RESIDUALS AND IMPURITIES CONSIDERED	NANO: No		Hazard Lists
HAZARD SCREENING METHOD: Pharos Chemical an %: 13.00 - 13.00 HAZARD TYPE None found SUBSTANCE NOTES: Resin ingredient. FIRE RETARDANT MATERIAL THRESHOLD: 100 ppm	GS: NOGS	RC: None WARNIN %: 2.18 RESIDUALS AND IMPURITIES CONSIDERED	NANO: No		Hazard Lists
HAZARD SCREENING METHOD: Pharos Chemical an %: 13.00 - 13.00 HAZARD TYPE None found SUBSTANCE NOTES: Resin ingredient. FIRE RETARDANT MATERIAL THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES NOTES: Residuals and	GS: NOGS	RC: None WARNIN %: 2.18 RESIDUALS AND IMPURITIES CONSIDERED	NANO: No		Hazard Lists

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DAT	E: 2017-08-29	
%: 90.00 - 90.00	GS: NoGS	RC: None	NANO: NO	ROLE: Fire Retardant Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	٧	VARNINGS	
None found				No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Proprietary based on supplier in				

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	HAZARD SCREENING DATE: 2017-08-29		
%: 25.00 - 25.00	GS: BM-1	RC: None	NANO: NO	ROLE: Fire Retardant Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found				No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Proprietary bas	sed on supplier information.				

¢	2 DESIGNER WHITE PIGMENT		%: 0.73 - 0.73	3			
N	IATERIAL THRESHOLD: 100 ppm		RESIDUALS AND IM	MPURITIES CONSIDER	ED: Yes		
R	ESIDUALS AND IMPURITIES NOTES: Residuals and in	purities were considered in this materia	al				
C	THER MATERIAL NOTES: None						
	POLYETHYLENE TEREPHTHALATE GLYCOL (PE	TG)					ID: Undisclosed
	HAZARD SCREENING METHOD: Pharos Chemical and Ma	aterials Library		HAZARD SCREENING DA	ITE: 2017-08-29		
	%: 63.50	GS: NoGS		RC: None	NANO: NO	ROLE: Pigment ingredient	
	HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
	None found					No warnings found on HPD Pr	iority Hazard Lists

SUBSTANCE NOTES: Residuals have been considered

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-29			
%: 35.10	GS: LT-1	RC: NO	one	NANO: NO	ROLE: Pigment Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen			
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route			rm or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational source			humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential End	locrine Disruptor	
CANCER	МАК	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to estab MAK/BAT value			carcinogenic effects but not sufficient to establish
CANCER	МАК	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT leve			c carcinogen with low risk under MAK/BAT levels
SUBSTANCE NOTES: None					

UNDISCLOSED

 HAZARD SCREENING METHOD:
 Pharos Chemical and Materials Library
 HAZARD SCREENING DATE:
 2017-08-29

 %:
 1.00
 GS: LT-UNK
 RC:
 None
 NaNO:
 No

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS None found No warnings found on HPD Priority Hazard Lists SUBSTANCE NOTES: None UNDISCLOSED HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2017-08-29 %: **0.20** GS: LT-UNK ROLE: Pigment ingredient RC: None NANO: NO HAZARD TYPE AGENCY AND LIST TITLES WARNINGS None found No warnings found on HPD Priority Hazard Lists SUBSTANCE NOTES: None UNDISCLOSED HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2017-08-29 %: **0.20** GS: LT-P1 RC: None NANO: **NO** ROLE: Pigment ingredient HAZARD TYPE AGENCY AND LIST TITLES WARNINGS MULTIPLE German FEA - Substances Hazardous to Waters Class 2 - Hazard to Waters SUBSTANCE NOTES: None UNDISCLOSED HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2017-08-29 %: **0.10** GS: LT-UNK RC: None NANO: **NO** ROLE: Pigment ingredient

WARNINGS

HAZARD TYPE

SUBSTANCE NOTES: None

AGENCY AND LIST TITLES

No warnings found on HPD Priority Hazard Lists

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Greenguard Gold		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2009-03-12	EXPIRY DATE: 2020-03-12	CERTIFIER OR LAB: UL Environment
APPLICABLE FACILITIES: All			
CERTIFICATE URL: https://spot.ul.com/			

CERTIFICATION AND COMPLIANCE NOTES: GREENGUARD Gold Certification Number: 6625-420 Certification Status: Certified

MULTI-ATTRIBUTE

	Declar	Declaration		
CERTIFYING PARTY: Third Party	ISSUE	EXPIRY	CERTIFIER OR	
APPLICABLE FACILITIES: All	DATE:	DATE:	LAB: UL	
CERTIFICATE URL:	2013-	2018-	Environment	
https://easternus.azureedge.net/~/media/Inpro/TDM%20Files/Documents/I/n/p/r/o/Inpro%20Corner%20Guard%20EPDIPC2288%20Rev1pdf.ashx?	11-08	11-08		
modified=20170414105638				

CERTIFICATION AND COMPLIANCE NOTES: "Environmental Product Declarations (EPDs) certified by UL enable manufacturers to make those disclosures in a credible, streamlined and universally understood manner. An Environmental Product Declaration is a comprehensive, internationally harmonized report created by a product manufacturer that documents the ways in which a product, throughout its lifecycle, affects the environment. UL certifies that the correct type of information is in the report. UL-certified EPDs demonstrate a manufacturer's commitment to sustainability while showcasing that manufacturer's willingness to go above and beyond -all in the name of transparency and clarity. They also help purchasers to better understand a product's sustainable qualities and environmental repercussions. As such, certified EPDs equip manufacturers with a valuable tool for differentiation and empower customers to make more informed purchasing decisions." To learn more: http://services.ul.com/service/environmental-product-declaration/

🔁 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available. No accessories are required for this product.

Section 5: General Notes

None

Environmental Product

MANUFACTURER INFORMATION

MANUFACTURER: Inpro ADDRESS: S80W18766 Apollo Drive Muskego WI 53150, USA WEBSITE: www.inprocorp.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types AQU Aquatic toxicity CAN Cancer **DEV** Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity **GEN** Gene mutation

GreenScreen (GS)

Other Terms Inventory Methods:

BM-4 Benchmark 4 (prefer-safer chemical) BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2 Benchmark 2 (use but search for safer substitutes) BM-1 Benchmark 1 (avoid - chemical of high concern) BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types PreC Preconsumer (Post-Industrial) PostC Postconsumer

Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards **NEU** Neurotoxicity OZO Ozone depletion **PBT** Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) **REP** Reproductive toxicity **RES** Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

CONTACT NAME: Laura Loucks

PHONE: 262-679-9010

TITLE: Sustainability Specialist

EMAIL: laloucks@inprocorp.com

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section. The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain. The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.