# **G2 BioBlend Retainer 150 Corner Guard in Designer White** by Inpro

# **Health Product** Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 10 26 00

PRODUCT DESCRIPTION: Retainer is made from our G2 BioBlend material: comprised of PETG with bio-based content, PVC-free option. Conceal previous dings and scrapes with a variety of wing sizes, angles, and heights.

# Section 1: Summary

## **Nested Method / Material Threshold**

#### CONTENT INVENTORY

<b>Inventory Reporting Format</b>
Nested Materials Method
C Basic Method

<b>Threshold</b>	<b>Disclosed</b>	Per

Material C Product

- C 1,000 ppm Per GHS SDS
- C Per OSHA MSDS C Other

## Residuals/Impurities

Residuals/Impurities Considered in 5 of 5 Materials

Explanation(s) provided for Residuals/Impurities? Yes No

All Substances Above the Threshold Indicated Are:

C Yes Ex/SC © Yes C No Characterized

% weight and role provided for all substances.

○ Yes Ex/SC ○ Yes ○ No All substances screened using Priority Hazard Lists with results disclosed.

Identified C Yes Ex/SC C Yes © No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

G2-RAW [ POLYETHYLENE TEREPHTHALATE GLYCOL (PETG) NoGS UNDISCLOSED NoGS UNDISCLOSED NoGS | FIRE RETARDANT [ UNDISCLOSED NoGS UNDISCLOSED BM-1 ] G2 EFLEX [ UNDISCLOSED NoGS ] G2 DESIGNER WHITE PIGMENT [ POLYETHYLENE TEREPHTHALATE GLYCOL (PETG) NoGS UNDISCLOSED LT-1 | CAN | END UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 MUL UNDISCLOSED LT-UNK ] BLACK PIGMENT [ UNDISCLOSED LT-UNK

Number of Greenscreen BM-4/BM3 contents ... 0 Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Screened

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:** 

#### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Greenguard Gold

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

UNDISCLOSED LT-1 | CAN ]

C Yes No

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #: SCREENING DATE: 2019-03-13 PUBLISHED DATE: 2019-07-23 EXPIRY DATE: 2022-03-13



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

**G2-RAW** %: 86.76 - 86.76

MATERIAL THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this material

OTHER MATERIAL NOTES: None

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2019-03-13		
%: <b>72.00 - 72.00</b>	GS: <b>NoGS</b>	RC: None	nano: <b>No</b>	ROLE: <b>G2 resin ingredient</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
None found			No warning	gs found on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				

#### UNDISCLOSED

HAZARD SCREENING METHOD: <b>F</b>	HAZARD SCREENING DATE: 2019-03-13			
%: <b>14.70 - 15.00</b>	GS: <b>NoGS</b>	RC: None	nano: <b>No</b>	ROLE: Resin Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES: <b>None</b>				

#### UNDISCLOSED

IAZARD SCREENING METHOD: <b>F</b>	Pharos Chemical and Materials Library	HAZARD SCREE	NING DATE: 2019	)-03-13
%: <b>13.00 - 13.00</b>	GS: <b>NoGS</b>	RC: None	nano: <b>No</b>	ROLE: <b>G2 resin ingredient</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
None found			No warning	gs found on HPD Priority Hazard List

## FIRE RETARDANT

%: 5.45 - 5.45

MATERIAL THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this material

OTHER MATERIAL NOTES: None

# HAZARD SCREENING METHOD: Pharos Chemical and Materials Library WE'S 80.00 - 80.00 GS: NOGS RC: None NANO: NO ROLE: Fire retardant HAZARD TYPE AGENCY AND LIST TITLES WARNINGS NOW WARNINGS SUBSTANCE NOTES: None

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-03-13		
%: <b>25.00 - 25.00</b>	GS: <b>BM-1</b>	RC: None	nano: <b>No</b>	ROLE: Fire retardant	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings fo	ound on HPD Priority Hazard Lists	

%: 2.27 - 2.27

MATERIAL THRESHOLD: 100 ppm

residuals and impurities considered: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this material

OTHER MATERIAL NOTES: None

SUBSTANCE NOTES: None

## UNDISCLOSED

**G2 EFLEX** 

HAZARD SCREENING METHOD: P	HAZARD SCREENING DATE: 2019-03-13			
%: 100.00 - 100.00	GS: <b>NoGS</b>	RC: None	nano: <b>No</b>	ROLE: <b>G2 additive</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings four	nd on HPD Priority Hazard List
SUBSTANCE NOTES: None				

**G2 DESIGNER WHITE PIGMENT** 

%: 1.87 - 1.87

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this material

OTHER MATERIAL NOTES: None

## POLYETHYLENE TEREPHTHALATE GLYCOL (PETG)

ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-03-13			9-03-13	
%: <b>63.50</b>	GS: <b>NoGS</b>	RC: None	NANO: <b>No</b>	ROLE: Pigment ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Residuals have been considered

#### **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-03-13		
%: 35.10	GS: <b>LT-1</b>	RC: None NANO: No ROLE: Pigment Ingredient		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		

SUBSTANCE NOTES: None

SUBSTANCE NOTES: None

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-03-13			19-03-13	
%: <b>1.00</b>	gs: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Pigment ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		ı	No warnings fo	ound on HPD Priority Hazard Lists

#### UNDISCLOSED

HAZARD SCREENING METHOD	HAZARD SCRE	HAZARD SCREENING DATE: 2019-03-13		
%: <b>0.20</b>	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Pigment ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		1	No warnings fo	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES: None	9			

## UNDISCLOSED

HAZARD SCREENING DATE: 2019-03-13			HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	
ROLE: Pigment ingredient	NANO: <b>No</b>	RC: None	gs: <b>LT-P1</b>	%: 0.20
		WARNINGS	AGENCY AND LIST TITLES	HAZARD TYPE
Class 2 - Hazard to Waters			German FEA - Substances Hazardous to Waters	MULTIPLE
			Waters	

SUBSTANCE NOTES: None

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-03-13		
%: 0.10	gs: <b>LT-UNK</b>	rc: <b>None</b> NA	ANO: <b>No</b>	ROLE: Pigment ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No wa	arnings for	und on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				

#### **BLACK PIGMENT**

%: 0.91 - 0.91

MATERIAL THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this material

OTHER MATERIAL NOTES: None

## UNDISCLOSED

HAZARD SCREENING METHOD:	HAZARD SCREENING DATE: 2019-03-13			
%: 75.00 - 75.00	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Pigment Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	GS	
None found			No warning	gs found on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				

#### UNDISCLOSED

	HAZARD SCREENING DATE: 2019-03-13					
GS: <b>LT-1</b>	RC: None	nano: <b>No</b>	ROLE: Pigment Ingredient			
AGENCY AND LIST TITLES	WARNIN					
US CDC - Occupational Carcinogens	Occupational Carcinogen					
CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure rou			Carcinogen - specific to chemical		to chemical form or exposure route
IARC	Group 2B - Possibly carcinogenic to humans - inhaled for occupational sources					
MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification					
	AGENCY AND LIST TITLES  US CDC - Occupational Carcinogens  CA EPA - Prop 65  IARC	US CDC - Occupational Carcinogens  CA EPA - Prop 65  Carcin  IARC  Group occup  MAK  Carcin	US CDC - Occupational Carcinogens  CA EPA - Prop 65  Carcinogen - specific  IARC  Group 2B - Possibly coccupational sources  MAK  Carcinogen Group 3B			

SUBSTANCE NOTES: None



# **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

#### **VOC EMISSIONS**

#### **Greenguard Gold**

ISSUE DATE: 2009-CERTIFYING PARTY: Third Party 03-12 03-12 APPLICABLE FACILITIES: All

EXPIRY DATE: 2020-CERTIFIER OR LAB: UL

**Environment** 

CERTIFICATE URL: https://spot.ul.com

CERTIFICATION AND COMPLIANCE NOTES: GREENGUARD Gold Certification Number: 6625-420 Certification Status:

Certified



# **Section 4: Accessories**

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



# Section 5: General Notes

None

#### MANUFACTURER INFORMATION

MANUFACTURER: Inpro

ADDRESS: S80W18766 Apollo Drive

Muskego WI 53150, USA

WEBSITE: www.inprocorp.com

CONTACT NAME: Laura Loucks
TITLE: Sustainability Specialist

PHONE: 262-679-9010

EMAIL: laloucks@inprocorp.com

#### **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity **END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion **PBT** Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

NF Not found on Priority Hazard Lists

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

ent) LT-1 List Translator Likely Benchmark 1

LT-P1 List Translator Possible Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

#### **Recycled Types**

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown

None Does not include recycled content

## Other Terms

**Inventory Methods:** 

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
  created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.