JointMaster Expansion Joint J501-A01-050 by Inpro

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 07 95 13.13

PRODUCT DESCRIPTION: Surface-mounted frames allow for use in new, existing and renovation conditions System does not require expensive block out conditions. I Center bar support allows for wide spans while providing a sight line of less width than a typical cover plate 🛭 This architectural joint system can be used on all floor finishes including carpet, VCT and tile I Fully seismic center bar system I Low profile (LP) option available for floor to wall conditions



Section 1: Summary

Nested Method / Product Threshold

| \cap | VIT. | E | JT | IIN | 11// | IT | | DV | 7 |
|--------|------|---|-----|--------|-------|----|---|-----|---|
| VI. | VII | | M I | - 1117 | u v i | | ш | ח ז | |

| nventory Reporting Format | Threshold level | Residuals/Impurities | All Substances Ab | ove the Threshold Indicated Are: | |
|--------------------------------------|---|---|--------------------|--|--|
| Nested Materials Method Basic Method | € 100 ppm€ 1,000 ppm€ Per GHS SDS | Residuals/Impurities Considered in 1 of 1 Materials | Characterized | | |
| Threshold Disclosed Per Material | © Per OSHA MSDS © Other | Explanation(s) provided for Residuals/Impurities? Yes No | Screened | C Yes Ex/SC ⊙ Yes C No | |
| Product | | | results disclosed. | | |
| | | | Identified | C Yes Ex/SC © Yes C No | |
| | | | All substances dis | closed by Name (Specific or Generic) and | |

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

H ALUMINUM [ALUMINUM NoGS ZINC LT-P1 | AQU | PHY | END | MUL MAGNESIUM LT-UNK | PHY SILICON LT-UNK MANGANESE LT-P1 | END | MUL | REP COPPER LT-UNK IRON LT-P1 | END CHROMIUM LT-P1 | RES | END | SKI]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Inherently non- emitting source per LEED®

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1 and Option 2

Third Party Verified?

Yes O No

PREPARER: Self-Prepared VERIFIER:

VERIFICATION #:

SCREENING DATE: 2019-08-05 PUBLISHED DATE: 2019-09-18 EXPIRY DATE: 2022-08-05



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

H ALUMINUM %: 100.00

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this material

OTHER MATERIAL NOTES:

ALUMINUM ID: 91728-14-2 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-08-05 %: 89.00 GS: NoGS RC: Both NANO: **No ROLE: Aluminum ingredient** HAZARD TYPE AGENCY AND LIST TITLES WARNINGS No warnings found on HPD Priority Hazard Lists None found SUBSTANCE NOTES:

| ZINC | | ID: 7440-66- |
|---------------------------------|---|--|
| HAZARD SCREENING METHOD: Pharos | Chemical and Materials Library | HAZARD SCREENING DATE: 2019-08-05 |
| %: 2.50 | GS: LT-P1 | RC: Both NANO: No ROLE: Aluminum ingredient |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
| ACUTE AQUATIC | EU - GHS (H-Statements) | H400 - Very toxic to aquatic life |
| CHRON AQUATIC | EU - GHS (H-Statements) | H410 - Very toxic to aquatic life with long lasting effects |
| PHYSICAL HAZARD (REACTIVE) | EU - GHS (H-Statements) | H250 - Catches fire spontaneously if exposed to air |
| PHYSICAL HAZARD (REACTIVE) | EU - GHS (H-Statements) | H260 - In contact with water releases flammable gases which may ignite spontaneously |
| ENDOCRINE | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| MULTIPLE | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters |
| | | |

SUBSTANCE NOTES:

MAGNESIUM ID: 7439-95-4

| | HAZARD SCREENING DATE: 2019-08-05 | | | |
|--------------------|--|---|---|--|
| -UNK | RC: Both NANO: No ROLE: Aluminum ingre | | | |
| Y AND LIST TITLES | WARNINGS | | | |
| GHS (H-Statements) | H250 - Cato | ches fire spont | aneously if exposed to air | |
| GHS (H-Statements) | H260 - In contact with water releases flammable gases which may ignite spontaneously | | | |
| y G | AND LIST TITLES iHS (H-Statements) | AND LIST TITLES WARNINGS HS (H-Statements) H250 - Cato HS (H-Statements) H260 - In co | AND LIST TITLES WARNINGS HS (H-Statements) H250 - Catches fire sponts HS (H-Statements) H260 - In contact with wat | |

SUBSTANCE NOTES:

SUBSTANCE NOTES:

| HAZARD SCREENING METHOD | HAZARD SCREENING DATE: 2019-08-05 | | | |
|-------------------------|-----------------------------------|----------|-----------------|------------------------------|
| %: 1.80 | gs: LT-UNK | RC: Both | NANO: No | ROLE: Aluminum ingredient |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | AGENCY AND LIST TITLES | WARNINGS | Nain | found on HPD Priority Hazard |

MANGANESE ID: 7439-96-5 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-08-05 %: **1.50** GS: LT-P1 RC: Both nano: **No ROLE: Aluminum ingredient** HAZARD TYPE AGENCY AND LIST TITLES WARNINGS **ENDOCRINE TEDX - Potential Endocrine Disruptors** Potential Endocrine Disruptor **MULTIPLE** German FEA - Substances Hazardous to Class 2 - Hazard to Waters Waters REPRODUCTIVE GHS - Japan Toxic to reproduction - Category 1B

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-08-05

MEC: Both NANO: No ROLE: Aluminum ingredient

SUBSTANCE NOTES:

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | |
|------------------|------------------------|----------|--|
| None found | | | No warnings found on HPD Priority Hazard Lists |
| SUBSTANCE NOTES: | | | |

IRON ID: 7439-89-6

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | | HAZARD SCREENING DATE: 2019-08-05 | | | |
|--|------------------------|-----------|-----------------------------------|---------------------------|--|--|
| %: 1.10 GS: LT-P1 | | RC: Both | NANO: No | ROLE: Aluminum ingredient | | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | | |
| ENDOCRINE TEDX - Potential Endocrine Disruptors | | Potential | Endocrine Dis | ruptor | | |
| | | | | | | |

SUBSTANCE NOTES:

CHROMIUM ID: **7440-47-3**

| HAZARD SCREENING METHOD: Pharos | Chemical and Materials Library | HAZARD SCREENING DATE: 2019-08-05 | | | |
|---------------------------------|--|-----------------------------------|--------------------------------------|--|--|
| %: 0.50 | GS: LT-P1 | RC: Both NANO: N | o ROLE: Aluminum ingredient | | |
| HAZARD TYPE | AGENCY AND LIST TITLES | | | | |
| RESPIRATORY AOEC - Asthmagens | | Asthmagen (Rs) - se | ensitizer-induced | | |
| ENDOCRINE | NE TEDX - Potential Endocrine Disruptors | | Disruptor | | |
| SKIN SENSITIZE | SKIN SENSITIZE MAK | | ce Sh - Danger of skin sensitization | | |
| | | | | | |

SUBSTANCE NOTES:



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Inherently non- emitting source per LEED®

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All

CERTIFICATE URL:

ISSUE DATE: 2019-

EXPIRY DATE:

CERTIFIER OR LAB: NA

08-05

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

See inprocorp.com for installation instructions and technical data.

MANUFACTURER INFORMATION

MANUFACTURER: Inpro

ADDRESS: S80W18766 Apollo Drive Muskego Wisconsin 53150, USA

WEBSITE: www.inprocorp.com

CONTACT NAME: Laura Loucks
TITLE: Sustainability Specialist

PHONE: 262-679-9010

EMAIL: laloucks@inprocorp.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards **NEU** Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown

None Does not include recycled content

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

NoGS Unknown (no data on List Translator Lists)

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
 created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.