Anodized Finish for Ceilings Plus Products by USG

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 51 00

PRODUCT DESCRIPTION: Grau™, Kryolite™, and Sateen™ are Anodized finish options for Barz™, Radians®, Illusions™, Mirra™-Planx™, and Wallforms™.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- € 100 ppm
- C 1,000 ppm
- Per GHS SDS
- C Per OSHA MSDS
- C Other

Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes O No

All Substances Above the Threshold Indicated Are:

O Yes Ex/SC O Yes O No Characterized

% weight and role provided for all substances.

○ Yes Ex/SC ○ Yes ○ No Screened

All substances screened using Priority Hazard Lists with results disclosed.

Identified C Yes Ex/SC C Yes © No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ANODIZED FINISH FOR CEILINGS PLUS PRODUCTS [UNS A93105 ALUMINUM ALLOY NoGS ALUMINUM OXIDE BM-2 | RES NICKEL HYDROXIDE LT-1 | RES | CAN | AQU | SKI | GEN | DEL | MAM | REP | MUL **BOEHMITE (AL(OH)O)** NoGS]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Residuals/Impurities in raw materials that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS are displayed in the HPD when greater than or equal to 100 ppm. USG uses an outside lab to quantify potential impurities of raw materials. Analytical methods may include but are not limited to; x-ray diffraction, x-ray fluorescence, atomic absorption, ion chromatography, liquid chromatography, and crystalline silica analysis.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: NA

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:**

SCREENING DATE: 2019-06-24 PUBLISHED DATE: 2019-07-19

EXPIRY DATE: 2022-06-24



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

ANODIZED FINISH FOR CEILINGS PLUS PRODUCTS

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: This HPD covers the Grau[™], Kryolite[™], and Sateen[™] Anodized finish option for Barz[™], Radians®, Illusions™, Mirra™- Planx™, and Wallforms™. Boehmite is formed during the sealing process as an impurity and is >100 ppm in the final product.

OTHER PRODUCT NOTES: This product is made at Los Angeles, CA.

UNS A93105 ALUMINUM ALLOY

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-06-24		
%: 99.10 - 99.80	GS: NoGS	RC: None	nano: No	ROLE: Product structure
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S	
None found			No warning	gs found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This aluminum alloy contains a combination of aluminum, zinc, magnesium, silicon, manganese, and chromium (III). These alloying elements have various functions such as grain growth, electrical resistivity, strength, corrosive resistance, and stress cracking resistance. The elements in this alloy are solid and not in a respirable form.

ALUMINUM OXIDE ID: 1344-28-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-06-24			
%: 0.20 - 0.80	GS: BM-2	RC: None	nano: No	ROLE: Anodic coating	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmage	Asthmagen (Rs) - sensitizer-induced		

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 100 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

NICKEL HYDROXIDE ID: 12054-48-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-06-24

%: 0.01 - 0.03	GS: LT-1	RC: None NANO: No ROLE: Sealant				
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced				
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans				
CANCER	CA EPA - Prop 65	Carcinogen				
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen				
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life				
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects				
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation				
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction				
RESPIRATORY	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled				
GENE MUTATION	EU - GHS (H-Statements)	H341 - Suspected of causing genetic defects				
CANCER	EU - GHS (H-Statements)	H350i - May cause cancer by inhalation				
DEVELOPMENTAL	EU - GHS (H-Statements)	H360D - May damage the unborn child				
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure				
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 1 - Substances known to be Carcinogenic to man				
REPRODUCTIVE	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans				
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant				
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters				
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man				
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization				
CANCER	EU - Annex VI CMRs	Carcinogen Category 1A - Known human Carcinogen based on human evidence				
CANCER	Japan - GHS	Carcinogenicity - Category 1A				
REPRODUCTIVE	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B				
CANCER	Australia - GHS	H350i - May cause cancer by inhalation				

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 100 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

BOEHMITE (AL(OH)O) ID: 1318-23-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-06-24		
%: Impurity/Residual	gs: NoGS	RC: None	nano: No	ROLE: Impurity/Residual	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	GS		
None found			No warning	gs found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: Boehmite is a hydrated form of aluminum oxide and is formed as part of the sealing process.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

NA

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2019-

EXPIRY DATE:

CERTIFIER OR LAB: Self-Declared

APPLICABLE FACILITIES: Los Angeles, CA

06-24

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Inherently non-emitting



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

ABSORBING MATERIAL

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

A variety of sound absorbing backings are available. Ceilings Plus® can supply absorbing material which can achieve NRC values ranging from .65 - .95.



Section 5: General Notes

Ingredient specific notes are included in Section 2.

MANUFACTURER INFORMATION

MANUFACTURER: USG

ADDRESS: 550 West Adams Street Chicago IL 60661, United States

WEBSITE: usg.com

CONTACT NAME: USG Sustainability

TITLE: Sustainability Manager

PHONE: 1-800-USG4YOU

EMAIL: sustainability@usg.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
 created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.