

CLASSIFICATION: 09 00 00

PRODUCT DESCRIPTION: USG SHEETROCK® BRAND ACOUSTICAL SEALANT IS WATER-BASED, HIGHLY ELASTIC AND EASY TO APPLY WITH HAND-GUN EQUIPMENT TO VERTICAL AND HORIZONTAL SURFACES (EVEN OVERHEAD) WITHOUT SAGGING. USG SHEETROCK® BRAND ACOUSTICAL SEALANT IS EXCELLENT FOR FIRE-RATED PARTITIONS AND ACCEPTABLE FOR USE AT THE PERIMETER OF WALL ASSEMBLIES RATED 1-3 HOURS. USG SHEETROCK® BRAND ACOUSTICAL SEALANT BOASTS 0/0 FLAME-SPREAD/SMOKE-DEVELOPED SURFACE BURNING CHARACTERISTICS WITH UNDERWRITERS LABORATORIES. TESTED AT RIVERBANK ACOUSTICAL LABORATORIES IN ACCORDANCE WITH ASTM E90, THIS PRODUCT WAS SOUND TESTED AND PROVEN TO BE AN INTEGRAL COMPONENT IN MAINTAINING STC/MTC PARTITION RATINGS.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Per OSHA MSDS
 Other

Residuals/Impurities

- Considered
 Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes No

Are All Substances Above the Threshold Indicated:

Characterized Yes No
Percent Weight and Role Provided?

Screened Yes No
Using Priority Hazard Lists with Results Disclosed?

Identified Yes No
Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

SHEETROCK® BRAND ACOUSTICAL SEALANT [LIMESTONE; CALCIUM CARBONATE LT-UNK UNDISCLOSED LT-UNK WATER BM-4 UNDISCLOSED LT-P1 | MUL UNDISCLOSED LT-P1 | MUL UNDISCLOSED LT-UNK ETHYLENE GLYCOL BM-1 | MAM | DEL | END 2-AMINO-2-METHYL-1-PROPANOL LT-UNK | EYE | SKI | AQU QUARTZ LT-1 | CAN OCTYLPHENOXY POLYETHOXYETHANOL LT-P1 | END | MUL 1,3,5-TRIAZINE-1,3,5(2H,4H,6H)-TRIETHANOL (9CI) LT-UNK | MAM | SKI IRON OXIDE LT-UNK | CAN]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Residuals/Impurities in raw materials that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS are displayed in the HPD when greater than or equal to 1000 ppm. USG uses an outside lab to quantify potential impurities of raw materials. Analytical methods may include but are not limited to; x-ray diffraction, x-ray fluorescence, atomic absorption, ion chromatography, liquid chromatography, and crystalline silica analysis.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Certified

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2016-12-01

PUBLISHED DATE: 2018-08-20

EXPIRY DATE: 2019-12-01



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

SHEETROCK® BRAND ACOUSTICAL SEALANT

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals/Impurities in raw materials that return a GreenScreen® score of BM-1, LT-1, LTP1 or NoGS are displayed in the HPD when greater than or equal to 1000 ppm.

OTHER PRODUCT NOTES: This HPD can also be used for Sheetrock® Brand Firecode® Smoke-Sound Sealant. Manufactured at Toronto, Ontario.

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

#: 50.0000 - 63.0000 GS: LT-UNK RC: None NANO: No ROLE: Filler

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Crystalline silica is an impurity found in limestone/calcium carbonate. See the impurity crystalline silica entry for more information. US EPA - Design for the Environment (DfE) Safer Chemical Ingredients List (SCIL) - Green Circle - Verified Low Concern.

UNDISCLOSED

#: 20.0000 - 27.0000 GS: LT-UNK RC: None NANO: No ROLE: Adhesive

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Proprietary ingredient. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. This raw material/chemical is not on the Living Building Challenge™ (LBC) Red List Chemical Guide (Version 3.1)

WATER

ID: 7732-18-5

#: 9.0000 - 11.0000 GS: BM-4 RC: None NANO: No ROLE: Solvent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen®

score of BM-1, LT-1, LT-P1 or NoGS.

UNDISCLOSED

#: **2.0000 - 2.5000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Plasticizer**

HAZARDS: AGENCY(IES) WITH WARNINGS:

MULTIPLE German FEA - Substances Hazardous to Waters Class 2 - Hazard to Waters

SUBSTANCE NOTES: Proprietary ingredient. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. This raw material/chemical is not on the Living Building Challenge™ (LBC) Red List Chemical Guide (Version 3.1)

UNDISCLOSED

#: **2.0000 - 2.5000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Plasticizer**

HAZARDS: AGENCY(IES) WITH WARNINGS:

MULTIPLE German FEA - Substances Hazardous to Waters Class 2 - Hazard to Waters

SUBSTANCE NOTES: Proprietary ingredient. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. This raw material/chemical is not on the Living Building Challenge™ (LBC) Red List Chemical Guide (Version 3.1)

UNDISCLOSED

#: **2.0000 - 2.5000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Plasticizer**

HAZARDS: AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: Proprietary ingredient. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. This raw material/chemical is not on the Living Building Challenge™ (LBC) Red List Chemical Guide (Version 3.1)

ETHYLENE GLYCOL

ID: **107-21-1**

#: **1.0000 - 2.0000** GS: **BM-1** RC: **None** NANO: **No** ROLE: **Anti-freeze**

HAZARDS: AGENCY(IES) WITH WARNINGS:

MAMMALIAN EU - R-phrases R22 - Harmful if Swallowed

DEVELOPMENTAL CA EPA - Prop 65 Developmental toxicity

DEVELOPMENTAL US NIH - Reproductive & Developmental Monographs Clear Evidence of Adverse Effects - Developmental Toxicity

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

2-AMINO-2-METHYL-1-PROPANOL

ID: 124-68-5

#: **0.3000 - 0.7000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Antimicrobial**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

EYE IRRITATION	EU - R-phrases	R36 - Irritating to eyes
SKIN IRRITATION	EU - R-phrases	R38 - Irritating to skin
ACUTE AQUATIC	EU - R-phrases	R52 - Harmful to Aquatic Organisms
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

QUARTZ

ID: 14808-60-7

#: **Impurity/Residual** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Impurity/Residual**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen (form-specific or based on limited exposure pathways)
CANCER	IARC	Group 1: Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man

SUBSTANCE NOTES: Respirable crystalline silica occurs as an impurity in naturally occurring raw materials. Exposures to respirable crystalline silica during the normal use of this product must be determined by workplace hygiene testing.

OCTYLPHENOXY POLYETHOXYETHANOL

ID: 9036-19-5

#: **0.2000 - 0.6000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Surfactant**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

1,3,5-TRIAZINE-1,3,5(2H,4H,6H)-TRIETHANOL (9CI)

ID: 4719-04-4

#: 0.0900 - 0.2000 GS: LT-UNK RC: None NANO: No ROLE: Biocide

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MAMMALIAN	EU - R-phrases	R22 - Harmful if Swallowed
SKIN SENSITIZE	EU - R-phrases	R43 - May cause sensitization by skin contact
SKIN IRRITATION	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

IRON OXIDE

ID: 1317-61-9

#: 0.0100 - 0.3000 GS: LT-UNK RC: None NANO: No ROLE: Colorant

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
--------	-----	--

SUBSTANCE NOTES: May contain. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL/GreenGuard Certified

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2016-**

EXPIRY DATE:

CERTIFIER OR LAB: **UL**

APPLICABLE FACILITIES: **All**

12-14

Environment

CERTIFICATE URL: <https://spot.ul.com/>

CERTIFICATION AND COMPLIANCE NOTES: **Determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using a Classroom Environment.**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Ingredient specific notes are included in Section 2.



MANUFACTURER INFORMATION

MANUFACTURER: **USG**
ADDRESS: **550 W Adams St**
Chicago IL 60661, US
WEBSITE: **usg.com**

CONTACT NAME: **USG Sustainability**
TITLE: **Sustainability Manager**
PHONE: **1-800-USG4YOU**
EMAIL: **sustainability@usg.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.