Sheetrock® Brand Glass-Mat Panels Mold Tough® Firecode® X by USG

CLASSIFICATION: 09 20 00

PRODUCT DESCRIPTION: USG SHEETROCK® BRAND GLASS-MAT PANELS MOLD TOUGH® ARE HIGH PERFORMANCE INTERIOR PANELS FOR NEW CONSTRUCTION OR RENOVATION WORK. THE PANELS HAVE A NONCOMBUSTIBLE MOISTURE- AND MOLD-RESISTANT CORE ENCASED IN A MOISTURE-RESISTANT FIBERGLASS MAT THAT SHEDS WATER AND FEATURES TAPERED LONG EDGES FOR EASY FINISHING. THE FACER MAT IS COLORED TO MATCH TRADITIONAL DRYWALL AND IS ENGINEERED TO ACCEPT THE APPLICATION OF USG FI NISHING SYSTEMS. THE BACK MAT FEATURES USG'S DISTINCTIVE GREEN COLOR. THE 5/8" FIRECODE® X IS UL CLASSIFIED FOR FIRE RESISTANCE AND CAN BE USED IN ANY UL DESIGNS WHERE TYPE SGX PANELS ARE LISTED.

Health Product Declaration v2.0

created via: HPDC Online Builder

CONTENT

Section 1: Summary

INVENTORY		Based on the selected Content Inventory Threshold:			
Threshold per material	Residuals and impurities considered in	Characterized Are the Percent Weight and Role provided for all substances?	⊙ Yes	O No	
● 100 ppm ● 1,000 ppm ● Per GHS SDS	1 of 1 materials • see Section 2: Material Notes	Screened Are all substances screened using Priority Hazard Lists with results disclosed?	stances? Yes No o o o sts with results Yes No		
O Per OSHA MSDS O Other		IdentifiedAre all substances disclosed by Name (Specific or Generic) and Identifier?		O No	

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY **GREENSCREEN SCORE | HAZARD TYPE**

SHEETROCK® BRAND GLASS-MAT PANELS MOLD TOUGH® FIRECODE® X [GYPSUM LT-UNK SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS) LT-UNK | CAN FLY ASH LT-UNK POLY(METHYLHYDROSILOXANE) UNK STARCH LT-UNK NAPHTHALENESULFONIC ACID, FORMALDEHYDE POLYMER, CALCIUM SALT LT-UNK POLYVINYL ACETATE (PVA) LT-UNK 2-PYRIDINETHIOL, 1-OXIDE, SODIUM SALT LT-P1 | MUL | DEV]

Number of Greenscreen BM-4/BM3 contents......0 Contents highest concern GreenScreen Benchmark or List translator Score..... LT-P1 Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

Residuals/Impurities in raw materials are quantitatively measured and are displayed in the HPD when greater than or equal to 1000 ppm.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE

VOC emissions: GREENGUARD Certification - Sheetrock® Brand Glass-Mat Panels Mold Tough® Firecode® X

See Section 3 for additional listings.

O Self-Published*

SCREENING DATE: November 21, 2016 EXPIRY DATE*: November 21, 2019

RELEASE DATE: November 21, 2016



Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

SHEETROCK® BRAND GLASS-MAT PANELS MOLD **TOUGH® FIRECODE® X**

%: 100.0000

HPD URL:

Inventory Threshold: 1000 ppm

Residuals Considered: Yes

Material Notes: Raw materials in this product may contain trace amounts of respirable crystalline silica. Testing has shown exposures to respirable crystalline silica are not expected to exceed the OSHA Permissible Exposure Level (PEL) during the normal use of this product. See the SDS on usg.com for occupational exposure information. Percent may change due to manufacturing variations. Residuals/Impurities considered at 1000 ppm.

GYPSUM			ID: 13397-24-5		
%: 87.0000 - 95.0000	GS: LT-UNK	RC: PreC	NANO: NO	ROLE: Core	
HAZARDS:		AGE	NCY(IES) WITH WARNINGS	3:	
None Found	No warnings found on HPD Priority lists				
SUBSTANCE NOTES: No residuals/impurities found in the raw material at 1000 ppm.					

SOLID GLASS AND GLASS /	MINERAL FIBER	(SEE VARIANTS)

ID: 65997-17-3

%: 2.0000 - 4.5000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Reinforcing

HAZARDS: AGENCY(IES) WITH WARNINGS:

CANCER	EU - R-phrases	R40 - Limited Evidence of Carcinogenic Effects
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer

SUBSTANCE NOTES: As manufactured, continuous filament glass fibers in this product are not respirable. No residuals/impurities found in the raw material at 1000 ppm.

FLY ASH			ID: 68131-74-8	
%: 0.3000 - 0.6000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Catalyst
HAZARDS: AGENCY(IES) WITH WARNINGS:			S:	
None Found No warnings found on HPD Priority lists		ty lists		

SUBSTANCE NOTES: No residuals/impurities found in the raw material at 1000 ppm.

POLY(METHYLHYDROSILOXANE)			ID: 63148-57-2		
%: 0.2000 - 0.5000	GS: UNK	RC: None	NANO: NO	ROLE: Water repellan	
HAZARDS: AGENCY(IES) WITH WARNINGS:					
None Found No warnings found on HPD Priority lists					
SUBSTANCE NOTES:	No residuals/impurities f	ound in the raw material at	1000 ppm.		
STARCH ID: 9005-25-8			25-8		
%: 0.1000 - 0.2000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Binder	
HAZARDS:		AG	ENCY(IES) WITH WARNINGS	S:	
None Found		No	warnings found on HPD Priorit	ty lists	
SUBSTANCE NOTES:	No residuals/impurities f	ound in the raw material at	1000 ppm.		
NAPHTHALENESULFO	ONIC ACID, FORMALDE	HYDE POLYMER, CALCI	JM SALT ID: 37293	-74-6	
%: 0.1000 - 0.5000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Dispersant	
HAZARDS: AGENCY(IES) WITH WARNINGS:					
None Found		No	warnings found on HPD Priorit	ty lists	
SUBSTANCE NOTES:	No residuals/impurities f	ound in the raw material at	1000 ppm.		
POLYVINYL ACETATE	(PVA)		ID: 9003-2	20-7	
%: 0.0100 - 0.2000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Adhesive	
HAZARDS:		AG	ENCY(IES) WITH WARNINGS	S:	
one Found No warnings found on HPD Priority lists					
SUBSTANCE NOTES:	No residuals/impurities f	ound in the raw material at	1000 ppm.		
2-PYRIDINETHIOL, 1-0	PYRIDINETHIOL, 1-OXIDE, SODIUM SALT ID: 3811-73-2				
%: 0.0100 - 0.1000	GS: LT-P1	RC: None	NANO: NO	ROLE: Biocide	

MULTIPLE German FE		German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
	DEVELOPMENTAL	MAK	Pregnancy Risk Group B		
	SUBSTANCE NOTES: No residuals/impurities found in the raw material at 1000 ppm.				



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL:

http://productguide.ulenvironment.com/SearchResults.aspx?BrandID=1808

CERTIFICATION AND COMPLIANCE NOTES:

GREENGUARD Certification - Sheetrock® Brand Glass-Mat Panels Mold Tough® Firecode® X

ISSUE EXPIRY CERTIFIER OR
DATE: DATE: 0000- LAB: UL
2016-06- 00-00 Environment

29



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.



Section 5: General Notes

The International Agency for Research on Cancer (IARC) in June, 1987, categorized continuous filament glass fibers as not classifiable with respect to human carcinogenicity (Group 3). The evidence from human as well as animal studies was evaluated by IARC as insufficient to classify continuous filament glass fiber as a possible, probable, or confirmed cancer causing material.

MANUFACTURER INFORMATION

MANUFACTURER: USG

ADDRESS: 550 West Adams St

Chicago, IL 60661 United States

WEBSITE: usg.com

CONTACT NAME: Stacy Simpson

TITLE: Sustainability Analyst II, Authorized GreenScreen Practitioner

PHONE: 1-800-USG4YOU

EMAIL: sustainability@usg.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity GLO Global warming

CAN Cancer MAM Mammalian/systemic/organ toxicity

DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity

MUL Multiple hazards
NEU Neurotoxicity
OZO Ozone depletion

GEN Gene mutation PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity
RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2

Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspeci ed (insu cient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party)

Independent Lab Manufacturer's self-declaration using results from an independent lab

Second Party Verification by trade association or other interested party

Third Party Verification by independent certifier

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the nal product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent veri er are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.