# USG Durock™ Brand Quik-Top™ Self-Leveling Underlayment by USG

# **Health Product Declaration v2.1**

created via: HPDC Online Builder

CLASSIFICATION: 09 60 00

PRODUCT DESCRIPTION: USG Durock™ Brand Quik-Top™ Self-Leveling Underlayment sets and dries extremely quickly, minimizing downtime - ideal for commercial and institutional repair and renovation projects.



# Section 1: Summary

# **Basic Method / Product Threshold**

CONTENT INVENTORY				
Inventory Reporting Format	Threshold level	Residuals/Impurities	Are All Substances Abo	ve the Threshold Indicated:
Nested Materials Method     Basic Method	C 100 ppm 1,000 ppm Per GHS SDS	<ul><li>Considered</li><li>Partially Considered</li><li>Not Considered</li></ul>	Characterized  Percent Weight and Role	<b>⊙</b> Yes <b>○</b> No e Provided?
Threshold Disclosed Per  Material Product	Per OSHA MSDS Other	Explanation(s) provided for Residuals/Impurities?	Screened Using Priority Hazard Lis	● Yes ← No sts with Results Disclosed?
			Identified  Name and Identifier Pro	C Yes € No vided?

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

USG DUROCK<sup>TM</sup> BRAND QUIK-TOP<sup>TM</sup> <u>SELF-L</u>EVELING <u>UND</u>ERLAYMENT [ CALCIUM SULFATE - HEMIHYDRATE LT-UNK QUARTZ LT-1 | CAN LIMESTONE; CALCIUM CARBONATE LT-UNK PORTLAND CEMENT LT-P1 | END | CAN UNDISCLOSED LT-UNK UNDISCLOSED NoGS CRYSTALLINE SILICAS - RESPIRABLE LT-1 | CAN ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

#### **INVENTORY AND SCREENING NOTES:**

Residuals/Impurities in raw materials that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS are displayed in the HPD when greater than or equal to 1000 ppm. USG uses an outside lab to quantify potential impurities of raw materials. Analytical methods may include but are not limited to; x-ray diffraction, x-ray fluorescence, atomic absorption, ion chromatography, liquid chromatography, and crystalline silica analysis.

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

**CONSISTENCY WITH OTHER PROGRAMS** 

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified? SCREENING DATE: 2018-05-21 PREPARER: Self-Prepared PUBLISHED DATE: 2018-06-11 VFRIFIFR: C Yes EXPIRY DATE: 2021-05-21 VERIFICATION #: O No



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

#### USG DUROCK™ BRAND QUIK-TOP™ SELF-LEVELING UNDERLAYMENT

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: See the SDS on usg.com for occupational exposure information. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

OTHER PRODUCT NOTES: This product is made at Southard, OK.

## **CALCIUM SULFATE - HEMIHYDRATE** ID: 10034-76-1

%: 60.0000 - 70.0000 GS: LT-UNK RC: None NANO: **No** ROLE: Base filler HAZARDS: AGENCY(IES) WITH WARNINGS: None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

**QUARTZ** ID: 14808-60-7

%: 10.0000 - 15.0000	GS: <b>LT-1</b>	RC: None	nano: <b>No</b>	ROLE: Strength/Workability	
HAZARDS:	AGENCY(IES) WITH	H WARNINGS:			
CANCER	US CDC - Oc	cupational Carcinogens	O	Occupational Carcinogen	
CANCER	CA EPA - Pro	p 65	C	Carcinogen - specific to chemical form or exposure route	
CANCER	IARC			roup 1 - Agent is carcinogenic to humans - inhaled from ccupational sources	
CANCER	US NIH - Rep	US NIH - Report on Carcinogens		Known to be Human Carcinogen (respirable size - occupational setting)	
CANCER	MAK	MAK		Carcinogen Group 1 - Substances that cause cancer in man	
CANCER	New Zealand	New Zealand - GHS		6.7A - Known or presumed human carcinogens	
CANCER	Australia - Gl	Australia - GHS		350 - May cause cancer	
CANCER	Japan - GHS		C	arcinogenicity - Category 1A	
CANCER	Australia - Gl	ls	Н	350i - May cause cancer by inhalation	

SUBSTANCE NOTES: This entry represents washed sand in the product, the respirable fraction in this raw material is below the limit of detection. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

## LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

%: 7.0000 - 12.0000	GS: LT-UNK	RC: None	NANO: <b>No</b>	ROLE: Plasticity/Shrinkage cracking	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

PORTLAND CEMENT ID: 65997-15-1

%: <b>5.0000 - 10.0000</b>	GS: LT-P1	RC: None	nano: <b>No</b>	ROLE: Cement
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
CANCER	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	

SUBSTANCE NOTES: Crystalline silica is an impurity found in Portland cement. See the impurity crystalline silica entry for more information.

### **UNDISCLOSED**

%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Binder
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: Proprietary ingredient. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. Not on the Living Building Challenge™ (LBC) Red List Chemical Guide (Version 3.1).

## **UNDISCLOSED**

%: 0.1000 - 0.5000	GS: <b>NoGS</b>	RC: None	nano: <b>No</b>	ROLE: Processing aid	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: Proprietary ingredient. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. Not on the Living Building Challenge™ (LBC) Red List Chemical Guide

## **CRYSTALLINE SILICAS - RESPIRABLE**

ID: Not registered

%: Impurity/Residual	GS: <b>LT-1</b>	RC: None	nano: <b>No</b>	ROLE: Impurity/Residual		
HAZARDS:	AGENCY(IES) WITH WA	ARNINGS:				
CANCER	CA EPA - Prop 6	55	Carcinoge	en - specific to chemical form or exposure route		
CANCER	IARC	IARC		Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources		
CANCER	US NIH - Report	US NIH - Report on Carcinogens		be Human Carcinogen (respirable size - onal setting)		
CANCER	MAK	MAK		en Group 1 - Substances that cause cancer in		

SUBSTANCE NOTES: Impurity found in naturally occurring raw materials.



# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

### **VOC EMISSIONS**

### **UL/GreenGuard Gold Certified**

CERTIFYING PARTY: Third Party ISSUE DATE: 2017-CERTIFIER OR LAB: UL EXPIRY DATE: 12-18 **Environment** APPLICABLE FACILITIES: All

CERTIFICATION AND COMPLIANCE NOTES: VOC emissions testing according to the CDPH 01350 v1.1 2010 criteria.



# Section 4: Accessories

CERTIFICATE URL: https://spot.ul.com

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



## Section 5: General Notes

Ingredient specific notes are included in Section 2.

### MANUFACTURER INFORMATION

MANUFACTURER: USG

ADDRESS: 550 West Adams St

Chicago IL 60661, US

WEBSITE: usg.com

CONTACT NAME: USG Sustainability

TITLE: Sustainability Manager

PHONE: 1-800-USG4YOU

EMAIL: sustainability@usg.com

#### **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

### **Recycled Types**

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

**Both** Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

#### **Other Terms**

### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.