USG Ensemble™ Spray-Applied Finish by USG

Health Product Declaration v2.1

created via: HPDC Online Builder

CLASSIFICATION: 09 50 00

PRODUCT DESCRIPTION: USG Ensemble[™] Spray-Applied Finish is part of the USG Ensemble[™] Monolithic Acoustical Ceiling System. USG Ensemble™ Spray-Applied Finish is installed as the final surface. The Spray-Applied Finish is acoustically transparent and allows sound to pass through the perforations where it is absorbed by the USG Ensemble™ High NRC Backer Panels and plenum space. All system components are designed to work together so that NRC and CAC performance is maximized.

Section 1: Summary

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method • Basic Method

Threshold Disclosed Per

- O Material
- Product

Threshold level C 100 ppm • 1,000 ppm

C Per GHS SDS C Per OSHA MSDS C Other

Residuals/Impurities

- Considered C Partially Considered C Not Considered
- Explanation(s) provided for Residuals/Impurities? • Yes O No

Are All Substances Above the Threshold Indicated:

• Yes O No Characterized Percent Weight and Role Provided?

• Yes O No Screened Using Priority Hazard Lists with Results Disclosed?

O Yes ⊙ No Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

USG ENSEMBLE™ SPRAY-APPLIED FINISH [WATER (WATER) BM-4 LIMESTONE; CALCIUM CARBONATE (LIMESTONE; CALCIUM CARBONATE) LT-UNK UNDISCLOSED LT-UNK SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS) (SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS)) LT-UNK | CAN TITANIUM DIOXIDE LT-1 | CAN | END KAOLIN, CALCINED (KAOLIN, CALCINED) LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | END UNDISCLOSED NoGS UNDISCLOSED LT-UNK | SKI]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): < 5 Regulatory (g/l): 50 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: No

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Residuals/Impurities in raw materials that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS are displayed in the HPD when greater than or equal to 1000 ppm. USG uses an outside lab to quantify potential impurities of raw materials. Analytical methods may include but are not limited to; x-ray diffraction, x-ray fluorescence, atomic absorption, ion chromatography, liquid chromatography, and crystalline silica analysis.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

No certifications have been added to this HPD

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes No

PREPARER: Self-Prepared **VERIFIER** VERIFICATION #:

SCREENING DATE: 2017-11-08 PUBLISHED DATE: 2018-04-19 EXPIRY DATE: 2020-11-08

Identified

Basic Method / Product Threshold

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

USG ENSEMBLE™ SPRAY-APPLIED FINISH

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: See the SDS on usg.com for occupational exposure information. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

OTHER PRODUCT NOTES: This product is made at Gypsum, OH. This product is part of the USG Ensemble[™] Monolithic Acoustical Ceiling System.

WATER (WATER)				ID: 7732-18-5
%: 40.0000 - 45.0000	GS: BM-4	RC: None	NANO: NO	ROLE: Solvent
HAZARDS:	AGENCY(IES) WITH WARNIN	AGENCY(IES) WITH WARNINGS:		
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

LIMESTONE; CALCIUM CARBONATE (LIMESTONE; CALCIUM CARBONATE) ID: 1317-65-3					
%: 25.0000 - 30.0000	GS: LT-UNK		RC: None	NANO: NO	ROLE: Filler
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HI	PD Priority lists			
SUBSTANCE NOTES: No Residuals score of BM-1, LT-1, LT-P1 of		to be present at or a	above the 1000 ppm	threshold that re	eturn a GreenScreen®
%: 7.0000 - 12.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE	Binder
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HI	PD Priority lists			
SUBSTANCE NOTES: Proprietary in return a GreenScreen® score	•	• •	•		••

MINERAL FIBER (SEE VA		E VARIANTS) (SOLID GLAS	SS AND GLASS		ID: 65997-17-	
%: 7.0000 - 12.0000	GS: LT-UNK		RC: None	NANO: NO	ROLE: Filler	
HAZARDS:	AGENCY(IES) WITH WAI	RNINGS:				
CANCER	EU - GHS (H-Stat	tements)	H351 - Suspected of causing cancer			
SUBSTANCE NOTES: No Resic score of BM-1, LT-1, LT-		pected to be present at or	above the 1000 ppm threshol	d that return a	GreenScreen	
FITANIUM DIOXIDE					ID: 13463-67 -	
%: 5.0000 - 12.0000	GS: LT-1	RC: None	NANO: No RC	DLE: Colorant		
HAZARDS:	AGENCY(IES) WITH WAI	RNINGS:				
CANCER	US CDC - Occup	US CDC - Occupational Carcinogens		Occupational Carcinogen		
CANCER	CA EPA - Prop 6	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	IARC		Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
ENDOCRINE	TEDX - Potential	Endocrine Disruptors	Potential Endocrine Disruptor			
CANCER	МАК		Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value			
SUBSTANCE NOTES: Since tit			inhalable, it is excluded from a ppm threshold that return a G			
	LIN, CALCINED)				ID: 92704-41 -	
No Residuals or Impuritie LT-1, LT-P1 or NoGS.	LIN, CALCINED) GS: LT-UNK	rc: Nor	ne NANO: No	ROLE: F		
No Residuals or Impuritie LT-1, LT-P1 or NoGS. AOLIN, CALCINED (KAO			ie nano: No	ROLE: F		
No Residuals or Impuritie LT-1, LT-P1 or NoGS. (AOLIN, CALCINED (KAO 6: 3.0000 - 6.0000	GS: LT-UNK		ie nano: No	ROLE: F		
No Residuals or Impuritie LT-1, LT-P1 or NoGS. (AOLIN, CALCINED (KAO 6: 3.0000 - 6.0000 HAZARDS: None Found	GS: LT-UNK AGENCY(IES) WITH WAI No warnings four	RNINGS:	ne NANO: No above the 1000 ppm threshol		iller	
No Residuals or Impuritie LT-1, LT-P1 or NoGS. (AOLIN, CALCINED (KAO 6: 3.0000 - 6.0000 HAZARDS: None Found SUBSTANCE NOTES: No Resid	GS: LT-UNK AGENCY(IES) WITH WAI No warnings four	RNINGS:			GreenScreen®	

None Found	No warnings foun	d on HPD Priority lists			
				or above the 1000 ppm threshold e™ (LBC) Red List Chemical Gui	
%: 0.1000 - 0.5000	GS: LT-P1	RC: None	NANO: NO	ROLE: Binder	
HAZARDS:	AGENCY(IES) WITH WAF	NINGS:			
ENDOCRINE	TEDX - Potential	TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor			
				or above the 1000 ppm threshold e™ (LBC) Red List Chemical Gui	
%: 0.1000 - 0.5000	GS: NoGS	RC: None	NANO: No	ROLE: Dispersant	
HAZARDS:	AGENCY(IES) WITH WAF	ININGS:			
None Found	No warnings foun	d on HPD Priority lists			
				or above the 1000 ppm thresholc e™ (LBC) Red List Chemical Gui	
%: 0.0500 - 0.1000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Biocide	
HAZARDS:	AGENCY(IES) WITH WAF	ININGS:			
SKIN SENSITIZE	EU - GHS (H-Stat	EU - GHS (H-Statements) H317 - May cause an allergic skin reaction		an allergic skin reaction	
SKIN SENSITIZE	МАК		Sensitizing Substa	nce Sh - Danger of skin sensitization	n
				or above the 1000 ppm threshold e™ (LBC) Red List Chemical Gui	

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

USG SHEETROCK® BRAND ENSEMBLE™ PANELS	HPD URL: https://hpdrepository.hpd- collaborative.org/Pages/Results.aspx			
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Part of the USG Ensemble™ Monolithic Acoustical Ceiling Sy	stem.			
USG SHEETROCK® BRAND ENSEMBLE™ CEILING COMPOUND	HPD URL: https://hpdrepository.hpd- collaborative.org/Pages/Results.aspx			
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Part of the USG Ensemble™ Monolithic Acoustical Ceiling System.				
USG ENSEMBLE™ HIGH-NRC BACKER PANELS	HPD URL: https://hpdrepository.hpd- collaborative.org/Pages/Results.aspx			
condition when recommended or required and/or other notes: Part of the USG Ensemble™ Monolithic Acoustical Ceiling System.				
USG DRYWALL SUSPENSION SYSTEM	HPD URL: https://hpdrepository.hpd- collaborative.org/Pages/Results.aspx			
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Part of the USG Ensemble™ Monolithic Acoustical Ceiling System.				
USG SHEETROCK® BRAND JOINT TAPES	HPD URL: https://hpdrepository.hpd- collaborative.org/Pages/Results.aspx			
condition when recommended or required and/or other notes: Part of the USG Ensemble™ Monolithic Acoustical Ceiling System.				
USG FIBEROCK® BRAND END-JOINT BACKER PANEL	HPD URL: No HPD available			
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Part of the USG Ensemble™ Monolithic Acoustical Ceiling System. A HPD for each component is in progress.				

See Section 2 for substance specific notes.

MANUFACTURER INFORMATION

MANUFACTURER: USG ADDRESS: 550 West Adams Street Chicago IL 60661, United States WEBSITE: usg.com

CONTACT NAME: USG Sustainability TITLE: Sustainability Analyst II, Authorized GreenScreen Practitioner PHONE: 1-800-USG4YOU EMAIL: sustainability@usg.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

GLO Global warming

MUL Multiple hazards

OZO Ozone depletion

NEU Neurotoxicity

MAM Mammalian/systemic/organ toxicity

PBT Persistent Bioaccumulative Toxic

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

USG Ensemble Spray-Applied Finish hpdrepository.hpd-collaborative.org