# **USG** "F" Fissured™ Basic Acoustical Ceiling Panels by USG

## **Health Product** Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 51 00

PRODUCT DESCRIPTION: Manufactured by USG Interiors, LLC. USG "F" Fissured™ Basic Acoustical Ceiling Panels are long-lasting and abuse resistant. Offering sound absorption, these easy-to-clean panels are perfect for administrative offices, schools, financial institutions, religious buildings and restaurants.



## Section 1: Summary

### **Basic Method / Product Threshold**

			RY

Inventory Reporting Format						
Nested Materials Method Basic Method						
Threshold Disclosed Per						
C Material						
Product						

Threshold level	
C 100 ppm	
<b>⊙</b> 1,000 ppm	

Per GHS SDS

C Other

C Per OSHA MSDS

Residuals/Impurities Considered C Partially Considered Not Considered

Explanation(s) provided for Residuals/Impurities? O Yes O No

All Substances Above the Threshold Indicated Are:

O Yes Ex/SC O Yes O No Characterized % weight and role provided for all substances.

O Yes Ex/SC O Yes O No Screened All substances screened using Priority Hazard Lists with results disclosed

Identified ○ Yes Ex/SC ○ Yes ○ No One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

USG "F" FISSURED™ BASIC ACOUSTICAL CEILING PANELS [ MINERAL WOOL (BIOSOLUBLE, WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT GREATER THAN 18 % BY WEIGHT) LT-UNK PLASTER OF PARIS Nogs STARCH LT-UNK KAOLIN CLAY LT-UNK | CAN CALCIUM CARBONATE BM-3 BORIC ACID LT-1 | REP | MUL | END | DEL TITANIUM DIOXIDE LT-1 | CAN | END UNDISCLOSED LT-UNK ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

### **INVENTORY AND SCREENING NOTES:**

Residuals/Impurities in raw materials that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS are displayed in the HPD when greater than or equal to 1000 ppm. USG uses an outside lab to quantify potential impurities of raw materials. Analytical methods may include but are not limited to; x-ray diffraction, x-ray fluorescence, atomic absorption, ion chromatography, liquid chromatography, and crystalline silica analysis.

### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

#### **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified? C Yes

PREPARER: Self-Prepared VERIFIER:

SCREENING DATE: 2019-06-20 PUBLISHED DATE: 2020-03-25 EXPIRY DATE: 2022-06-20

No
 No
 ■
 No

VERIFICATION #:



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

#### USG "F" FISSURED™ BASIC ACOUSTICAL CEILING PANELS

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: See the SDS on usg.com for occupational exposure information. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

OTHER PRODUCT NOTES:

### MINERAL WOOL (BIOSOLUBLE, WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE **CONTENT GREATER THAN 18 % BY WEIGHT)**

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2019-06-20		
%: 60.00 - 72.00	GS: LT-UNK		RC: <b>PreC</b>	NANO: <b>No</b>	ROLE: Core/Basemat
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		ı	No warnings	found on HF	PD Priority Hazard Lists

SUBSTANCE NOTES: The synthetic mineral wool fiber used in this product is exonerated from classification as a carcinogenic in accordance with Note Q in the EU Commission Directive 97/69/EC. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

**PLASTER OF PARIS** ID: 26499-65-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-06-20			
%: <b>12.00 - 15.00</b>	GS: <b>NoGS</b>	RC: PreC	nano: <b>No</b>	ROLE: Filler/Basemat		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No warnings t	ound on HPD Priority Hazard Lists			

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

**STARCH** ID: 9005-25-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-06-20

%: 9.00 - 12.00	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Binder/Basemat
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings fo	und on HPD Priority Hazard Lists

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-06-20		
%: 1.00 - 1.50	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Paint filler/Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	<b>S</b>	
CANCER MAK			gen Group 3B - sufficient for cla	Evidence of carcinogenic effects assification

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

METHOD: NANO: No ROLE: Paint filler/Coating

MAZARD TYPE

METHOD: Pharos Chemical and Materials Library

METHOD: WARNINGS

METHOD: WARNINGS

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

BORIC ACID				ID: 10043-35-3
HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCRE	ENING DATE: 20°	19-06-20
%: 0.50 - 0.80	GS: <b>LT-1</b>	RC: None	nano: <b>No</b>	ROLE: Fire retardant/Basemat

None found

SUBSTANCE NOTES: No residuals/impurities at 1000 ppm.

No warnings found on HPD Priority Hazard Lists

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
REPRODUCTIVE	EU - SVHC Authorisation List	Toxic to reproduction - Prioritized for listing
REPRODUCTIVE	EU - GHS (H-Statements)	H360FD - May damage fertility. May damage the unborn child
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
DEVELOPMENTAL	MAK	Pregnancy Risk Group B
REPRODUCTIVE	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
ENDOCRINE	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
REPRODUCTIVE	EU - SVHC Authorisation List	Toxic to reproduction - Candidate list
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1B
REPRODUCTIVE	Australia - GHS	H360Fd - May damage fertility. Suspected of damaging the unborn child

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-06-20
%: 0.09 - 0.20	gs: <b>LT-1</b>	RC: None NANO: No ROLE: Pigment/Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Since titanium dioxide is bound with in the coating and not inhalable, it is excluded from several regulatory hazard lists. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

### **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-06-20

%: 0.07 - 0.20	GS: <b>LT-UNK</b>	RC: None	nano: <b>No</b>	ROLE: Binder/Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings for	und on HPD Priority Hazard Lists

SUBSTANCE NOTES: 0.0 − 0.5% in Coating/0.1 − 0.6% in Laminate. Proprietary ingredient. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. Not on the Living Building Challenge<sup>TM</sup> (LBC) Red List Chemical Guide (Version 3.1).



## **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

### **VOC EMISSIONS**

#### **UL/GreenGuard Gold Certified**

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Cloquet, MN CERTIFICATE URL: http://spot.ul.com ISSUE DATE: 2015-

08-06

EXPIRY DATE: 2020-

CERTIFIER OR LAB: UL

07-27

**Environment** 

CERTIFICATION AND COMPLIANCE NOTES: Building products and interior finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using an Office and Classroom Environment. Product tested in accordance with UL 2821 test method to show compliance to emission limits on UL 2818. Section 7.1 and 7.2. Maximum allowable predicted TVOC concentrations for GREENGUARD Gold (0.22 mg/m³) fall in the range of 0.5 mg/m³ or less, as specified in CDPH Standard Method v1.2.



## **Section 4: Accessories**

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

### **USG DONN® BRAND ACOUSTICAL SUSPENSION SYSTEMS**

HPD URL: https://www.usg.com/content/usgcom/en.html

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Used to install acoustical ceiling panels.



## Section 5: General Notes

Ingredient specific notes are included in Section 2.

#### MANUFACTURER INFORMATION

MANUFACTURER: USG

ADDRESS: 550 West Adams St Chicago IL 60661, United States

WEBSITE: usg.com

CONTACT NAME: Stacy Simpson

TITLE: Sustainability Manager

PHONE: 1-800-USG4YOU EMAIL: sustainability@usg.com

#### **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity **END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

LT-UNK List Translator Benchmark Unknown (insufficient

information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

NF Not found on Priority Hazard Lists

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

### **Recycled Types**

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

**Both** Both Preconsumer and Postconsumer **Unk** Inclusion of recycled content is unknown

None Does not include recycled content

#### **Other Terms**

#### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
  created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.