# USG Mars™ Acoustical Panels by USG

# **Health Product** Declaration v2.1

created via: HPDC Online Builder

CLASSIFICATION: 09 51 00

PRODUCT DESCRIPTION: Manufactured by USG Interiors, LLC. USG Mars™ Acoustical Panels are fine-textured, mold resistant and offer superior sag resistance, high light reflectance values and excellent noise reduction. Their durability, performance, easiness to clean and attractiveness make them an ideal choice for corridors, department stores, reception areas, lobbies and general office spaces.



# Section 1: Summary

# **Basic Method / Product Threshold**

#### **CONTENT INVENTORY**

# **Inventory Reporting Format** Nested Materials Method Basic Method

## **Threshold Disclosed Per**

- Material
- Product

Threshold	level
_	

- C 100 ppm **⊙** 1,000 ppm
- Per GHS SDS C Per OSHA MSDS
- C Other

## Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities? Yes O No

Are All Substances Above the Threshold Indicated:

 Yes ○ No Characterized

Percent Weight and Role Provided?

 Yes ○ No. Screened

Using Priority Hazard Lists with Results Disclosed?

Identified C Yes C No

Name and Identifier Provided?

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

USG MARS™ ACOUSTICAL PANELS [ MINERAL WOOL (BIOSOLUBLE, WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT GREATER THAN 18 % BY WEIGHT) LT-UNK STARCH LT-UNK KAOLIN CLAY LT-UNK | CAN KAOLIN, CALCINED LT-UNK UNDISCLOSED NoGS SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS) LT-UNK | CAN ALUMINA TRIHYDRATE BM-2 | RES CALCIUM CARBONATE BM-3 POLY(VINYL ALCOHOL) LT-UNK UNDISCLOSED LT-UNK TITANIUM DIOXIDE LT-1 CAN | END UNDISCLOSED NoGS PLASTER OF PARIS NoGS ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

## **INVENTORY AND SCREENING NOTES:**

Residuals/Impurities in raw materials that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS are displayed in the HPD when greater than or equal to 1000 ppm. USG uses an outside lab to quantify potential impurities of raw materials. Analytical methods may include but are not limited to; x-ray diffraction, x-ray fluorescence, atomic absorption, ion chromatography, liquid chromatography, and crystalline silica analysis.

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

## CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: GREENGUARD Certification - USG Mars™ Acoustical Panel Family

Other: Environmental Product Declaration - USG Mars™ Acoustical Panel

Other: ILFI Declare - LBC Compliant

### **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes No

PREPARER: Self-Prepared VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-04-12 PUBLISHED DATE: 2018-04-12 EXPIRY DATE: 2021-04-12



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

#### USG MARS™ ACOUSTICAL PANELS

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: See the SDS on usg.com for occupational exposure information. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

other product notes: Chemical inventory and screening of the ingredients in USG Mars™, Mars™ Healthcare AirCare, Mars™ High NRC (including Planks and Logix™), Mars™ Healthcare, Mars™ High-NRC/High-CAC, and Mars™ Healthcare High NRC Acoustical Panels.

## MINERAL WOOL (BIOSOLUBLE, WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE **CONTENT GREATER THAN 18 % BY WEIGHT)**

ID: 65997-17-3

%: 80.0000 - 85.0000	GS: LT-UNK	RC: PreC	nano: <b>No</b>	ROLE: Core/Basemat
HAZARDS:	AGENCY(IES) WITH WARNINGS:			

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: The synthetic mineral wool fiber used in this product is exonerated from classification as a carcinogenic in accordance with Note Q in the EU Commission Directive 97/69/EC. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

**STARCH** ID: 9005-25-8

%: 2.2000 - 4.5000	GS: <b>LT-UNK</b>	RC: <b>None</b>	nano: <b>No</b>	ROLE: Binder/Basemat	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

**KAOLIN CLAY** ID: 1332-58-7

%: 1.5000 - 3.0000 GS: LT-UNK RC: None NANO: **No ROLE: Filler/Coating** 

HAZARDS: AGENCY(IES) WITH WARNINGS: SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

KAOLIN, CALCINED ID: 92704-41-1

%: 1.5000 - 2.9000	GS: LT-UNK	RC: <b>None</b>	nano: <b>No</b>	ROLE: Filler/Coating	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

%: <b>1.0000 - 1.5000</b>	GS: <b>NoGS</b>	RC: <b>None</b>	nano: <b>No</b>	ROLE: Thermoplastic binder/Basemat			
HAZARDS:	AGENCY(IES) WITH	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HPD Priority lists						

SUBSTANCE NOTES: Proprietary ingredient. Polymer is considered non-hazardous, contains no reactive residuals, and has an oral LD50 > 5,000 mg/kg. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. Not on the Living Building Challenge™ (LBC) Red List Chemical Guide (Version 3.1).

### **SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS)**

ID: 65997-17-3

%: <b>0.7000 - 1.5000</b>	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Core/Laminate
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
CANCER	EU - GHS (H-Statements)	H351 -	Suspected of cau	sing cancer

SUBSTANCE NOTES: Continuous filament glass fibers is used in the manufacturing of this product are not respirable. Additionally, IARC (International Agency for Research on Cancer), NTP (US National Toxicology Program) and OSHA (US Occupational Safety and Health Administration) do not list continuous filament glass fibers as a carcinogen. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

ALUMINA TRIHYDRATE ID: 21645-51-2

%: <b>0.5000 - 1.0000</b>	GS: <b>BM-2</b>	RC: None	NANO: <b>No</b>	ROLE: Fire retardant/Laminate
HAZARDS:	AGENCY(IES) WITH W	/ARNINGS:		
RESPIRATORY	AOEC - Asthma	AOEC - Asthmagens		thmagen (ARs) - sensitizer-induced - inhalable forms ly

SUBSTANCE NOTES: Not in a respirable form. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

CALCIUM CARBONATE ID: 471-34-1

%: <b>0.5000 - 1.8000</b>	GS: <b>BM-3</b>	RC: None	nano: <b>No</b>	ROLE: Filler/Coating		
HAZARDS:	AGENCY(IES) WITH WARNIN	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists					

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

POLY(VINYL ALCOHOL)
ID: 9002-89-5

%: <b>0.3000 - 0.5000</b>	GS: <b>LT-UNK</b>	RC: None	nano: <b>No</b>	ROLE: Binder/Laminate			
HAZARDS:	AGENCY(IES) WITH WARNINGS:	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HPD Priority lists						

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

%: <b>0.3000 - 0.8000</b>	gs: LT-UNK	RC: None	NANO: <b>No</b>	ROLE: <b>Binder</b>	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: 0.2 − 0.6% in Coating/0.1 − 0.2% in Laminate. Proprietary ingredient. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. Not on the Living Building Challenge™ (LBC) Red List Chemical Guide (Version 3.1).

TITANIUM DIOXIDE ID: 13463-67-7

%: <b>0.1000 - 0.3000</b>	GS: <b>LT-1</b>	RC: <b>None</b>	nano: <b>No</b>	ROLE: Pigment/Coating
HAZARDS:	AGENCY(IES) WITH	WARNINGS:		
CANCER	US CDC - Occ	OC - Occupational Carcinogens Occupational Carcinogen		
CANCER	CA EPA - Prop	CA EPA - Prop 65		gen - specific to chemical form or exposure route
CANCER	IARC	IARC		B - Possibly carcinogenic to humans - inhaled from ional sources
CANCER	MAK	MAK		gen Group 3A - Evidence of carcinogenic effects sufficient to establish MAK/BAT value
ENDOCRINE	TEDX - Poten	tial Endocrine Disruptors	Potentia	Il Endocrine Disruptor

SUBSTANCE NOTES: Since titanium dioxide is bound with in the coating and not inhalable, it is excluded from several regulatory hazard lists. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

%: <b>0.0000 - 0.2000</b>	GS: <b>NoGS</b>	RC: None	nano: <b>No</b>	ROLE: Formaldehyde scavenger/Coating			
HAZARDS:	AGENCY(IES) WITH	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HPD Priority lists						

SUBSTANCE NOTES: Proprietary ingredient. Only found in Mars™ Healthcare AirCare. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

PLASTER OF PARIS					ID: <b>26499-65-0</b>
%: <b>0.0000 - 1.7000</b>	GS: NoGS	RC: None	nano: <b>No</b>	ROLE: Filler/Basemat	
HAZARDS:	AGENCY(IES) WITH WA	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings fou	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.



# **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

**VOC EMISSIONS** 

GREENGUARD Certification - USG Mars™ Acoustical **Panel Family** 

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Cloquet, MN

ISSUE DATE:

EXPIRY DATE:

CERTIFIER OR LAB: UL

2016-06-01

Environment

CERTIFICATE URL:

http://productguide.ulenvironment.com/SearchResults.aspx?

BrandID=1808

CERTIFICATION AND COMPLIANCE NOTES: VOC emissions testing according to the CDPH 01350 v1.1 2010 criteria.

**OTHER** 

Environmental Product Declaration - USG Mars™ **Acoustical Panel Family** 

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Cloquet, MN

ISSUE DATE:

**EXPIRY DATE:** 

CERTIFIER OR LAB: UL

2016-06-28

**Environment** 

CERTIFICATE URL:

http://productguide.ulenvironment.com/SearchResults.aspx?

BrandID=1808

CERTIFICATION AND COMPLIANCE NOTES: Environmental Product Declaration for the Life-Cycle Assessment and can be found at usg.com/sustainability

**OTHER** 

## **ILFI Declare - LBC Compliant**

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2017-

05-01

**EXPIRY DATE:** 

CERTIFIER OR LAB: ILFI Review

APPLICABLE FACILITIES: All

CERTIFICATE URL: https://living-future.org/declare-

products/mars-acoustical-panels/

CERTIFICATION AND COMPLIANCE NOTES: LBC Declare Label with LBC Compliant status.



## **Section 4: Accessories**

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



## **Section 5: General Notes**

Ingredient specific notes are included in Section 2.

#### MANUFACTURER INFORMATION

MANUFACTURER: USG

ADDRESS: 550 West Adams Street Chicago IL 60661, United States

**WEBSITE: 550 West Adams Street** 

CONTACT NAME: USG Sustainability

TITLE: Sustainability Manager

PHONE: 1-800-USG4YOU

EMAIL: sustainability@usg.com

## **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity **END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

NF Not found on Priority Hazard Lists

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

#### **Recycled Types**

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

**Both** Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

#### **Other Terms**

### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.