USG Securock® ExoAir® 430 Panels by USG

Health Product Declaration v2.1

created via: HPDC Online Builder

CLASSIFICATION: 09 20 00

PRODUCT DESCRIPTION: Securock® ExoAir® 430 System - the only gypsum sheathing panel integrated with a preapplied fluid air-barrier membrane. The panel brings two proven technologies together - USG's Securock Glass-Mat Sheathing and Tremco's ExoAir fluid-applied air barrier membrane into one panel that controls air, water and vapor in a very efficient way. With document system performance that goes beyond industry requirements, the Securock® ExoAir® 430 System gives architects the confidence to specify and building owners the performance they demand.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Threshold level	Residuals/Impurities	Are All Substances Abo	ve the Threshold Indicated:
C 100 ppm⊙ 1,000 ppmC Per GHS SDS	ConsideredPartially ConsideredNot Considered	Characterized Percent Weight and Ro.	€ Yes € No
Per OSHA MSDS Other	Explanation(s) provided for Residuals/Impurities? • Yes • No	Identified	
	C 100 ppm 1,000 ppm Per GHS SDS Per OSHA MSDS	C 100 ppm C Considered Partially Considered Not Considered Not Considered Per GHS SDS Per OSHA MSDS C Other Explanation(s) provided for Residuals/Impurities?	C 100 ppm C Considered Partially Considered Per GHS SDS Not Considered Per CSHA MSDS Other Explanation(s) provided for Residuals/Impurities? Ves No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

USG SECUROCK® EXOAIR® 430 PANELS [GYPSUM LT-UNK CALCIUM CARBONATE BM-3 CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK UNDISCLOSED LT-UNK

POLY(METHYLHYDROSILOXANE) NoGS UNDISCLOSED LT-UNK ZINC OXIDE BM-1 | RES | AQU | MUL UNDISCLOSED LT-P1 | END | MUL

PERICLASE (MGO) LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Residuals/Impurities in raw materials that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS are displayed in the HPD when greater than or equal to 1000 ppm. USG uses an outside lab to quantify potential impurities of raw materials. Analytical methods may include but are not limited to; x-ray diffraction, x-ray fluorescence, atomic absorption, ion chromatography, liquid chromatography, and crystalline silica analysis.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: NA

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified? PREPARER: Self-Prepared VERIFIER: C Yes **VERIFICATION #:** No

SCREENING DATE: 2018-08-22 PUBLISHED DATE: 2018-08-30 EXPIRY DATE: 2021-08-22



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

USG SECUROCK® EXOAIR® 430 PANELS

PRODUCT THRESHOLD: 1000 ppm

GVPSHM

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Raw materials in this product may contain trace amounts of respirable crystalline silica. Testing has shown exposures to respirable crystalline silica are not expected to exceed the OSHA Permissible Exposure Level (PEL) during the normal use of this product. See the SDS on usg.com for occupational exposure information. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

OTHER PRODUCT NOTES: This product is manufactured at Jacksonville, FL.

GTI COM				15. 10001 2	
%: 85.0000 - 90.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Core	

HAZARDS: AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

CALCIUM CARBONATE ID: 471-34-1

%: 3.0000 - 5.0000	GS: BM-3	RC: None	nano: No	ROLE: Coating filler			
HAZARDS:	AGENCY(IES) WITH WARNIN	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found	on HPD Priority lists					

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: 65997-17-3

ID: 13397-24-5

%: 2.0000 - 4.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Reinforcement
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lis	ts		

SUBSTANCE NOTES: Continuous filament glass fibers is used in the manufacturing of this product are not respirable. Additionally, IARC (International Agency for Research on Cancer), NTP (US National Toxicology Program) and OSHA (US Occupational Safety and Health Administration) do not list continuous filament glass fibers as a carcinogen. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

UNDISCLOSED

%: 2.0000 - 4.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Coating adhesive			
HAZARDS:	AGENCY(IES) WITH WARNINGS	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HPD Priority lists						

SUBSTANCE NOTES: Proprietary ingredient. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. Not on the Living Building Challenge™ (LBC) Red List Chemical Guide (Version 3.1).

POLY(METHYLHYDROSILOXANE)

ID: 63148-57-2

%: 0.3000 - 0.6000	gs: NoGS	RC: None	nano: No	ROLE: Water repellant		
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on	HPD Priority lists				

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

UNDISCLOSED

%: 0.1000 - 0.2000	GS: LT-UNK	RC: None	NANO: No	ROLE: Core strengthening	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on	HPD Priority lists			

SUBSTANCE NOTES: Proprietary ingredient. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. Not on the Living Building Challenge™ (LBC) Red List Chemical Guide (Version 3.1).

ZINC OXIDE ID: 1314-13-2

%: 0.1000 - 0.3000	GS: BM-1	RC: None	nano: No	ROLE: Coating protectant		
HAZARDS:	AGENCY(IES) WITH V	/ARNINGS:				
RESPIRATORY	AOEC - Asthma	AOEC - Asthmagens		Asthmagen (ARs) - sensitizer-induced - inhalable forms only		
ACUTE AQUATIC	EU - GHS (H-St	atements)	H400 -	H400 - Very toxic to aquatic life		
CHRON AQUATIC	EU - GHS (H-St	EU - GHS (H-Statements)		(H-Statements) H410 - Very toxic to aquatic life with long lasting effe		Very toxic to aquatic life with long lasting effects
MULTIPLE	German FEA - : Waters	Substances Hazardous to	Class 2	- Hazard to Waters		

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

UNDISCLOSED

%: 0.1000 - 0.3000	GS: LT-P1	RC: None	NANO: No	ROLE: Coating surfactant	
HAZARDS:	AGENCY(IES) WITH WAR	AGENCY(IES) WITH WARNINGS:			
ENDOCRINE	ChemSec - SIN List		Endocri	Endocrine Disruption	
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potentia	Potential Endocrine Disruptor	
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 3 - Severe Hazard to Waters		

SUBSTANCE NOTES: Proprietary ingredient. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. Not on the Living Building Challenge™ (LBC) Red List Chemical Guide (Version 3.1).

PERICLASE (MGO)

%: 0.0000 - 0.2000	GS: LT-UNK	RC: None	nano: No	ROLE: Catalyst	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

NA

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2018-

EXPIRY DATE:

CERTIFIER OR LAB: NA

APPLICABLE FACILITIES: NA

01-01

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: No certification or compliance information for finished product.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

Ingredient specific notes are included in Section 2.

MANUFACTURER INFORMATION

MANUFACTURER: USG

ADDRESS: 550 W Adams St Chicago IL 60661, US

WEBSITE: usg.com

CONTACT NAME: USG Sustainability

TITLE: Sustainability Manager

PHONE: 1-800-USG4YOU

EMAIL: sustainability@usg.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.