# USG Sheetrock<sup>®</sup> Brand Topping Joint Compound, Ready-Mixed by USG

## Health Product Declaration v2.1

created via: HPDC Online Builder

#### CLASSIFICATION: 09 29 00

PRODUCT DESCRIPTION: USG Sheetrock® Brand Topping Joint Compound is a low-shrinkage compound recommended for use in second and third coats over USG Sheetrock® Brand Taping and All-Purpose Joint Compounds. USG Sheetrock® Brand Topping Joint Compound applies quickly, providing easy workability, excellent slip and bond, and low shrinkage. Can be used directly from the container and requires only minimal mixing, thinning, and retempering and meets ASTM C475.

# Section 1: Summary

# **Basic Method / Product Threshold**

#### **CONTENT INVENTORY**

#### **Inventory Reporting Format**

- Nested Materials Method
   Basic Method
- Basic Method

#### **Threshold Disclosed Per**

- C Material
- Product

# Threshold level

1,000 ppm
Per GHS SDS
Per OSHA MSDS
Other

#### **Residuals/Impurities**

Considered
 Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities? Are All Substances Above the Threshold Indicated:

| Characterized                                       | Yes O No   |  |  |  |
|---|------------|--|--|--|
| Percent Weight and Role Provided?                   |            |  |  |  |
| Screened  | ⊙ Yes ◯ No |  |  |  |
| Using Priority Hazard Lists with Results Disclosed? |            |  |  |  |

Identified O Yes O No Name and Identifier Provided?

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

#### MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

USG SHEETROCK® BRAND TOPPING JOINT COMPOUND, READY-MIXED [LIMESTONE; CALCIUM CARBONATE LT-UNK WATER BM-4 ATTAPULGITE LT-1 | CAN MICA LT-UNK POLYVINYL ACETATE (PVA) LT-UNK UNDISCLOSED LT-UNK 1,3,5-TRIAZINE-1,3,5(2H,4H,6H)-TRIETHANOL (9CI) LT-UNK | SKI UNDISCLOSED LT-UNK PERLITE LT-UNK UNDISCLOSED LT-UNK *QUARTZ* LT-1 | CAN ]

#### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1 Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

Residuals/Impurities in raw materials that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS are displayed in the HPD when greater than or equal to 1000 ppm. USG uses an outside lab to quantify potential impurities of raw materials. Analytical methods may include but are not limited to; x-ray diffraction, x-ray fluorescence, atomic absorption, ion chromatography, liquid chromatography, and crystalline silica analysis.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: UL/GreenGuard Gold Certified

#### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

Yes
 No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2018-07-30 PUBLISHED DATE: 2018-08-24 EXPIRY DATE: 2021-07-30

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

## **USG SHEETROCK® BRAND TOPPING JOINT COMPOUND, READY-MIXED**

#### PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals/Impurities in raw materials that return a GreenScreen® score of BM-1, LT-1, LTP1 or NoGS are displayed in the HPD when greater than or equal to 1000 ppm. Naturally occurring raw materials in this product may contain trace amounts of respirable crystalline silica. The accumulative percentage of respirable crystalline silica is expected to exceed the threshold of 1000 ppm. See the SDS on usg.com for occupational exposure information.

OTHER PRODUCT NOTES: Manufactured at Chamblee, GA, Torrance, CA, Dallas, TX, Fort Dodge, IA, Phoenix, AZ, Port Reading, NJ, Auburn, WA, Gypsum, OH, Sigurd, UT, and East Chicago, IN.

| LIMESTONE; CALCIUM CARBON   | NATE                       |                  |                 |                         | ID: <b>1317-65-3</b> |
|---|----------------------------|------------------|-----------------|-------------------------|----------------------|
| %: 55.0000 - 85.0000  | GS: LT-UNK                 | RC: None         | NANO: <b>NO</b> | ROLE: Functional filler |                      |
| HAZARDS:  | AGENCY(IES) WITH WARNINGS: |                  |                 |                         |                      |
| None Found  | No warnings found on HP    | D Priority lists |                 |                         |                      |
| SUBSTANCE NOTES: Crystalline silica is an impurity found in limestone/calcium carbonate. See the impurity crystalline silica entry for more |                            |                  |                 |                         |                      |

information. US EPA - Design for the Environment (DfE) Safer Chemical Ingredients List (SCIL) - Green Circle - Verified Low Concern.

| %: 22.0000 - 37.0000                                   | GS: <b>BM-4</b>     | RC: None                   | NANO: <b>NO</b>          | ROLE: Solvent           |             |
|--|---------------------|----------------------------|--------------------------|-------------------------|-------------|
| HAZARDS:   | AGENCY(IES) WITH WA | RNINGS:                    |                          |                         |             |
| None Found   | No warnings fou     | nd on HPD Priority lists   |                          |                         |             |
| SUBSTANCE NOTES: No Resid<br>score of BM-1, LT-1, LT-F |                     | spected to be present at o | or above the 1000 ppm th | reshold that return a G | GreenScreer |
|  |                     | xpected to be present at o | or above the 1000 ppm th |                         | treenScreer |
| score of BM-1, LT-1, LT-F                              |                     | spected to be present at o | or above the 1000 ppm th |                         |             |
| score of BM-1, LT-1, LT-F                              | P1 or NoGS.         | RC: None                   |                          |                         |             |

| CANCER  | CA EPA - Prop 65  |   | Carcinogen   |  |
|---|---|---|--|--|
| CANCER  | МАК   |   | Carcinogen Group 2 - Cons<br>man                     | sidered to be carcinogenic for                           |
| (Georgia– Florida), a clay-<br>quantities of impurities. Ir | us attapulgite raw material that U<br>rich region where the mineral co<br>n the finished form when applied<br>he final product as installed is no | ntent of the deposits according to USG sp | consists almost entirely of ecifications no exposure | of attapulgite with minor to attapulgite is expected for |
| MICA  |   |   |  | ID: <b>12001-26-2</b>                                    |
| %: <b>0.5000 - 4.0000</b>                                   | GS: LT-UNK  | RC: None                                  | NANO: <b>NO</b>                                      | ROLE: Filler   |
| HAZARDS:  | AGENCY(IES) WITH WARNINGS:  |   |  |  |
| None Found  | No warnings found on HPI  | Priority lists                            |  |  |
| score of BM-1, LT-1, LT-F                                   |   | o be present at or ab                     | ove the 1000 ppm thresho                             | old that return a GreenScreen®                           |
| POLYVINYL ACETATE (PV                                       | A)  |   |  | ID: <b>9003-20-</b>                                      |
| %: 0.3000 - 3.0000  | GS: LT-UNK  | RC: None                                  | NANO: <b>NO</b>                                      | ROLE: Binder   |
| HAZARDS:  | AGENCY(IES) WITH WARNINGS:  |   |  |  |
| None Found  | No warnings found on HPI  | ) Priority lists                          |  |  |
|   | ry ingredient. No Residuals or Im<br>core of BM-1, LT-1, LT-P1 or NoC<br>(Version 3.1)  |   |  |  |
| UNDISCLOSED   |   |   |  |  |
| %: <b>0.1000 - 0.5000</b>                                   | GS: LT-UNK  | RC: None                                  | NANO: <b>NO</b>                                      | ROLE: Binder   |
| HAZARDS:  | AGENCY(IES) WITH WARNINGS:  |   |  |  |
| None Found  | No warnings found on HPI  | ) Priority lists                          |  |  |
|   |   |   |  |  |
| %: 0.1000 - 0.2000  | GS: LT-UNK  | RC: Nor                                   | e NANO: No   | BOLE: Biocide  |
| /0. 011000 - ULCOU  |   | nu. <b>HUI</b>                            |  |  |
|   | GJ. EF-ONIX   |   |  |  |
| HAZARDS:  | AGENCY(IES) WITH WARNINGS:  |   |  |  |

USG Sheetrock Brand Topping Joint Compound, Ready-Mixed hpdrepository.hpd-collaborative.org

SKIN SENSITIZE MAK Sensitizing Substance Sh - Danger of skin sensitization SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. UNDISCLOSED %: 0.0000 - 3.0000 ROLE: Binder GS: LT-UNK RC: None NANO: NO HAZARDS: AGENCY(IES) WITH WARNINGS: None Found No warnings found on HPD Priority lists SUBSTANCE NOTES: Proprietary ingredient. May contain. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. Not on the Living Building Challenge™ (LBC) Red List Chemical Guide (Version 3.1). PERLITE ID: 93763-70-3 %: 0.0000 - 1.5000 GS: LT-UNK ROLE: Filler RC: None NANO: NO HAZARDS: AGENCY(IES) WITH WARNINGS: None Found No warnings found on HPD Priority lists SUBSTANCE NOTES: May contain. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. UNDISCLOSED %: 0.0000 - 0.1000 GS: LT-UNK RC: None NANO: NO ROLE: Binder HAZARDS: AGENCY(IES) WITH WARNINGS: None Found No warnings found on HPD Priority lists SUBSTANCE NOTES: Proprietary ingredient. May contain. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. This raw material/chemical is not on the Living Building Challenge<sup>™</sup> (LBC) Red List Chemical Guide (Version 3.1). **QUARTZ** ID: 14808-60-7 %: Impurity/Residual GS: LT-1 RC: None NANO: NO ROLE: Impurity/Residual HAZARDS: AGENCY(IES) WITH WARNINGS: CANCER US CDC - Occupational Carcinogens **Occupational Carcinogen** CANCER CA EPA - Prop 65 Carcinogen - specific to chemical form or exposure route CANCER IARC Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources

| CANCER | US NIH - Report on Carcinogens | Known to be Human Carcinogen (respirable size -<br>occupational setting) |
|--------|--------------------------------|--|
| CANCER | МАК                            | Carcinogen Group 1 - Substances that cause cancer in man                 |
| CANCER | New Zealand - GHS              | 6.7A - Known or presumed human carcinogens                               |
| CANCER | Australia - GHS                | H350 - May cause cancer  |
| CANCER | Japan - GHS                    | Carcinogenicity - Category 1A  |
| CANCER | Australia - GHS                | H350i - May cause cancer by inhalation                                   |
|        |                                |  |

SUBSTANCE NOTES: Respirable crystalline silica occurs as an impurity in naturally occurring raw materials. Exposures to respirable crystalline silica during the normal use of this product must be determined by workplace hygiene testing.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

| VOC EMISSIONS   | UL/GreenGuard Gold Certified |              |                                     |  |  |  |
|---|------------------------------|--------------|-------------------------------------|--|--|--|
| CERTIFYING PARTY: Third Party<br>APPLICABLE FACILITIES: All<br>CERTIFICATE URL: https://spot.ul.com       | ISSUE DATE: 2015-<br>07-27   | EXPIRY DATE: | CERTIFIER OR LAB: UL<br>Environment |  |  |  |
| CERTIFICATION AND COMPLIANCE NOTES: VOC emissions testing according to the CDPH 01350 v1.1 2010 criteria. |                              |              |                                     |  |  |  |

# 😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

## Section 5: General Notes

Ingredient specific notes are included in Section 2.

### MANUFACTURER INFORMATION

MANUFACTURER: USG ADDRESS: 550 W Adams St Chicago IL 60661, US WEBSITE: USG.com

## CONTACT NAME: USG Sustainability TITLE: Sustainability Manager PHONE: 1-800-USG4YOU EMAIL: sustainability@usg.com

### KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**GLO** Global warming

**MUL** Multiple hazards

**OZO** Ozone depletion

**NEU** Neurotoxicity

MAM Mammalian/systemic/organ toxicity

**PBT** Persistent Bioaccumulative Toxic

#### **Hazard Types**

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

#### **Recycled Types**

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

## Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)