ARDEX FG-C ™ by ARDEX Engineered Cements

PRODUCT DESCRIPTION: ARDEX FG-C MICROTEC UNSANDED GROUT IS A HIGH-PERFORMANCE, PORTLAND CEMENT-BASED, POLYMER- MODIFIED UNSANDED GROUT FOR WALLS OR FLOORS. WITH A CREAMIER CONSISTENCY COMPARED TO TRADITIONAL UNSANDED GROUTS, ARDEX FG-C IS VERY EASY TO APPLY DELIVERING FULL GROUT JOINTS WITH AN ULTRA-SMOOTH FINISH. USE WITH PORCELAIN, GLASS, QUARRY, CERAMIC, MOSAIC AND MOST NATURAL STONE TILES.

Health Product Declaration v2.0

created via: HPDC Online Builder

Section 1: Summary

CONTENT INVENTORY

Threshold per material • 100 ppm • 1,000 ppm • Per GHS SDS • Per OSHA MSDS O Other

Based on the selected Content Inventory Threshold:

impurities	Characterized	Ο	0	
considered in	Are the Percent Weight and Role provided for all substances?	Yes	No	
4 of 4 materials • see Section 2: Material Notes	Screened Are all substances screened using Priority Hazard Lists with results disclosed?	⊙ Yes	O No	
see Section 5: General Notes	Identified Are all substances disclosed by Name (Specific or Generic) and Identifier?	⊙ Yes	O No	

CONTENT IN DESCENDING ORDER OF QUANTITY

Residuals and impurities

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

LIMESTONE [LIMESTONE; CALCIUM CARBONATE LT-UNK QUARTZ LT-1 | CAN] PORTLAND CEMENT [PORTLAND CEMENT LT-UNK | CAN] CALCIUM FORMATE [CALCIUM DIFORMATE LT-UNK] PIGMENT [IRON OXIDE LT-UNK | CAN FERRIC OXIDE BM-2 | CAN CHROMIUM (III) OXIDE LT-UNK TITANIUM DIOXIDE LT-1 | CAN]

Number of Greenscreen BM-4/BM3 contents.....0 Contents highest concern GreenScreen Benchmark or List translator Score..... LT-1

Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.



See Section 3 for additional listings

Self-Published*	VERIFIER:	SCREENING DATE: January 20, 2017	EXPIRY DATE*: January 20, 2020
O Third Party Verified	VERIFICATION #:	RELEASE DATE: January 20, 2017	* or within 3 months of significant change in product contents
*See HPDC websit	e for details		

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

ESTONE htory Threshold: Per GHS \$ rial Notes:	%: 30.0000 - 60.0 SDS Residuals Conside			
LIMESTONE; CALCIUM	CARBONATE		ID: 1317-	65-3
%: 99.9000 - 100.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Filler
HAZARDS:		AGENO	CY(IES) WITH WARNING	S:
None Found		No war	nings found on HPD Priori	ty lists
SUBSTANCE NOTES:				
QUARTZ			ID: 14808	3-60-7
%: Impurity/Residual	GS: LT-1	RC: None	NANO: NO	ROLE: Impurity/Resid
HAZARDS:		AGENO	CY(IES) WITH WARNING	S:
CANCER	US CDC - Occ	cupational Carcinogens	Occupational Ca	arcinogen
CANCER	CA EPA - Pro	p 65	Carcinogen - sp exposure route	ecific to chemical form or
CANCER	IARC Group 1: Agent is carcinogenic to inhaled from occupational sources			
CANCER	US NIH - Report on Carcinogens		Known to be Human Carcinogen (respirable size occupational setting)	
CANCER	MAK Carcinogen Group 1 - Substances that caus cancer in man			

PORTLAND CEMENT

%: 30.0000 - 60.0000 HPD URL:

Inventory Threshold: Per OSHA MSDS Residuals Considered: Yes Material Notes:

PORTLAND CEMENT

ID: 65997-15-1

HAZARDS:		AGE	NCY(IES) WITH WARNINGS	:
CANCER	МАК			up 3B - Evidence of carcinoge
SUBSTANCE NOTES:				
CIUM FORMATE tory Threshold: Per GHS rial Notes:	%: 1.0000 - 5.000 SDS Residuals Consid			
CALCIUM DIFORMATE			ID: 544-17	-2
%: 100.0000 - 100.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Catalyst
HAZARDS:		AGE	NCY(IES) WITH WARNINGS	:
None Found		No w	rarnings found on HPD Priority	y lists
SUBSTANCE NOTES:				
IENT		: 1.0000 - 25.0000	HPD URL:	
tory Threshold: Per GHS	SDS Re	esiduals Considered: Yes	HPD URL:	nents:
tory Threshold: Per GHS	SDS Re	esiduals Considered: Yes		
tory Threshold: Per GHS rial Notes: Based on the o	SDS Re	esiduals Considered: Yes	or more of the following pigm	
tory Threshold: Per GHS rial Notes: Based on the o	SDS Recolor of the product, ARI	esiduals Considered: Yes DEX FC-C may contain one RC: None	or more of the following pigm ID: 1317-6	1-9 ROLE: Pigment
tory Threshold: Per GHS rial Notes: Based on the o IRON OXIDE %: 0.0000 - 10.0000	SDS Recolor of the product, ARI	esiduals Considered: Yes DEX FC-C may contain one RC: None	or more of the following pigm ID: 1317-6 NANO: NO NCY(IES) WITH WARNINGS Carcinogen Grou	11-9 ROLE: Pigment
tory Threshold: Per GHS rial Notes: Based on the o IRON OXIDE %: 0.0000 - 10.0000 HAZARDS:	SDS Re color of the product, ARI GS: LT-UNK	esiduals Considered: Yes DEX FC-C may contain one RC: None	or more of the following pigm ID: 1317-6 NANO: NO NCY(IES) WITH WARNINGS Carcinogen Grou	11-9 ROLE: Pigment : up 3B - Evidence of carcinoge
tory Threshold: Per GHS rial Notes: Based on the o IRON OXIDE %: 0.0000 - 10.0000 HAZARDS: CANCER	SDS Re color of the product, ARI GS: LT-UNK	esiduals Considered: Yes DEX FC-C may contain one RC: None	or more of the following pigm ID: 1317-6 NANO: NO NCY(IES) WITH WARNINGS Carcinogen Grou	11-9 ROLE: Pigment : up 3B - Evidence of carcinoge
tory Threshold: Per GHS rial Notes: Based on the o IRON OXIDE %: 0.0000 - 10.0000 HAZARDS: CANCER	SDS Re color of the product, ARI GS: LT-UNK	esiduals Considered: Yes DEX FC-C may contain one RC: None	or more of the following pigm ID: 1317-6 NANO: NO NCY(IES) WITH WARNINGS Carcinogen Grou	: ROLE: Pigment : up 3B - Evidence of carcinoge ifficient for classification
tory Threshold: Per GHS rial Notes: Based on the o IRON OXIDE %: 0.0000 - 10.0000 HAZARDS: CANCER SUBSTANCE NOTES:	SDS Re color of the product, ARI GS: LT-UNK	esiduals Considered: Yes DEX FC-C may contain one RC: None	or more of the following pigm ID: 1317-6 NANO: NO NCY(IES) WITH WARNINGS Carcinogen Grou effects but not su	: ROLE: Pigment : up 3B - Evidence of carcinoge ifficient for classification
tory Threshold: Per GHS rial Notes: Based on the of IRON OXIDE %: 0.0000 - 10.0000 HAZARDS: CANCER SUBSTANCE NOTES: FERRIC OXIDE	SDS Recolor of the product, ARI	esiduals Considered: Yes DEX FC-C may contain one RC: None AGE	or more of the following pigm ID: 1317-6 NANO: NO NCY(IES) WITH WARNINGS Carcinogen Grou effects but not su ID: 1309-3	II-9 ROLE: Pigment : up 3B - Evidence of carcinoge ifficient for classification
tory Threshold: Per GHS rial Notes: Based on the of IRON OXIDE %: 0.0000 - 10.0000 HAZARDS: CANCER SUBSTANCE NOTES: FERRIC OXIDE %: 0.0000 - 5.0000	SDS Recolor of the product, ARI	esiduals Considered: Yes DEX FC-C may contain one RC: None AGE	or more of the following pigm ID: 1317-6 NANO: NO NCY(IES) WITH WARNINGS Carcinogen Grou effects but not su ID: 1309-3 NANO: NO NCY(IES) WITH WARNINGS Carcinogen Grou	II-9 ROLE: Pigment : up 3B - Evidence of carcinoge ifficient for classification I7-1 ROLE: Pigment :
tory Threshold: Per GHS rial Notes: Based on the of IRON OXIDE %: 0.0000 - 10.0000 HAZARDS: CANCER SUBSTANCE NOTES: FERRIC OXIDE %: 0.0000 - 5.0000 HAZARDS:	SDS Recolor of the product, ARI	esiduals Considered: Yes DEX FC-C may contain one RC: None AGE	or more of the following pigm ID: 1317-6 NANO: NO NCY(IES) WITH WARNINGS Carcinogen Grou effects but not su ID: 1309-3 NANO: NO NCY(IES) WITH WARNINGS Carcinogen Grou	II-9 ROLE: Pigment : up 3B - Evidence of carcinoge ifficient for classification I7-1 ROLE: Pigment : up 3B - Evidence of carcinoge

CHROMIUM (III) OXIDE			ID: 1308-3	8-9	
%: 0.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Pigment	
HAZARDS:		AGEN	CY(IES) WITH WARNINGS	:	
None Found		No war	nings found on HPD Priority	/ lists	
SUBSTANCE NOTES:					
TITANIUM DIOXIDE			ID: 13463-	67-7	
%: 0.0000 - 5.0000	GS: LT-1	RC: None	NANO: NO	ROLE: Pigment	
HAZARDS:		AGEN	CY(IES) WITH WARNINGS	:	
CANCER	US CDC - O	ccupational Carcinogens	Occupational Ca	rcinogen	
CANCER	CA EPA - Prop 65		Carcinogen - spe exposure route	Carcinogen - specific to chemical form or exposure route	
CANCER	IARC			Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources	
CANCER	МАК			up 3A - Evidence of carcinogenic ufficient to establish MAK/BAT	
SUBSTANCE NOTES:					

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

LCA

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All ARDEX manufacturing facilities. CERTIFICATE URL: http://www.tcnatile.com/images/pdfs/EPDs/EPD-for-Cement-Grout-Made-in-North-America.pdf CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

Environmental Product Declaration

ISSUE	EXPIRY DATE:	CERTIFIER OR LAB:
DATE: 2016-	2021-09-30	UL Environment
09-30		

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

CLEAN WATER

HPD URL: No HPD link provided

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Mix ARDEX FG-C with clean water in accordance with the technical data sheet.

MANUFACTURER INFORMATION

MANUFACTURER: ARDEX Engineered Cements	CONTACT NAME:
ADDRESS:	TITLE:
,	PHONE:
WEBSITE:	EMAIL:

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicityGLO Global warmingCAN CancerMAM Mammalian/systemic/organ toxicityDEV Developmental toxicityMUL Multiple hazardsEND Endocrine activityNEU NeurotoxicityEYE Eye irritation/corrosivityOZO Ozone depletionGEN Gene mutationPBT Persistent Bioaccumulative Toxic

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2
Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspeci ed (insu cient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party) Independent Lab Manufacturer's self-declaration using results from an independent lab Second Party Verification by trade association or other interested party Third Party Verification by independent certifier Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.

PHY Physical Hazard (reactive)
REP Reproductive toxicity
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
LAN Land Toxicity
NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) UNK Unknown (no data on List Translator Lists)