created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER: 23120** 

CLASSIFICATION: 09 80 00 Acoustic Treatment

PRODUCT DESCRIPTION: Airflake is made from molded polyester felt fiber that is formed into a variety of open or closed hexagonal snowflake shapes that are assembled together using small plastic clips. Airflake may be mounted to a ceiling or wall using a straight rail. The modules are assembled together to form 'open' screens that shape or suggest new spaces within a space, while allowing light to pass through unobstructed. Airflake XL is a larger version of the regular Airflake module.



# Section 1: Summary

## **Nested Method / Product Threshold**

#### **CONTENT INVENTORY**

**Inventory Reporting Format** Nested Materials Method

Basic Method

Threshold Disclosed Per

 Material Product

Threshold level ⊙ 100 ppm C 1,000 ppm

C Per GHS SDS Other

Residuals/Impurities Residuals/Impurities

Considered in 0 of 2 Materials

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC ⊙ Yes ○ No

% weight and role provided for all substances.

Screened

○ Yes Ex/SC ⊙ Yes ○ No

All substances screened using Priority Hazard Lists with

results disclosed.

Identified

○ Yes Ex/SC ⊙ Yes ○ No

All substances disclosed by Name (Specific or Generic)

and Identifier.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

POLYESTER CORE [ POLYESTER FIBERS NoGS ] FABRIC, POLYESTER [ POLYETHYLENE TEREPHTHALATE (PET) LT-UNK ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-UNK

Nanomaterial ... No

## **INVENTORY AND SCREENING NOTES:**

Airflake 10 packs are supplied with (10) modules, (5) attachments, (10) pairs of short plastic clips and (20) pairs of long plastic clips - Airflake 3 packs are supplied with (3) modules and (10) pairs of long plastic clips -Airflake XL 5 packs are supplied with (5) modules, (10) pairs of short plastic clips and (20) pairs of long plastic clips  $\_$  Airflake XL 2 packs are supplied with (2) modules) and (10) pairs of long plastic clips . For more information on each Airflake style -- Blade Open/Closed & Line Open/Closed-- please refer to the specifications pages. . PLEASE NOTE: All Blazer and other non-standard color options are only available in packs of 10

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario

### **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients Option 1 and Option 2

Third Party Verified?

O Yes No
 No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:**  SCREENING DATE: 2020-12-10 **PUBLISHED DATE: 2020-12-10** EXPIRY DATE: 2023-12-10

# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

**POLYESTER CORE** %: 50.0000 PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: No MATERIAL TYPE: Other: Polyester RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities not considered because they were not disclosed by manufacture. OTHER MATERIAL NOTES: **POLYESTER FIBERS** ID: 80595-68-2 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-12-10 %: 50.0000 GS: NoGS RC: PreC SUBSTANCE ROLE: Insulator NANO: Unknown **HAZARD TYPE** AGENCY AND LIST TITLES **WARNINGS** 

**FABRIC, POLYESTER** %: 50.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Plant-Based Fiber

No warnings found on HPD Priority Hazard Lists

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities not considered because they were not disclosed by manufacture.

OTHER MATERIAL NOTES:

None found

SUBSTANCE NOTES:

## **POLYETHYLENE TEREPHTHALATE (PET)**

ID: 25038-59-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library %: 50.0000 GS: LT-UNK RC: PreC NANO: Unknown SUBSTANCE ROLE: Biological material

HAZARD SCREENING DATE: 2020-12-10

**HAZARD TYPE** AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:



# **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

### **VOC EMISSIONS**

## CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

**CERTIFYING PARTY: Third Party** 

ISSUE DATE: 2020-11- EXPIRY DATE:

**CERTIFIER OR LAB: Berkeley** 

APPLICABLE FACILITIES: Berkeley Analytical

Analytical

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: 929-003-03A - nov1820



# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

# Section 5: General Notes

Aircone End is a half-tile capable of creating a straight lines in your Aircone configuration. - Aircone may be mounted to the ceiling or wall with a straight rail in three lengths, 59", 78.75" or 118", that can be joined or cut on site. .

#### MANUFACTURER INFORMATION

MANUFACTURER: Unika Vaev ADDRESS: 114 New Park Ave North Franklin CT 06254, USA

WEBSITE: https://unikavaev.com/products/aircone/

CONTACT NAME: Customer Service

TITLE: Customer Service PHONE: 800-237-1625

EMAIL: customer-service-group@unikavaev.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

**KEY** 

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity **END** Endocrine activity **EYE** Eve irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**LAN** Land toxicity

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple **NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the

information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)

**Recycled Types** 

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

NoGS No GreenScreen.

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:** 

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.