

HPD UNIQUE IDENTIFIER: 6632143761408

CLASSIFICATION: 03 30 00 Cast-in-Place Concrete

PRODUCT DESCRIPTION: The following specifications are for the Classic Concrete manufactured by Holcim Mexico, S.A. de C.V in Hermosillo. Mix unit mass 2265 - 2335[kg / m3], Compressive strength to 28 days Compressive Strength to 28 days- 100-350 [kg/cm2], Nominal slump 10 - 18 cm, Maximum size Gravel 1 limestone [mm] 20, Size of river sand [mm] 0-0.05, UNSPSC Code 30111500 Ready Mix Concrete. This concrete is rated for either plant located in Hermosillo.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
<input checked="" type="radio"/> Nested Materials Method <input type="radio"/> Basic Method	<input type="radio"/> 100 ppm <input checked="" type="radio"/> 1,000 ppm <input type="radio"/> Per GHS SDS <input type="radio"/> Other	Completed in 6 of 6 Materials Explanation(s) provided for Residuals/Impurities? <input checked="" type="radio"/> Yes <input type="radio"/> No	Characterized <input checked="" type="radio"/> Yes <input type="radio"/> No <i>Provided weight and role.</i> Screened <input checked="" type="radio"/> Yes <input type="radio"/> No <i>Provided screening results using HPDC-approved methods.</i> Identified <input type="radio"/> Yes <input checked="" type="radio"/> No <i>Provided name and CAS RN or other identifier.</i>
Threshold Disclosed Per			
<input type="radio"/> Material <input checked="" type="radio"/> Product			

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

GRAVEL [GRAVEL] SAND [RIVER SAND] CEMENT [UNDISCLOSED LT-P1] CAN | END | MAM UNDISCLOSED LT-UNK UNDISCLOSED BM-3dg] WATER [WATER (PRIMARY CASRN IS 7732-18-5) BM-4] ADDITIVE 1 [FORMALDEHYDE BM-1] CAN | END | SKI | MUL | MAM | GEN | AQU | EYE | PHY ISOTHIAZOL NoGS] ADDITIVE 2 [CARBOXYLIC ACID POLYMER, PARTIAL SODIUM SALT NoGS]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [GeologicalMaterial]

This inventory was made with primary information from HOLCIM (Mexico) and scientific literature in Pharos and the toxnet databases. The presence of the residual or impurity substance cannot be confirmed through the listing in this HPD. Any screening update please notify the HOLCIM contact.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested

Environmental Product Declaration: Environmental Product Declaration (EPD) by Labeling Sustainability

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2024-09-30

PUBLISHED DATE: 2024-09-30

EXPIRY DATE: 2027-09-30

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

GRAVEL %: 37.3400 - 44.1400

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered per the Quartz database for common building materials- ready-mix concrete <http://www.quartzproject.org/p/CP170-a03#cp>

OTHER MATERIAL NOTES:

GRAVEL

ID: **Geological Material**

HAZARD DATA SOURCE: **HPDC Special Conditions Policy**

%: **100.0000** GreenScreen: **Not Required** RC: **None** NANO: **No** MATERIAL ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

Hazard Screening is not applicable to this Special Condition

INGREDIENT DESCRIPTION AND COMPOSITION: MANGANESE, VANADIUM, NICKEL, COBALT,

COUNTRY OF ORIGIN: México

RADIOACTIVE ELEMENTS: According to supplier provided information and/or internal testing, it is determined that no radioactive elements are found in this material.

POTENTIAL PRESENCE OF TOXIC METALS: Unknown

MATERIAL CONTENT NOTES: Geological materials are typically of variable/unknown composition depending on their extraction location, and in some cases, the potential for impurities is related to specific sources or regions. Until specific conditions are better understood, it will be difficult to monitor variability and predict the presence of impurities.

This disclosure does not provide potential presence of toxic metals which may be found in certain geological materials.

SAND %: 24.4100 - 41.1100

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are listed

OTHER MATERIAL NOTES:

HAZARD DATA SOURCE: [HPDC Special Conditions Policy](#)

%: 100.0000	GreenScreen: Not Required	RC: None	NANO: No	MATERIAL ROLE: Filler
--------------------	----------------------------------	-----------------	-----------------	------------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

Hazard Screening is not applicable to this Special Condition

INGREDIENT DESCRIPTION AND COMPOSITION: QUARTZ, ANDESITE

COUNTRY OF ORIGIN: México

RADIOACTIVE ELEMENTS: According to supplier provided information and/or internal testing, it is determined that no radioactive elements are found in this material.

POTENTIAL PRESENCE OF TOXIC METALS: According to supplier provided information and/or internal testing, it is determined that no toxic metals are found in this material.

MATERIAL CONTENT NOTES: Geological materials are typically of variable/unknown composition depending on their extraction location, and in some cases, the potential for impurities is related to specific sources or regions. Until specific conditions are better understood, it will be difficult to monitor variability and predict the presence of impurities.

CEMENT%: **10.3400 - 23.6500**

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Geologically Derived Material
-----------------------------	--	--

RESIDUALS AND IMPURITIES NOTES: All residuals and Impurities per the Quartz Database for common building materials- Readymix concrete <http://www.quartzproject.org/p/CP170-a03#cp>

OTHER MATERIAL NOTES:

UNDISCLOSEDID: **Undisclosed**HAZARD DATA SOURCE: [Pharos Chemical and Materials Library](#)HAZARD SCREENING DATE: **2024-09-30 12:57:04**

%: 50.0000 - 55.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Residual
-----------------------------	---------------------------	-----------------	-----------------	---------------------------------

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
-------------	----------------------	----------

CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
-----	-----	--

END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
-----	---------------------------------------	-------------------------------

MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
-----	-------------	---

MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
-----	-------------	---

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
---------------------	----------------------	--------------

None found	No listings found on Additional Hazard Lists	
------------	--	--

SUBSTANCE NOTES: For cement, no testing has been conducted on the actual material. Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 ". It is being considered a CPC 40 cement.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-09-30 12:57:05**

#: **20.0000 - 35.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Residual**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: No testing has been conducted on the actual material. Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 considering a CPC 40.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-09-30 12:57:05**

#: **20.0000 - 35.0000** GreenScreen: **BM-3dg** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: No testing has been conducted on the actual material. Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 considering a CPC 40.

WATER

#: **9.7600 - 12.0100**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Other: Water

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities were noted in the Pharos database. Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: All substances in this material are below the reportable threshold.

WATER (PRIMARY CASRN IS 7732-18-5)

ID: 652133-48-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-09-30 12:57:06**

%: **100.0000** GreenScreen: **BM-4** RC: **None** NANO: **No** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex IV listing due to intrinsic safety

SUBSTANCE NOTES:

ADDITIVE 1

%: **0.0001**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Pharos and PubChem (formerly toxnet) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: All substances in this material are below the reportable threshold.

FORMALDEHYDE

ID: 50-00-0

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-09-30 12:57:07**

%: **100.0000** GreenScreen: **BM-1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Reducing agent**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CAN	US EPA - IRIS Carcinogens	(1986) Group B1 - Probable human Carcinogen
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
CAN	GHS - Korea	H350 - May cause cancer [Carcinogenicity - Category 1]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
GEN	EU - GHS (H-Statements) Annex 6 Table 3-1	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
MAM	GHS - Korea	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Korea	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
GEN	EU - Annex VI CMRs	Mutagen - Category 2
MAM	GHS - Japan	H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3]
MAM	GHS - Malaysia	H300 - Fatal if swallowed [Acute toxicity (oral) - Category 1 or 2]

MAM	GHS - Malaysia	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Malaysia	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
SKI	GHS - Malaysia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
EYE	GHS - Malaysia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
MAM	GHS - Australia	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - Australia	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Korea	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 2]
PHY	GHS - Korea	H220 - Extremely flammable gas [Flammable gases - Category 1]
PHY	Québec CSST - WHMIS 1988	Class B1 - Flammable gases
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: gas) - Category 2]
PHY	GHS - Japan	H220 - Extremely flammable gas [Flammable gases - Category 1]
CAN	GHS - Malaysia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
AQU	GHS - Australia	H401 - Aquatic Acute 2 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
CAN	EU - REACH Annex XVII CMRs	Carcinogens: Category 1B

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Footwear, Apparel & Jewelry Products
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024 Red List substances to avoid in Living Building Challenge V4.0 projects
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products

SUBSTANCE NOTES:

ISOTHIAZOL

ID: 288-16-4

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-09-30 12:57:06**

%: **100.0000** GreenScreen: **NoGS** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Reducing agent**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Pharos and PubChem (formerly toxnet) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold

OTHER MATERIAL NOTES: All substances in this material are below the reportable threshold.

CARBOXYLIC ACID POLYMER, PARTIAL SODIUM SALT

ID: 160047-11-0

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-09-30 12:57:06**

#: **100.0000** GreenScreen: **NoGS** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method - Not tested	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2023-12-12 00:00:00	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: Applicable for the additive	EXPIRY DATE: 2025-09-25 00:00:00	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: Directiva 2010/75/UE del Parlamento Europeo y del Consejo		

LCA	Environmental Product Declaration (EPD) by Labeling Sustainability	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2023-07-17 00:00:00	CERTIFIER OR LAB: Institute for Environmental Research and Education
APPLICABLE FACILITIES: For every plant	EXPIRY DATE: 2028-07-18 00:00:00	
CERTIFICATE URL: https://www.labelingsustainability.com/holcim-epds		
CERTIFICATION AND COMPLIANCE NOTES:		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Product Components and Corresponding ASTM Standards:

- NMX-C-414-ONNCCE / ASTM-C 595 Standard Specification for Blended Hydraulic Cements
- Fly Ash ASTM C618 Coal Fly Ash and Raw or Calcined Natural Pozzolan for Use in Concrete,
- Natural or Crushed Aggregate ASTM C33 Concrete Aggregates,
- Admixtures ASTM C494 Chemical Admixtures for Concrete,
- Silica Fume ASTM C1240 Standard Specification for Silica Fume Used in Cementitious Mixtures,
- Batch Water ASTM C1602 Mixing Water Used in Production of Hydraulic Cement Concrete.

MANUFACTURER INFORMATION

MANUFACTURER: **Holcim Mexico, S.A. de C.V.**
 ADDRESS: <http://www.holcim.com.mx/>
CDMX, Ciudad de México 11560
 COUNTRY: **Mexico**

WEBSITE: <http://www.holcim.com.mx/>
 CONTACT NAME: **Alicia Carrillo**
 TITLE: **Sustainable Coordinator**
 PHONE: **8135523202**
 EMAIL: aliciaberenice.carrillofamoso@holcim.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

