STONETECH® Honing Powder 280 by LATICRETE International

Health Product Declaration v2.1

CLASSIFICATION: 09 01 30

created via: HPDC Online Builder

• Yes • No

Yes O No

Yes No

PRODUCT DESCRIPTION: A non-acidic, medium / coarse grit powder designed to eliminate mild to deep scratches, create a honed finish and to set up stone for polishing and shining.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format Threshold level Residuals/Impurities Are All Substances Above the Threshold Indicated: C Nested Materials Method 100 ppm Considered Characterized Basic Method C 1,000 ppm C Partially Percent Weight and Role Provided? Considered C Per GHS SDS Threshold Disclosed Per Screened Not Considered Per OSHA MSDS Material Using Priority Hazard Lists with C Other Results Disclosed? Explanation(s) provided Product for Residuals/Impurities? Identified Yes No Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

STONETECH® HONING POWDER 280 [ALUMINUM OXIDE LT-P1 | RES]

Number of Greenscreen BM-4/BM3 contents....... 0 Contents highest concern GreenScreen Benchmark or List translator Score..... LT-P1 Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

This HPD was Created with Basic Inventory.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.00 Regulatory (g/l): 0.00

Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

C Yes

No

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC content: TDS 251 "Low VOC LATICRETE Products / LEED Certification"

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified? PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2017-10-30 **PUBLISHED DATE: 2017-10-30** EXPIRY DATE: 2020-10-30

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

STONETECH® HONING POWDER 280

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

100.0000	GS: LT-P1	RC: None	nano: No	ROLE: Abrasive/Honing Powder
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
RESPIRATORY	AOEC - Asthmagens		Asthmagen (ARs) - sensitizer-induced - inhalable forms only	

SUBSTANCE NOTES: The material stated above represents 100% of the product content.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC CONTENT

TDS 251 "Low VOC LATICRETE Products / LEED Certification"

CERTIFYING PARTY: Self-declared

ISSUE DATE:2017-07-

EXPIRY DATE: 2099-

CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to All Facilties.

29

12-31

CERTIFICATE URL:

https://cdn.laticrete.com/~/media/support-and-

downloads/technical-datasheets/tds251.ashx?

la=en&vs=1&d=20171026T205811Z

CERTIFICATION AND COMPLIANCE NOTES: This product is not required by LEED VOC emission or content regulations.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or STONETECH Honing Powder 280 hpdrepository.hpd-collaborative.org

fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

WATER HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

STONETECH® Honing Powder 280 to be mixed with water only following mix ratio and directions as stated in product data sheet.



Section 5: General Notes

STONETECH® Honing Powder 280 meets the Living Building Challenge requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, STONETECH Honing Powder 280 does not contain the following: Alkylphenols* •Asbestos •Bisphenol A (BPA)* •Cadmium •Chlorinated Polyethylene & Chlorosulfonated Polyethylene Chlorobenzenes* •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs)* •Chloroprene (Neoprene) •Chromium VI* •Chlorinated Polyvinyl Chloride (CPVC)* •Formaldehyde (all types - added) •Halogenated Flame Retardants (HFRs) •Lead (added) •Mercury •Polychlorinated Biphenyls (PCBs)* •Perfluorinated Compounds (PFCs)* •Phthalates •Polyvinyl Chloride (PVC) •Polyvinylidene Chloride (PVDC)* •Short Chain Chlorinated Paraffins* •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. STONETECH Honing Powder 280 also does not contain the following California-defined Group II toxic exempt solvents: •Methylene Chloride (Dichloromethane) •1,1,1-trichloroethane (methyl chloroform) •Trichlorofluoromethane (CFC-11) •Dichlorofluoromethane (CFC-12) •1,1,2-trichloro-1,2,2-trifluoroethane (CFC-113) •1,2dichloro-1,1,2,2-tetrafluoroethane (CFC-114) •Chloropentafluoroethane (CFC-115) •Cyclic, Branched or Linear, Completely Methylated Siloxanes •(VMS) •Tetrachloroethylene (perchloroethylene) •Ethylfluoride (HFC-161) •1,1,1,3,3,3hexafluoropropane (HFC-236fa) •1,1,2,3,3-pentafluoropropane (HFC-245ca) •1,1,2,3,3-pentafluoropropane (HFC-245ea) •1,1,1,2,3-pentafluoropropane (HFC-245eb) •1,1,1,3,3-pentafluoropropane (HFC-245fa) •1,1,1,2,3,3-hexafluoropropane (HFC-236ea) •1,1,1,3,3-pentafluorobutane (HFC-365mfc) •chlorofluoromethane (HCFC-31) •1,2-dichloro-1,1,2-trifluoroethane (HCFC-123a) •1 chloro-1-fluoroethane)HCFC-151a)



Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International CONTACT NAME: Mitch Hawkins

ADDRESS: 1 Laticrete Park North TITLE: Technical Services Manager

Bethany CT 06524, USA PHONE: 203-393-4619

WEBSITE: www.laticrete.com EMAIL: wmhawkins@laticrete.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity **CAN** Cancer

DEV Developmental toxicity

END Endocrine activity

GLO Global warming MAM Mammalian/systemic/organ toxicity **MUL** Multiple hazards **NEU** Neurotoxicity

PHY Physical Hazard (reactive) **REP** Reproductive toxicity **RES** Respiratory sensitization SKI Skin sensitization/irritation/corrosivity **EYE** Eye irritation/corrosivity **GEN** Gene mutation

OZO Ozone depletion **PBT** Persistent Bioaccumulative Toxic

LAN Land Toxicity **NF** Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspeci ed (insu cient data to benchmark)

LT-P1 List Translator Possible Benchmark 1
LT-1 List Translator Likely Benchmark 1
LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per produc

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.